


# a

## emotional light

tati collection



USA & Canada

ref. TA04G



### MATERIALS & COMPONENTS

#### LAMPSHADE

Painted stainless steel | One color to choose



BL

BE

G

T

CUSTOM  
COLOR

Steel gloss nickel-plated and stainless steel

#### CANOPY AND CABLE

Steel gloss nickel-plated and stainless steel

Transparent or black cable

Standard: 78,7in

Length customizable

#### RECOMMENDED BULBS

**120V - 60Hz**

E26 LED- Max. 4x12 W

### OTHER DATA

#### NET WEIGHT

9,5lb

#### PACKAGING

33,1x 33,1x 15in

22,5lb

#### ELECTRICAL FEATURES




#### CERTIFICATIONS







## emotional light



## 4

Fit the shade in the base, turn it until it reaches the end stop by inserting the fixing screws to the slots of the canopy. Tighten the fillet of the fixing screws to fasten the whole set.

Insert the canopy in the holding piece and tight the security screws.

Placez les ampoules. Insérez l'abat-jour dans les rainures du diffuseur (cerceau métallique) et tournez-le jusqu'à ce qu'il atteigne la butée. Serrer les vis pour fixer l'abat-jour et l'ensemble. Insérez la rosace de plafond dans la pièce de fixation et serrez les vis.

Encajar la tulipa en el soporte, girándola hasta que haga tope al introducir los tornillos de enganche en las ranuras del florón. Apretar la rosca de los tornillos de

enganche para asegurar el conjunto.

Encajar el florón en la pieza de sujeción y apretar los tornillos.