


# a·emotional light


# Index

TABLE LAMPS  
20 - 24




ON02 24 TA02 24 UR01 24


FLOOR LAMPS  
25 - 28




PENDANT LAMPS  
30 - 71




AI04 30 AG104 30 AG204 30 AG304 30 AG404 31 AN04 31 AN04G 31 AN05 32




AN05G 32 BAPI04 33 BARE04 34 BALA04 35 BI04 36 BECO04 36 BL04 37 CB04 37




CB04G 37 CM104 38 CM104G 38 CM304 38 CM304G 38 CA04A 39 CA04B 39 CA04AG 40 COCY04 41




COCY04XL 41 COGA04 42 COGA04XL 42 CORE04 43 CORE04XL 43 COSE04 44 COSE04XL 44 COAU04 45 COAU04XL 45




COAU04G 46 CV04-1 47 CV04 47 CV04G 47 FL04 48 GE04 48 IN04-Mini 49 IN04 49 LA04-Mini 50



LA04 50 LA04G 51 LS04 52 LS04G 52 MY04 53 MY04G 53 NB04 54 NB04\_120 54




NB04\_160 54 NE04-1 55 NE04 55 NE04G 55 ON04-MINI 56 ON04-1 56 ON04 57 ON04G 57 ON04XL 58






PA104 59 PA204 59 PA304 59 PAC104 60 PAC204 60 PAC304 61 PL04-MINI 62 PL04 62 TA04-1 63 TA04 63



TA04G 63 TEAN04 64 TEVI04-Mini 65 TEVI04 65 TEVI04G 66 UR104 67 UR204 67 UR304 68 VA04 68 VG04A 69



VG04B 69 VV04 70 VV04G 70 VN04-LD 71 WD04 71




# Materials



BL White



BE Beige




B White



T Taupe



N Black



B White



G Grey

1

## 1. Painted stainless steel mesh

### 2 Painted stainless steel thread

The stainless steel mesh is a cold industrial material that through manual techniques is converted into lamps. The physical characteristics of these materials allows through methods developed by our team, they can be folded, molded and cut resulting in creative freedom designs. The paint finish adds to this resistant and compact material a greater durability and facilitates its maintenance and cleaning.

Colors & codes: White (BL), beige (BE), grey (G), taupe (T), Black (N).

NCS / RAL Code: White (RAL 9003), beige (S 3020-Y30R), grey (S 2500-N), taupe (S 3005-Y80R), black (RAL 9004).

Collections: Africa, Agasallo, Anel, Baleira, Ballet, Blossom, Brétema, Coral, Cors, Gea, Hipatia, Inn, Kala, Kite, Lea, Lisa Luisa, Nebra, Nevo, Onn, Planum, Tati, Tempo, Umbra, Ura, Virginia, Venus.

Clara and Mytilus only available in white.  
Cambo only available in black or white.

### 3 Galvanized steel mesh

The stainless steel thread interlaced and embroidered on itself, creates random, light, seemingly fragile volumes, but durable thanks to the sturdiness that paint finish brings.

Colors & codes: White (B).  
Collections: Blum, Pili.

Color & code: White (B).  
Collection: Fluo.



42 White



47 Brown



51 Green



43 Grey




49 Medium brown



52 Blue

4



46 Red



50 Beige


### 4 Cellulose cord

The pressed cellulose cord is a pleasant texture material and has a wide range of colors. This medium flammability component is obtained from pressed cellulose and is molded using its own techniques. Due to its physical characteristics it is not recommended to wet the material for cleaning.


Colors & codes: White (42), grey (43), red (46), brown (47), medium brown (49), beige (50), green (51), blue (52).  
Collection: Caos.




6



7



8



### 5 Glass

Our semi-handmade glass presents irregular watermarks that gives personalitiy to this material. This opalescent glass comes in a wide range of bright colors.

Colors & codes:  
White (02), sand (87), dark amber (89), brown (90), beige (95).

El color beige (95) solo está disponible para la combinación con marrón (90) en la colección Vento.


Collections: Curvas, Vento.



### 7 Birch wood

A material of high durability and easy maintenance. The birch wood is characterized by its light color and low contrast, allowing easy manual processing. The light that escapes between the wooden slats turns this material into a warm and elegant wood.


Collection: Woods.



### 6 Beech wood

Beech wood is hard and characteristic for its clear and natural shades. This material is easy to work with and the varnishing makes it a very durable and easy to maintain material.

Collection: Cambo.




42 White




47 Brown




51 Green




43 Grey



49 Medium brown



52 Blue



46 Red



50 Beige

### 8 Ash wood


Ash wood is polyvalent and especially flexible. Its resistance make it a high quality material that, through manual processes, allows curved and durable finishes.

Collection: Aimei.

### 9 Cellulose cord

The pressed cellulose cord is a pleasant texture material and has a wide range of colors. This medium flammability component is obtained from pressed cellulose and is molded using its own techniques. Due to its physical characteristics it is not recommended to wet the material for cleaning.

Colors & codes: White (42), grey (43), red (46), brown (47), medium brown (49), beige (50), green (51), blue (52).  
Collection: Caos.



B White



19 Yellow



B White



CM Cream




BG Beige



G Grey



B Whyte




TE Terracotta



25 White




AM Amethyst



N Black



10 G Grey



NA Orange



13 N Black



14 N Black



BU Burgundy

## 10 Polycarbonate

Through plastic injection technology, this material is consistently made and is available in two colors. The personalized shape of each piece allows the realization of luminaires of large dimensions and easy maintenance.

Colors & codes:  
White (B), black (N), terracotta (TE).  
Collection: V.

## 11 Hand-crafted glass

Our hand-crafted glass is a material that is obtained through different manual techniques, including blowing and lamination. The surface finish is done manually by using very fine sand, avoiding the use of chemical agents.

Colors & codes: Yellow (19), white (25)  
Collections: Era

## 12 Colored glass

The bell shape and its wave-like lower cavity define the glass body. From within, a subdued faded light emerges, revealing its volume. It creates a halo of light within, conveying lightness, as if we were holding a firefly in a glass container.

Collections: Veiga

## 13 3D Knit

The 3D knit allows us to generate volumes and produce our lampshade without waste of material and without seams. It can be made with 100% recyclable materials.

Colors & codes: Beige (BG), orange (NA)  
Collections: Cabana

## 14 Granite

Galician granite is a natural and sustainable material that is easy to maintain. With a light greyish tone, fine-grained and with black speckles, this material used in Parga is compact and comes from discards. It is a material that is highly resistant to heat and wear.

Now, it features a black finish that adds a sophisticated and versatile dimension. The depth of the tone enhances the contrast between the texture of the granite and the softness of the light, creating a piece with a strong visual presence.

## 15 Ceramic

Earth and fire have been closely linked since man began developing the ability to make tools. The Parga collection expands the family by incorporating a set of ceramic pieces, seeking to preserve the modesty and simplicity of natural materials.

Collection: Parga Ceramic

## AUTHENTICITY GUARANTEE

All lamps are labelled with an identification code and serial number. This fixture is an exclusive and authentic design of the company a-emotional light. It is entirely handmade in Spain and passes strict quality controls before its entrance into the market.

All our lamps are totally handmade. The differences found in our luminaires and in the different materials used make them unique. Small differences between lamps are not a defect, it is a value because each one is a unique object. The indicated lampshade dimensions are only approximate, never exact.

Some dimensions and/or electrical data may vary, consult your sales advisor.



	Available with LED built-in technology		DALI/Switch DIM Digital Addressable Lighting Interface	Professional standard bidirectional regulation interface for lighting equipment control		PHASE CUT Trailing& Leading	Regulation for small installations without adding additional control wiring.		0-10V & PCO PHASE CONTROL only for 120Vac	Regulation of luminous flux between 0 and 10V (1-100%) through an analog signal. Compatible with TRIAC (forward-phase or leading-edge), ELV (reverse-phase or trailing edge) - only at 120Vac.
--	--	--	---	---	--	--------------------------------	--	--	--	--



# Technical catalogue

# Table lamps

## Agasallo Table

Héctor Serrano, 2025

 Updated collection

MATERIALS Stainless steel mesh

### FINISHES

White 

Beige 

Grey 

Taupe 

Black 

Custom 

### CABLE

Black

L 78,7"

### SUPPORT

Painted steel

### DIFFUSER

Included

AG01



LIGHT SOURCE

120 V | 60 Hz  E26 LED - Max. 1x7 W


Recommended bulbs

NET WEIGHT

3,1 lb

PACKAGING

18,1x9,4x10,2" | 5,5 lb



15"

AG02



LIGHT SOURCE

120 V | 60 Hz  E26 LED - Max. 1x7 W


Recommended bulbs

NET WEIGHT

4 lb

PACKAGING

17,3x17,3x15,7" | 6,6 lb



15"

Ø 13"

AG02G



LIGHT SOURCE

120 V | 60 Hz  E26 LED - Max. 1x7 W


Recommended bulbs

NET WEIGHT

5,3 lb

PACKAGING

18,5x18,5x24,8" | 9,5 lb



21,3"

Ø 16,1"

## Bety Eco

Arturo Álvarez, 2009

MATERIAL Pressed Cellulose

FINISHES 42 49

43 50

46 51


47 52

CABLE Transparent L 78,7"

SUPPORT Stainless Steel

BEC001

cUL us



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 1x7 W

NET WEIGHT 3,3 lb

PACKAGING 25,6x12,6x9,1" | 6,6 lb

## Clara

Arturo Álvarez, 2021

MATERIAL Painted stainless steel

FINISHES White BL


CABLE Transparent L 78,7"

SUPPORT Stainless steel

CL02

LED

cUL us  
in progress



LIGHT SOURCE Light source built in

100-277V | 60 Hz 24W | 2700K | 2449lm built in upon request 3000K | 25271lm

NET WEIGHT 10,4 lb

PACKAGING 17,3x17,3x34,6" | 22 lb

## Blossom

Teresa Sapey + Partners, 2023

MATERIAL Painted stainless steel

FINISHES White BL

Multicolor MC

Custom CC


CABLE White L 78,7"

SUPPORT Stainless Steel

DIFFUSER Included

BS02

cUL us



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x7 W

NET WEIGHT 6,6 lb

PACKAGING 12,6x9x25,6" | 8,8 lb

## Curvas

Arturo Álvarez, 2004

MATERIAL Glass

FINISHES 02 89


87 90

CABLE Transparent or Black L 47,2"

SUPPORT Painted steel | Stainless steel

CV01

cUL us



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 1x7 W

NET WEIGHT 4,2 lb

PACKAGING 17,7x9,4x10,2" | 5,7 lb

## Cambo

Cenlitros, 2022

MATERIALS Painted steel

Painted aluminum

Painted stainless steel

Beech wood

FINISHES White BL

Black N


Custom CC

CABLE Black or White L 78,7"

CM01

LED

cUL us



LIGHT SOURCE Light source built in

100-277V | 60 Hz 7W | 2700K | 850lm built-in Dimmable

NET WEIGHT 4,3 lb

PACKAGING 33x14,9x11" | 10,1 lb

## Era

Isaac Piñeiro, 2023

MATERIAL Hand-crafted glass

FINISHES 19


25

CABLE Black L 47,2"

SUPPORT Steel painted in matt black

ER01

cUL us



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 9,2 lb

PACKAGING 20,7x20,7x20,9" | 15,4 lb

# Hipatia

aemotional light design team,

2021

MATERIAL Painted stainless steel

FINISHES White

Custom

CABLE Wireless


USB cable + charger

SUPPORT Painted steel | Stainless steel

Portable  
Includes remote control  
(reach 10m|39,4")

Autonomy

HI01



LIGHT SOURCE Light source built in

120 V | 60 Hz  
 3000K | 247lm built-in Rechargeable battery 5V - 2A - 5000mAh

NET WEIGHT 2,2 lb

PACKAGING 7,4x20x10,6" | 3,1 lb

Functions  
ON/OFF/DIMMING  
In charge 8/10

# Onn

Arturo Álvarez, 2017

MATERIALS Painted stainless steel

Steel gloss nickel-plated

FINISHES White

Beige

Grey

Taupe


Black

Custom

CABLE Transparent or Black L 78,7"

SUPPORT Stainless steel

ON02



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 2x7 W

NET WEIGHT 7,7 lb

PACKAGING 23,6x23,6x13" | 9,9 lb

# Nevo

Arturo Álvarez, 2007

MATERIALS Painted stainless steel

Steel gloss nickel-plated

FINISHES

White


Beige

Grey

Taupe

Custom

NE01



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 2x7 W

NET WEIGHT 3,5 lb

PACKAGING 14,2x14,2x12,2" | 5,5 lb


CABLE

Transparent or Black

L 47,2"  
NE02 L 78,7"

SUPPORT Painted steel | Stainless steel

NE02



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 2x7 W

NET WEIGHT 4,4 lb

PACKAGING 23,6x23,6x13" | 8,8 lb

# Tati

Arturo Álvarez, 2011

MATERIALS Painted stainless steel

Steel gloss nickel-plated

FINISHES

White

Beige

Grey


Taupe

Custom

CABLE Transparent or Black L 78,7"

SUPPORT Stainless steel

TA02



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 2x7 W

NET WEIGHT 3,5 lb

PACKAGING 23,6x23,6x13" | 8,8 lb

# Ura

Arturo Álvarez, 2017

MATERIALS Painted stainless steel

FINISHES

White

Beige

Grey

Taupe


Black

Custom

CABLE Transparent or Black L 47,2"

SUPPORT Stainless steel

UR01



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 2,2 lb

PACKAGING 25,5x12,6x9,1" | 3,9 lb

# Floor lamps

## Africa

Arturo Álvarez, 2014

MATERIALS Painted stainless steel

FINISHES White (BL)

Beige (BE)

Grey (G)


Taupe (T)

Custom (CC)

CABLE Transparent or Black L 98,4"

SUPPORT Painted steel | Stainless steel

AF03



Ø 56,3"

86,8"

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 3x12 W

NET WEIGHT 132,7 lb

PACKAGING 60,6x60,2x95,7" | 600 lb

## Agasallo Floor

Héctor Serrano, 2025

Updated collection

MATERIALS Stainless steel mesh

FINISHES White (BL)

Beige (BE)

Grey (G)

Taupe (T)

Black (CC)


Custom

CABLE Black L 78,7"

SUPPORT Stainless steel

DIFFUSER Included

AG03



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x7 W

NET WEIGHT 7,5 lb

PACKAGING 18,1x18,1x35,4" | 13,2 lb

## Bety Eco

Arturo Álvarez, 2009

MATERIAL Pressed Cellulose


FINISHES 42 (white) 49 (brown)

43 (grey) 50 (tan)

46 (red) 51 (olive)

47 (brown) 52 (blue)

BEC003



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 12,1 lb

PACKAGING 70,9x4,3x4,3" 18,5x18,5x24,8" 17,6 lb

## Clara

Arturo Álvarez, 2021

MATERIALS Stainless steel mesh

FINISHES White (BL)


CABLE Transparent L 98,4"

SUPPORT Painted steel | Stainless steel

CL03



in progress



LIGHT SOURCE Recommended bulbs

100-277 V | 60 Hz 35W | 2700K | 3391 built in upon request 3000K | 3474

NET WEIGHT 22 lb

PACKAGING 68,5x17,7x12,2" | 33,1 lb

## Curvas

Arturo Álvarez, 2004

MATERIAL

Glass

FINISHES

02 89  
87 90


CABLE Transparent or Black  
L 250cm | 98,4"

SUPPORT Painted steel | Stainless steel

DIFFUSER Top diffuser

CV03G

cUL<sub>us</sub> ETL



LIGHT SOURCE Recommended bulbs  
ONLY DIMMABLE LED BULBS

120 V | 60 Hz E26 LED - Max. 4x12 W  
Dimmable

NET WEIGHT 25,6 lb

PACKAGING 72,8x17,7x9,8"  
18,5x18,5x24,8"  
33,1lb

## Gea

Arturo Álvarez, 2007

MATERIALS Painted stainless steel

FINISHES White BL

Beige BE

Grey G


Taupe T

Custom CC

CABLE Transparent or Black  
L 137,8"

GE03

GOOD DESIGN cUL<sub>us</sub> ETL



LIGHT SOURCE Recommended bulbs  
ONLY DIMMABLE LED BULBS

120 V | 60 Hz E26 LED - Max. 5x12 W  
Dimmable

NET WEIGHT 32 lb

PACKAGING 74x17,2x10,23" | 41,9lb

## Ura

Arturo Álvarez, 2017

MATERIALS Painted stainless steel

FINISHES White BL

Beige BE

Grey G

Taupe T

Black N


Custom CC

CABLE Transparent  
L 98,4"

SUPPORT Stainless steel

UR03

cUL<sub>us</sub> ETL



LIGHT SOURCE Recommended bulbs  
ONLY DIMMABLE LED BULBS

120 V | 60 Hz E26 LED - Max. 3x12 W

SUPPORT Stainless steel

NET WEIGHT 16,8 lb

PACKAGING 43,7x16,9x17,3" | 27,6lb

## Virginia

Arturo Álvarez, 2021

MATERIALS Painted stainless steel

FINISHES White BL

Beige BE

Grey G

Taupe T

Black N


Custom CC

CABLE Transparent  
L 98,4"

SUPPORT Painted steel | Stainless steel

VG03A

cUL<sub>us</sub> ETL



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W


CABLE Transparent  
L 250cm | 98,4"

NET WEIGHT PESO NETO  
23,1 lb

PACKAGING EMBALAJE  
61x4,3x4,3"  
20,7x20,7x20,9"  
26,5 lb

VG03B

cUL<sub>us</sub> ETL



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

CABLE Transparent  
L 250cm | 98,4"

NET WEIGHT 22 lb

PACKAGING 61x4,3x4,3"  
17,3x17,3x15,7"  
25,3 lb

## V

Héctor Serrano, 2007

MATERIALS Polycarbonate

FINISHES White BL

Black N

Terracotta TE


Custom CC

CABLE Transparent or Black  
L 157,54"

Glass diffuser

VV03

cUL<sub>us</sub> ETL



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x8 W

NET WEIGHT 26,5 lb

PACKAGING 64,2x16,5x4,3"  
33x33x15"  
41,4 lb

# Pendant lamps

## Agasallo


Héctor Serrano, 2021

MATERIALS  
Painted Stainless steel  
Stainless steel painted in matt black

FINISHES  
White (BL)  
Beige (BE)  
Grey (G)  
Taupe (T)  
Black (N)  
Custom (CC)

CABLE  
Black  
Standard: 59,1"  
120 V: 78,7"

CANOPY  
Steel painted in matt black  
230V: Ø3,1"  
120V: Ø4,7"



AG104



LIGHT SOURCE  
120 V | 60 Hz  
E26 LED - Max. 1x12 W

NET WEIGHT  
1,5 lb

PACKAGING  
18,1x9,4x9,8" | 2,6 lb


AG204



LIGHT SOURCE  
120 V | 60 Hz  
E26 LED - Max. 1x12 W

NET WEIGHT  
2,2 lb

PACKAGING  
17,3x17,3x15,7" | 5,7 lb



## Aimei

Arturo Álvarez, 2019

MATERIALS  
Ash wood


CABLE  
Transparent  
Standard: 78,7"  
120 V: 78,7"

Custom lenght

CANOPY  
Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

DIFFUSER  
Glass sphere

AI04



LIGHT SOURCE  
Light source built in

100~277V | 60 Hz  
8W | 2700K | 960lm built in  
upon request 3000K | 1067lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT  
21 lb

PACKAGING  
37,4x37,4x34,6" | 44 lb


AG304




LIGHT SOURCE  
120 V | 60 Hz  
E26 LED - Max. 1x12 W

NET WEIGHT  
2,9 lb

PACKAGING  
18,5x18,5x24,8" | 7,5 lb



AG404



LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	E26 LED - Max. 1x12 W
NET WEIGHT	3,3 lb
PACKAGING	20x20x20,9"   8,2 lb

**Anel**

a-emotional light design team,  
2023

Updated collection

MATERIALS Painted stainless steel

Painted steel

FINISHES White

Custom

CABLE 220V: White  
110V: Transparent  
Standard: 59,1"  
120V: 78,7"

Custom lenght

CANOPY

Steel painted in white  
230V: Ø3,1"  
120V: Ø4,7"


SUPPORT

Painted steel

DIFFUSER


Diffuser included

AN04




LIGHT SOURCE	Light source built in
100-277 V   60 Hz	STRIP 30W   2700K   3540lm Dimmer: 0-10 V upon request TRIAC
NET WEIGHT	17,6 lb
PACKAGING	28,7x28,7x12,1"   24,2 lb

AN05




LIGHT SOURCE	Light source built in
100-277 V   60 Hz	STRIP 30W   2700K   3540lm Dimmer: 0-10 V upon request TRIAC
NET WEIGHT	17,6 lb
PACKAGING	28,7x28,7x12,1"   24,2 lb
NO CABLE	

AN05G



LIGHT SOURCE	Light source built in
100-277 V   60 Hz	STRIP 46W   2700K   5210lm Dimmer: 0-10 V upon request TRIAC
NET WEIGHT	26,5 lb
PACKAGING	43,3x43,3x13"   36,4 lb
NO CABLE	

AN04G



LIGHT SOURCE	Light source built in
100-277 V   60 Hz	STRIP 46W   2700K   5210lm Dimmer: 0-10 V upon request TRIAC
NET WEIGHT	26,5 lb
PACKAGING	43,3x43,3x13"   36,4 lb

# Ballet Plié

Héctor Serrano, 2016

MATERIALS Painted Stainless steel

Stainless steel

FINISHES White 

Beige 

Grey 

Taupe 

Custom 

CABLE

Transparent or black  
Standard: 59,1"  
120 V: 78,7"

Custom lenght

CANOPY

Steel gloss nickel-plated  
230V: Ø3,1"  
120V: Ø4,7"

CANOPY

Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

DIFFUSER

Inside diffuser 

BAPI04



cULus

ETL

UL

CSA

CE

CCC

LIGHT SOURCE

Recommended bulbs


120 V | 60 Hz  E26 LED - Max. 1x12 W

NET WEIGHT

2,6 lb

PACKAGING

23,6x23,6x13" | 7,2 lb



# Ballet Relevé

Héctor Serrano, 2016

MATERIALS Painted Stainless steel

Stainless steel

FINISHES White 

Beige 

Grey 

Taupe 

Custom 

CABLE

Transparent or black  
Standard: 59,1"  
120 V: 78,7"

Custom lenght

CANOPY

Steel gloss nickel-plated  
230V: Ø3,1"  
120V: Ø4,7"

CANOPY

Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

DIFFUSER

Inside diffuser 

BARE04



cULus

ETL

UL

CSA

CE

CCC

LIGHT SOURCE

Recommended bulbs

120 V | 60 Hz  E26 LED - Max. 1x12 W

NET WEIGHT

2,2 lb

PACKAGING

17,3x17,3x15,7" | 4,6 lb

BAPI04-LD

LED



cULus

ETL

UL

CSA

CE

CCC

LIGHT SOURCE

Light source built in


100-277V | 60 Hz  17W | 2700K | 1645lm built in  
upon request 3000K | 1776lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT

4,6 lb

PACKAGING

23,6x23,6x13" | 9,7 lb



CABLE

Transparent or black  
Standard: 59,1"  
120 V: 78,7"

Custom lenght

CANOPY

Steel gloss nickel-plated  
230V: Ø3,1"  
120V: Ø4,7"

CANOPY

Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

DIFFUSER

Inside diffuser 

BARE04-LD

LED



cULus

ETL

UL

CSA

CE

CCC

LIGHT SOURCE

Light source built in

100-277V | 60 Hz  17W | 2700K | 1645lm built in  
upon request 3000K | 1776lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,7 lb

PACKAGING

17,3x17,3x15,7" | 6,3 lb

# Ballet Elancé

Héctor Serrano, 2016

MATERIALS Painted Stainless steel

Stainless steel

FINISHES White BL

Beige BE

Grey G

Taupe T

CABLE Transparent or black

Standard: 59,1"  
120 V: 78,7"

CANOPY Custom lenght

Steel gloss nickel-plated  
230V: Ø3,1"  
120V: Ø4,7"

CANOPY LED Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

DIFFUSER LED Inside diffuser


BALA04

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 2,4 lb

PACKAGING 17,3x17,3x15,7" | 5,3 lb



# Baleira

Tomás Alonso, 2025

N New collection

MATERIALS Stainless steel mesh

FINISHES White BL

Cream CM

Custom CC

CABLE Black  
Standard: 59,1"  
120 V: 78,7"

CANOPY Black  
230V: 11,8x1,9x0,8"  
120V: 11,8x4,7x0,8"


BIO4

LIGHT SOURCE Built-in LED strip

100-277 V | 60 Hz 27W | 2700K | 3130lm built-in:  
directional light 3130lm  
decorative light 1880lm  
Dimmer: 0-10V

NET WEIGHT 3,3 lb

PACKAGING 23,6x23,6x13" | 6,6 lb



# Bety Eco

Arturo Álvarez, 2009

MATERIAL Pressed Cellulose

FINISHES 42 ○ 49 ●

43 ○ 50 ●

46 ● 51 ●

47 ● 52 ●

CABLE Transparent or Black  
Standard: 59,1"  
120 V: 78,7"

Custom lenght

CANOPY Steel gloss nickel-plated  
230V: Ø83,1"  
120V: Ø4,7"

CANOPY LED Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

BEC004

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 4,6 lb

PACKAGING 18,5x18,5x24,8" | 6,6 lb




BEC004-LD

LIGHT SOURCE Light source built in

100-277 V | 60 Hz 17W | 2700K | 1645lm built in  
upon request 3000K | 1776lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 5,5 lb

PACKAGING 18,5x18,5x24,8" | 8,8 lb



# Blum

Arturo Álvarez, 2015

MATERIALS Painted Stainless thread

FINISHES White 

CABLE Transparent or Black  
Standard: 59,1"  
120 V: 78,7"


Custom lenght

CANOPY Steel gloss nickel-plated  
230V: Ø3,1"  
120V: Ø4,7"

BL04



LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	 E26 LED - Max. 1x12 W
NET WEIGHT	2,9 lb
PACKAGING	17,3x17,3x15,7"   5,1 lb



# Cabana

Isaac Piñeiro, 2023

MATERIALS 3D Knit

Painted aliminium

FINISHES Beige 

Orange 

CABLE Black  
Standard: 59,1"  
120 V: 78,7"


Custom lenght

CANOPY Steel painted in matt black  
230V: Ø3,1"  
120V: Ø4,7"

CB04




LIGHT SOURCE	Recommended bulbs
FUENTE DE LUZ	Bombillas recomendadas
120 V   60 Hz	 E26 LED Opal- Max. 1x12 W 1521 lm recommended bulb
NET WEIGHT	3,3 lb
PESO NETO	
PACKAGING	28x28x6,3"   5,5 lb
EMBALAJE	



CB04G



LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	 E26 LED Opal- Max. 3 x12 W 1521 lm recommended bulb
NET WEIGHT	7,7 lb
PACKAGING	40,1x40,1x6,7"   14,5 lb



# Cambo

Cenlitros, 2021

MATERIALS Painted stainless steel

Beech wood

Painted aluminum

FINISHES White 

Black 

Custom 

CABLE Black  
Standard: 59,1"  
120 V: 78,7"

Custom lenght

CANOPY Steel painted in matt black  
230V: Ø4,7"  
120V: Ø4,7"

DIFFUSER Built in diffuser

CM104



Cenlitros, 2021

LIGHT SOURCE

Light source built in


100-277 V | 60 Hz  
 7W | 2700K | 850lm built in  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT

2,1 lb

PACKAGING

25,2x15,3x11" | 6,3 lb



CM104G



Cenlitros, 2021

LIGHT SOURCE

Light source built in


100-277 V | 60 Hz  
 7W | 2700K | 850lm built in  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,1 lb

PACKAGING

33,1x15,3x11" | 6,6 lb



CM304



Cenlitros, 2021

LIGHT SOURCE

Light source built in


100-277 V | 60 Hz  
 7W | 2700K | 850lm built in  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,1 lb

PACKAGING

33,1x15,3x11" | 6,6 lb



CM304G



Cenlitros, 2021

LIGHT SOURCE

Light source built in


100-277 V | 60 Hz  
 7W | 2700K | 850lm built in  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,1 lb

PACKAGING

33,1x15,3x11" | 6,6 lb



# Caos

Arturo Álvarez, 2014

## MATERIAL

Cord

Stainless steel

## FINISHES

42

49

43

50

46

51

47

52

## CABLE

Transparent or Black  
Standard: 59,1"  
120 V: 78,7"

Custom lenght

## CANOPY

Steel gloss nickel-plated  
230V: Ø3,1"  
120V: Ø4,7"


## CANOPY

Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

## DIFFUSER

Bottom diffuser

## CA04A




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 2,4 lb

PACKAGING 17,3x17,3x15,7" | 3,3 lb

## CA04B-LD




LIGHT SOURCE Light source built in

100-277 V | 60 Hz 7W | 2700K | 1645lm built in upon request 3000K 1776lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT 3,7 lb

PACKAGING 14,2x14,2x12,2" | 4,6 lb

## CA04A-LD




LIGHT SOURCE Light source built in

100-277 V | 60 Hz 7W | 2700K | 1645lm built in upon request 3000K 1776lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT 4 lb

PACKAGING 17,3x17,3x15,7" | 4,6 lb

## CA04AG




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 3,7 lb

PACKAGING 20x20x20,9" | 8,6 lb

## CA04B




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 2,4 lb

PACKAGING 14,2x14,2x12,2" | 3,3 lb

## CA04AG-LD



LIGHT SOURCE Light source built in

100-277 V | 60 Hz 7W | 2700K | 1645lm built in upon request 3000K 1776lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT 5,1 lb

PACKAGING 14,2x14,2x12,2" | 8,8 lb

# Coral Cay


Arturo Álvarez, 2011

 Updated collection

MATERIALS Painted Stainless steel


Stainless steel

FINISHES

White 

Beige 

Grey 

Taupe 

Black 

Custom 

CABLE

Transparent or black  
Standard: 59,1"  
120 V: 78,7"

Custom lenght

CANOPY

Steel gloss nickel-plated  
230V: Ø3,1"  
120V: Ø4,7"

CANOPY 

Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

DIFFUSER 

Bottom diffuser

COCY04


 

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz  E26 LED - Max. 1x12 W

NET WEIGHT 2,4 lb

PACKAGING 14,2x14,2x12,2" | 3,4 lb



COCY04-LD




 

LIGHT SOURCE Light source built in  
Fuente de luz incluida

100-277 V |  
60 Hz  17W | 2700K | 1645lm built in  
upon request 3000K | 1776lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 2,9 lb

PACKAGING 14,2x14,2x12,2" | 4,1 lb



COCY04XL


 

LIGHT SOURCE Light source built in  
FUENTE DE LUZ  
Fuente de luz incluida

100-277 V |  
60 Hz  17W | 2700K | 1645lm built in  
upon request 3000K | 1776lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 22 lb  
PESO NETO

PACKAGING 33,1x33,1x39,3" | 23 lb  
EMBALAJE



# Coral Galaxea


Arturo Álvarez, 2011

 Updated collection


MATERIALS Painted Stainless steel


Stainless steel

FINISHES


White 

Beige 

Grey 

Taupe 

Black 

Custom 

CABLE

Transparent or black  
Standard: 150 cm | 59,1"  
120 V: 200 cm | 78,7"

Custom lenght

CANOPY

Steel gloss nickel-plated  
230V: Ø8cm | 3,1"  
120V: Ø12cm | 4,7"

CANOPY 

Steel gloss nickel-plated  
230V: Ø12cm | 4,7"  
120V: Ø12cm | 4,7"

DIFFUSER 

Bottom diffuser

COGA04


 

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz  E26 LED - Max. 1x12 W

NET WEIGHT 2,6 lb

PACKAGING 14,2x14,2x12,2" | 3,7 lb



COGA04-LD




 

LIGHT SOURCE Light source built in

100-277 V |  
60 Hz  17W | 2700K | 1645lm built in  
upon request 3000K | 1776lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 4,2 lb

PACKAGING 14,2x14,2x12,2" | 5,9 lb



COGA04XL


 

LIGHT SOURCE Light source built in

100-277 V |  
60 Hz  17W | 2700K | 1645lm built in  
upon request 3000K | 1776lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 26,5 lb

PACKAGING 28x28x47,2" | 40 lb



# Coral Reef

Arturo Álvarez, 2011

 Updated collection

MATERIALS Painted Stainless steel

Stainless steel

FINISHES

White 

Beige 

Grey 

Taupe 

Black 

Custom 

CABLE

Transparent or black

Standard: 59,1"

120 V: 78,7"

Custom lenght

CANOPY

Steel gloss nickel-plated

230V: Ø 3,1"

120V: Ø 4,7"

CANOPY 


Steel gloss nickel-plated

230V: Ø 4,7"

120V: Ø 4,7"

DIFFUSER 

Bottom diffuser



CORE04

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz  E26 LED - Max. 1x12 W

NET WEIGHT PESO NETO

3,5 lb

PACKAGING EMBALAJE

25,5x12,6x9,1" | 4,8 lb

CORE04-LD



LIGHT SOURCE Light source built in

100-277 V | 60 Hz  17W | 2700K | 1645lm built in upon request 3000K 1776lm


Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT

5,3 lb

PACKAGING

26x12,6x9,1" | 6,4 lb



CORE04XL

LIGHT SOURCE Light source built in

100-277 V | 60 Hz  17W | 2700K | 1645lm built in upon request 3000K 1776lm


Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT

21,2 lb

PACKAGING

25,2x25,2x71" | 42,3 lb



# Coral Sea


Arturo Álvarez, 2011

 Updated collection

MATERIALS Painted Stainless steel


Stainless steel

FINISHES

White 

Beige 

Grey 

Taupe 

Black 

Custom 

CABLE

Transparent or black

Standard: 59,1"

120 V: 78,7"

Custom lenght

CANOPY

Steel gloss nickel-plated

230V: Ø 3,1"

120V: Ø 4,7"

CANOPY 

Steel gloss nickel-plated

230V: Ø 4,7"

120V: Ø 4,7"

DIFFUSER 

Bottom diffuser

COSE04


Arturo Álvarez, 2011

 Updated collection

MATERIALS Painted Stainless steel


Stainless steel

FINISHES

White 

Beige 

Grey 

Taupe 

Black 

Custom 

CABLE


Transparent or black

Standard: 59,1"

120 V: 78,7"

Custom lenght

COSE04-LD



LIGHT SOURCE

Recommended bulbs

120 V | 60 Hz

 E26 LED - Max. 1x12 W

NET WEIGHT

3,1 lb

PACKAGING

14,2x14,2x12,2" | 4,4 lb

CABLE


Transparent or black

Standard: 59,1"

120 V: 78,7"

Custom lenght

COSE04-LD



LIGHT SOURCE

Light source built in

100-277 V | 60 Hz

 17W | 2700K | 1645lm built in

upon request 3000K 1776lm

Dimmer: PHASE CONTROL & 0-10V

(only 120Vac TRIAC Dimmers)


NET WEIGHT

4,2 lb

PACKAGING

17,3x17,3x15,7" | 5,5 lb

COSE04XL



LIGHT SOURCE

Light source built in

100-277 V | 60 Hz

 17W | 2700K | 1645lm built in

upon request 3000K 1776lm

Dimmer: PHASE CONTROL & 0-10V

(only 120Vac TRIAC Dimmers)

NET WEIGHT

24,3 lb

PACKAGING

41,3x41,3x34,3" | 31,3 lb

# Coral Seaurchin


Arturo Alvarez, 2011


 Updated collection

MATERIALS Painted Stainless steel

Stainless steel

FINISHES

White 

Beige 

Grey 

Taupe 

Black 

Custom 

CABLE

Transparent or black

Standard: 59,1"  
120 V: 78,7"

Custom lenght

CANOPY

Steel gloss nickel-plated  
230V: Ø3,1"  
120V: Ø4,7"

CANOPY 

Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

DIFFUSER 

Bottom diffuser

COAU04


cULus 

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz  E26 LED - Max. 1x12 W

NET WEIGHT 3,7 lb

PACKAGING 17,3x17,3x15,7" | 6,4 lb



COAU04G


cULus 

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz  E26 LED - Max. 4x12 W

NET WEIGHT 9,9 lb

PACKAGING 28x28x17" | 15,9 lb



COAU04-LD


LED cULus 

LIGHT SOURCE Light source built in

100-277 V |  
60 Hz  17W | 2700K | 1645lm built in  
upon request 3000K 1776lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 5,3 lb

PACKAGING 17,3x17,3x15,7" | 6,9 lb



COAU04G-LD


LED cULus 

LIGHT SOURCE Light source built in

100-277 V |  
60 Hz  35W | 2700K | 3938lm built in  
upon request 3000K 4086lm  
Dimmer: PHASE CONTROL & 0-10V

NET WEIGHT 9,9 lb

PACKAGING 28x28x17" | 17,6 lb



COAU04XL


cULus 

LIGHT SOURCE Light source built in

100-277 V |  
60 Hz  17W | 2700K | 1645lm built in  
upon request 3000K 1776lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 22 lb

PACKAGING 43,3x43,3x35,4" | 40 lb



# Curvas

Arturo Álvarez, 2004

## MATERIALS

Glass

## FINISHES

02		89	
87		90	

## CABLE

Transparent or black  
Standard: 59,1"  
120 V: 78,7"  
  
Custom lenght

## CANOPY

FLORÓN  
Steel gloss nickel-plated  
230V: Ø3,1"  
120V: Ø4,7"


## CANOPY

CV04|CV04G  
Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

## DIFFUSER

Top and bottom diffuser

# CV04-1





LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 1x7 W

NET WEIGHT 1,5 lb

PACKAGING 8,3x8,3x8,7" | 3,7 lb

# CV04



LIGHT SOURCE Recommended bulbs


120 V | 60 Hz E26 LED - Max. 1x8 W

NET WEIGHT 4,6 lb

PACKAGING 17,3x17,3x15,7" | 9,7 lb

Bottom diffuser

# CV04G



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 4x12 W

NET WEIGHT 12,3 lb

PACKAGING 23,6x31,5x17,7" | 27,3 lb

Top and bottom diffuser

# Fluo

Arturo Álvarez, 2009

MATERIALS Galvanized painted steel

White	
Custom	

CABLE Transparent or black  
Standard: 150 cm | 59,1"  
120 V: 200 cm | 78,7"

Custom lenght

CANOPY Steel gloss nickel-plated and Stainless steel  
230V: Ø12cm | 4,7"  
120V: Ø12cm | 4,7"

# FL04

2009



2009



2009

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 7,3 lb

PACKAGING 29,9x31,9x30,7" | 21,6 lb

# GEO4



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 2,4 lb

PACKAGING 25,9x12,6x9,1" | 4,4 lb

# Gea

Arturo Álvarez, 2009

MATERIALS Painted Stainless steel

White	
Beige	
Grey	
Taupe	
Black	
Custom	

CABLE Transparent or black  
Standard: 59,1"  
120 V: 78,7"


Length/Largo customizable

CANOPY Steel gloss nickel-plated  
230V: Ø3,1"  
120V: Ø4,7"

CANOPY Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

DIFFUSER Bottom diffuser

# GEO4-LD



LIGHT SOURCE Light source built in

100-277 V | 60 Hz 17W | 2700K | 1645lm built in  
upon request 3000K 1776lm

Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 4,2 lb

PACKAGING 25,9x12,6x9,1" | 5,8 lb

# Inn

a·emotional light design team,

2021

MATERIALS Painted stainless steel

Steel painted in black

## FINISHES

White

Grey

Beige

Taupe

Custom

## CABLE

Black

Standard: 59,1"  
120 V: 78,7"

Custom lenght

## CANOPY

Steel painted in matt black

230V: 3,1"  
120V: Ø4,7"

## IN04-Mini




LIGHT SOURCE Recommended bulbs


120 V | 60 Hz E12 LED - Max. 1x12 W

NET WEIGHT 1,5 lb

PACKAGING 14,2x14,2x12,2" 1 | 2,2 lb



## IN04




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 4x12 W

NET WEIGHT 2,6 lb  
PESO NETO

PACKAGING 17,3x17,3x15,7" | 6,2 lb  
EMBALAJE



# Lea

Rafa Alonso, 2021

MATERIALS Painted stainless steel

Stainless steel

## FINISHES

White

Grey

Custom

## CABLE

Transparent or black  
Standard: 59,1"

120 V: 78,7"

Custom lenght


## CANOPY

Steel gloss nickel-plated and Stainless steel  
230V: Ø3,1"  
120V: Ø4,7"

## CANOPY

Steel gloss nickel-plated and Stainless steel  
230V: Ø4,7"  
120V: Ø4,7"

## LA04-Mini



LIGHT SOURCE

Recommended bulbs

120 V | 60 Hz E12 LED - Max. 1x12 W

NET WEIGHT 1,8 lb  
PESO NETO

PACKAGING 14,2x14,2x12,2" | 2,6 lb  
EMBALAJE

## LA04-Mini-LD




LIGHT SOURCE Light source built in

100-277 V |  
60 Hz 8W | 2700K | 960lm built in  
upon request 3000K 1067lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 2,2 lb

PACKAGING 14,2x14,2x12,2" | 3,1 lb

## LA04




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E27 LED - Max. 1x12 W

NET WEIGHT 2,2 lb


PACKAGING 14,2x14,2x12,2" | 4,2 lb



LA04-LD




NOM cULus



LIGHT SOURCE	Light source built in
100~277 V   60 Hz	(17W   2700K   1533lm built in upon request 3000K 16551lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers))
NET WEIGHT	3,3 lb
PACKAGING	14,2x14,2x12,2"   5,3 lb

LA04G

NOM cULus




LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	E26 LED - Max. 3x12 W
NET WEIGHT	4,6 lb
PACKAGING	20x20x20,9"   9,7 lb

LA04G-LD



NOM cULus



LIGHT SOURCE	Light source built in
100~277 V   60 Hz	(17W   2700K   1645lm built in upon request 3000K 17761lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers))
NET WEIGHT	5,1 lb
PACKAGING	20x20x20,9"   10,1 lb

Luisa

Arturo Álvarez, 2015

MATERIALS Painted stainless steel  
Stainless steelFINISHES White (BL)  
Beige (BE)  
Grey (G)  
Taupe (T)  
Black (N)  
Custom (CC)

LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	E26 LED - Max. 1x12 W
NET WEIGHT	3,5 lb
PACKAGING	17,3x17,3x15,7"   6,6 lb

LS04-LD



NOM cULus

CABLE	Transparent Standard: 59,1" 120 V: 78,7"
CANOPY	Custom lenght
CANOPY	Steel gloss nickel-plated 230V: Ø3,1" 120V: Ø4,7"
DIFFUSER	Steel gloss nickel-plated 230V: Ø4,7" 120V: Ø4,7"
	Bottom diffuser

LS04G

NOM cULus

LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	E26 LED - Max. 1x12 W
NET WEIGHT	5,3 lb
PACKAGING	17,3x17,3x15,7"   7,1 lb

LS04G-LD



NOM cULus

LIGHT SOURCE	Light source built in
100~277 V   60 Hz	(17W   2700K   1645lm built in upon request 3000K 17761lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers))
NET WEIGHT	7,3 lb
PACKAGING	20x20x20,9"   10,1 lb

# Mytilus

Arturo Álvarez, 2019

MATERIALS Painted stainless steel  
Stainless steel

FINISHES White   
Black 


CABLE Transparent  
Standard: 150 cm | 59,1"  
120 V: 200 cm | 78,7"

Custom lenght

CANOPY FLORÓN Steel painted in black  
or white  
230V: Ø5,6"  
120V: Ø5,6"

DIFFUSER DIFUSOR Glass sphere  
\*approximate measurements

MY04




LIGHT SOURCE Light source built in  
100~277 V | 60 Hz  
 8W | 2700K | 960lm built in  
upon request 3000K 1067lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 36,6 lb

PACKAGING 23,6x23,6x8,7" | 12,1 lb

MY04G



LIGHT SOURCE Light source built in  
100~277 V | 60 Hz  
 8W | 2700K | 960lm built in  
upon request 3000K 1067lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 16,5 lb

PACKAGING 32,3x38,2x11,8" | 16,7 lb

# Nebra

Cenlitros, 2019

MATERIALS Painted stainless steel  
Steel painted in black

FINISHES Inox   
Taupe   
Custom 

CABLE Black  
Standard  
Over all Height: 59,1"  
120 V: 78,7"

CANOPY Custom length  
Depth · 1,18"

DIFFUSER Bottom & interior

NB04



LIGHT SOURCE Built-in LED strip  
120 V | 60 Hz  
 20W | 2700K | 3704lm built-in:  
directional light 3224lm  
decorative light 480lm  
Dimmable 0-10V

NET WEIGHT 4,8 lb

PACKAGING

NB04\_120



LIGHT SOURCE Built-in LED strip  
100~277 V | 60 Hz  
 39W | 2700K | 3867lm built-in:  
directional light 3327lm  
decorative light 570lm  
Dimmer: 0-10V

NET WEIGHT 9,7 lb

PACKAGING 55,9x17,7x10,6" | 18,1 lb

Depth · 1,18"

NB04\_160



LIGHT SOURCE Built-in LED strip  
100~277 V | 60 Hz  
 42W | 2700K | 4670lm built-in:  
directional light 3931lm  
decorative light 7391lm  
Dimmer: 0-10V

NET WEIGHT 15,4 lb

PACKAGING 70,8x17,7x10,6" | 24,9 lb

Depth · 1,18"

# Nevo

Arturo Álvarez, 2007

MATERIALS  
Painted stainless steel  
Steel gloss nickel-plated and stainless steel

FINISHES  
White (BL)  
Beige (BE)  
Grey (G)  
Taupe (T)  
Custom (CC)

CABLE  
Transparent

Standard: 59,1"  
120 V: 78,7"

Custom lenght


CANOPY NE04-1  
Steel painted in white  
230V: Ø3,1"  
120V: Ø4,7"

CANOPY NE04|NE04G  
Steel painted in white  
230V: Ø4,7"  
120V: Ø4,7"

CANOPY  
Steel painted in white  
230V: Ø4,7"  
120V: Ø4,7"

DIFFUSER  
Inside diffuser

## NE04-1




LIGHT SOURCE  
Recommended bulbs

120 V | 60 Hz E12 LED - Max. 2x7 W

NET WEIGHT  
2,6 lb

PACKAGING  
14,2x14,2x12,2" | 5 lb

## NE004-1-LD




LIGHT SOURCE  
Light source built in

100-277 V |  
60 Hz 12W | 2700K | 1153lm built in  
upon request 3000K 1655lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT  
4,2 lb

PACKAGING  
14,2x14,2x12,2" | 5,1 lb

## NE04




LIGHT SOURCE  
Recommended bulbs

120 V | 60 Hz E26 LED - Max. 3x8 W

NET WEIGHT  
6,8 lb

PACKAGING  
23,6x23,6x13" | 11 lb

## NE04G



LIGHT SOURCE  
Recommended bulbs

120 V | 60 Hz E26 LED - Max. 4x12 W

NET WEIGHT  
12,3 lb

PACKAGING  
33x33x15" | 20,7 lb

# Onn

Arturo Álvarez, 2017

MATERIALS  
Painted stainless steel  
Stainless steel

FINISHES  
White (BL)  
Beige (BE)  
Grey (G)  
Taupe (T)  
Black (N)  
Custom (CC)

CABLE

Transparent or black  
Standard: 150 cm | 59,1"  
120 V: 200 cm | 78,7"

Custom lenght

CANOPY  
Steel gloss nickel-plated  
230V: Ø8cm | 3,1"  
120V: Ø12cm | 4,7"

CANOPY  
Steel gloss nickel-plated  
230V: Ø12cm | 4,7"  
120V: Ø12cm | 4,7"

DIFFUSER  
Bottom diffuser

## ON04-Mini




LIGHT SOURCE  
Recommended bulbs

120 V | 60 Hz E12 LED - Max. 1x4 W

NET WEIGHT  
0,9 lb

PACKAGING  
8,3x8,3x8,7" | 2,2 lb

## ON04-Mini-LD




LIGHT SOURCE  
Light source built in

100-277 V |  
60 Hz 8W | 2700K | 960lm built in  
upon request 3000K 1067lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT  
2,2 lb

PACKAGING  
8,3x8,3x8,7" | 3,6 lb

## ON04-1




LIGHT SOURCE  
Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT  
1,8 lb

PACKAGING  
14,2x14,2x12,2" | 2,7 lb

## ON04-1-LD



LIGHT SOURCE  
Light source built in

100-277 V |  
60 Hz 8W | 2700K | 960lm built in  
upon request 3000K 1067lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT  
2,2 lb

PACKAGING  
14,2x14,2x12,2" | 3,6 lb

MATERIALS Painted stainless steel

Stainless steel

FINISHES  
ACABADOS

White

Beige

Grey

Taupe

Black

Custom

## CABLE

Transparent or black

Standard: 59,1"  
120 V: 78,7"

Custom lenght

## CANOPY


Steel gloss nickel-plated  
230V: Ø8cm | 3,1"  
120V: Ø12cm | 4,7"

## CANOPY

Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

## DIFFUSER

Bottom diffuser



ON04-LD




LIGHT SOURCE Light source built in

100-277 V |  
60 Hz   
17W | 2700K | 1645lm built in  
upon request 3000K 1776lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 4,4 lb

PACKAGING 17,3x17,3x15,7" | 8,4 lb



ON04G




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz   
E26 LED - Max. 3x12 W

NET WEIGHT 5,1 lb

PACKAGING 20x20x20,9" | 10,6 lb



ON04G-LD




LIGHT SOURCE Light source built in

100-277 V |  
60 Hz   
17W | 2700K | 1645lm built in  
upon request 3000K 1776lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 7,5 lb

PACKAGING 20x20x20,9" | 12,3 lb



ON04XL




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz   
E12 LED - Max. 3x12 W

NET WEIGHT 11 lb

PACKAGING 28x28x29,5" | 14,5 lb



ON04XL-LD




LIGHT SOURCE Light source built in

100-277 V |  
60 Hz   
17W | 2700K | 1645lm built in  
upon request 3000K 1776lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 12,2 lb

PACKAGING 28x28x29,5" | 15,1 lb



# Parga

Cenlitros, 2023

## MATERIALS

Stone

Painted stainless steel

## FINISHES

Natural color

Black

## CABLE

Black

Standard: 59,1"  
120 V: 78,7"

Custom lenght

## CANOPY

Steel painted in matt black


230V: Ø4,7"  
120V: Ø4,7"

## DIFFUSER

Bottom diffuser

PA104

LED



LIGHT SOURCE Light source built in


100~277 V | 60 Hz  
6W | 2700K | 840lm built in  
upon request 3000K 947lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 5,7 lb

PACKAGING 14,2x10,2x7,5" | 6,4 lb

PA204

LED



LIGHT SOURCE Light source built in


100~277 V | 60 Hz  
6W | 2700K | 840lm built in  
upon request 3000K 947lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 4,8 lb

PACKAGING 14,2x10,2x7,5" | 5,5 lb

PA304

LED



LIGHT SOURCE Light source built in

100~277 V | 60 Hz  
6W | 2700K | 840lm built in  
upon request 3000K 947lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 4,4 lb

PACKAGING 14,2x10,2x7,5" | 5,1 lb

# Parga ceramic

Cenlitros, 2025

U Updated collection

## MATERIALS

Ceramic

Painted stainless steel

## FINISHES

ACABADOS

Whyte

Black

Burgundy

## CABLE

Black

Standard: 59,1"  
120 V: 78,7"

## CANOPY

Steel painted in matt black

230V: 3,1"  
120V: 4,7"

## CANOPY

Steel painted in matt black


230V: Ø4,7"

120V: Ø4,7"

## DIFFUSER

Bottom diffuser

PAC104



LIGHT SOURCE

Recommended bulbs


120 V | 60 Hz GU10 - Max. 1x12 W

NET WEIGHT 2,4 lb

PACKAGING 14,2x10,2x7,5" | 3,7 lb

PAC104-LD

LED



LIGHT SOURCE

Light source built in


100~277 V | 60 Hz  
6W | 2700K | 840lm built in  
upon request 3000K 947lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,3 lb

PACKAGING 14,2x10,2x7,5" | 3,5 lb

PAC204



LIGHT SOURCE


Recommended bulbs

120 V | 60 Hz GU10 - Max. 1x12 W

NET WEIGHT 2 lb


PACKAGING 14,2x10,2x7,5" | 3,3 lb

PAC204-LD




LIGHT SOURCE	Light source built in
100~277 V   60 Hz	6W   2700K   840lm built in upon request 3000K 947lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
NET WEIGHT	2,2 lb
PACKAGING	14,2x10,2x7,5"   3,5 lb

PAC304



LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	GU10 - Max. 1x12 W
NET WEIGHT	2 lb
PACKAGING	14,2x10,2x7,5"   3,3 lb

PAC304-LD




LIGHT SOURCE	Light source built in
100~277 V   60 Hz	6W   2700K   840lm built in upon request 3000K 947lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
NET WEIGHT	3,1 lb
PACKAGING	14,2x10,2x7,5"   3,3 lb

Pili

Arturo Álvarez, 2017

MATERIALS Painted stainless steel thread

FINISHES White

CABLE Transparent  
Standard: 59,1"  
120 V: 78,7"CANOPY Custom lenght  
Steel gloss nickel-plated  
230V: Ø3,1"  
120V: Ø4,7"

PL04-Mini



LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	E26 LED - Max. 1x12 W
NET WEIGHT	1,8 lb
PACKAGING	14,2x14,2x11,8"   3,3 lb

PL04



LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	E26 LED - Max. 1x12 W
NET WEIGHT	1,8 lb
PACKAGING	17,3x17,3x15,7"   5,5 lb

# Tati

Arturo Álvarez, 2011

MATERIALS Painted stainless steel

Steel gloss nickel-plated and stainless steel

## FINISHES


White BL

Beige BE

Grey G

Taupe T

Custom CC



TA04-1-LD

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x8 W

NET WEIGHT 4,4 lb

PACKAGING 22x18x14,6" | 6,6 lb

## CABLE

Transparent or black  
Standard: 59,1"  
120 V: 78,7"


Custom lenght

## CANOPY

Steel painted in white  
230V: Ø4,7"  
120V: Ø4,7"

## CANOPY

Steel painted in white  
230V: Ø4,7"  
120V: Ø4,7"



TA04




LIGHT SOURCE Light source built in

100-277 V | 60 Hz 17W | 2700K | 1645lm built in  
upon request 3000K 17761lm

Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 4,8 lb

PACKAGING 22x18x14,6" | 7,1 lb



TA04G




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 3x12 W

NET WEIGHT 6,8 lb

PACKAGING 23,6x23,6x13" | 8,8 lb



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 4x12 W

NET WEIGHT 9,5 lb

PACKAGING 33x33x15" | 22,5 lb

# Tempo Andante

Arturo Álvarez, 2016

MATERIALS Painted stainless steel

FINISHES White BL

Beige BE

Grey G

Taupe T

Black N

Custom CC


## TEANO4

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 3,5 lb

PACKAGING 25,6x12,6x9,1" | 4 lb



TEANO4-LD




LIGHT SOURCE Light source built in

100-277 V | 60 Hz 17W | 2700K | 1645lm built in  
upon request 3000K 17761lm

Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 4,6 lb

PACKAGING 25,6x12,6x9,1" | 5,5 lb



# Tempo Vivace

Arturo Álvarez, 2016

MATERIALS Painted stainless steel

FINISHES

White

Beige

Grey

Taupe

Black


Custom

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 1x4 W

NET WEIGHT 2,2 lb

PACKAGING 14,2x14,2x12,2" | 3,3 lb



TEVI04-Mini-LD


LIGHT SOURCE Light source built in

100-277 V | 60 Hz 8W | 2700K | 960lm built in upon request 3000K 1067lm

Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT 2,9 lb

PACKAGING 14,2x14,2x12,2" | 3,5 lb




TEVI04

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 3,5 lb

PACKAGING 417,3x17,3x15,7" | 4,8 lb



TEVI04-LD


LIGHT SOURCE Light source built in

100-277 V | 60 Hz 17W | 2700K | 1645lm built in upon request 3000K 1776lm

Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT 4,6 lb

PACKAGING 17,3x17,3x15,7" | 6,6 lb



# TEVI04G


LIGHT SOURCE

Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 4,4 lb

PACKAGING 28,3x28,3x17" | 6,2 lb



TEVI04G-LD

LIGHT SOURCE


Light source built in

100-277 V | 60 Hz 17W | 2700K | 1645lm built in upon request 3000K 1776lm

Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT 4,6 lb

PACKAGING 28,3x28,3x17" | 6,6 lb



# Ura

Arturo Álvarez, 2017

MATERIALS Painted stainless steel

Stainless steel

## FINISHES

White

Beige


Grey

Taupe

Black

Custom

UR104



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 4 lb

PACKAGING 23,6x23,6x13" | 9,2 lb



## CABLE

Transparent or black  
Standard: 59,1"  
120 V: 78,7"

Custom lenght

## CANOPY

Steel gloss nickel- plated  
230V: Ø3,1"  
120V: Ø4,7"

## CANOPY

Steel gloss nickel- plated  
230V: Ø4,7"  
120V: Ø4,7"

## DIFFUSER

Bottom diffuser

UR104-LD

UR204




LIGHT SOURCE Light source built in

100-277 V |  
60 Hz 17W | 2700K | 1645lm built in  
upon request 3000K 17761lm

Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 5,1 lb

PACKAGING 23,6x23,6x13" | 10,4 lb



UR204-LD

UR204




LIGHT SOURCE Recommended bulbs  
FUENTE DE LUZ Bombillas recomendadas

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 2,4 lb  
PESO NETO

PACKAGING EMBALAJE 18,1x9,4x10,2" | 3,5 lb



UR204-LD

UR204




LIGHT SOURCE Light source built in

100-277 V |  
60 Hz 17W | 2700K | 1645lm built in  
upon request 3000K 17761lm



Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 3,7 lb

PACKAGING 18,1x9,4x10,2" | 4,6 lb



UR304




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 2,9 lb

PACKAGING 14,2x14,2x12,2" | 3,5 lb

URA304-LD



LIGHT SOURCE Light source built in

100-277 V |  
60 Hz 17W | 2700K | 1645lm built in  
upon request 3000K 17761lm

Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 4 lb

PACKAGING 14,2x14,2x12,2" | 4,4 lb

Veiga

Isaac Piñeiro, 2025

New collection

## MATERIALS

Colored glass

## FINISHES

White

Cream

Grey

Amethyst

## CABLE

Black


Standard: 59,1"  
120 V: 78,7"

## CANOPY

Custom lenght

Black  
230V: Ø3,1"  
120V: Ø4,7"

VA04



LIGHT SOURCE Light source built in

100-277 V |  
60 Hz 4 W | 2700K | 350lm built in  
upon request 3000K 370lm

Dimmer: PHASE CONTROL

NET WEIGHT 2,4 lb

PACKAGING 9,8x9,8x11" | 3,5 lb

# Virginia

Arturo Álvarez, 2016

MATERIALS Painted stainless steel

Stainless steel

FINISHES White BL

Beige BE

Grey G

Taupe T

Black N

Custom CC

CABLE Transparent or black

Standard: 59,1"  
120 V: 78,7"

Custom lenght

CANOPY Steel gloss nickel- plated

230V: Ø3,1"  
120V: Ø4,7"

CANOPY LED Steel gloss nickel- plated

230V: Ø4,7"  
120V: Ø4,7"

DIFFUSER LED Bottom diffuser


VG04A

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 7,7 lb

PACKAGING 20,7x20,7x20,9" | 9,3 lb



VG04A-LD

LIGHT SOURCE Light source built in

100-277 V |  
60 Hz 17W | 2700K | 1645lm built in  
upon request 3000K 1776lm

Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

NET WEIGHT 8,4 lb

PACKAGING 20,7x20,7x20,9" | 9,9 lb


VG04B

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x12 W

NET WEIGHT 6,6 lb

PACKAGING 17,3x17,3x15,7" | 8,2 lb



VG04B-LD


LIGHT SOURCE Light source built in

100-277 V |  
60 Hz 17W | 2700K | 1645lm built in  
upon request 3000K 1776lm

Dimmer: PHASE CONTROL & 0-10V

NET WEIGHT 7,3 lb

PACKAGING 17,3x17,3x15,7" | 8,8 lb



V

Héctor Serrano, 2007

VV04

MATERIALS Polycarbonate

FINISHES

White BL

Black N

Terracotta TE

Custom CC

CABLE

Transparent or black  
Standard: 59,1"  
120 V: 78,7"

Custom lenght

CANOPY

Steel painted in white/black  
230V: Ø 4,7"  
120V: Ø 4,7"

DIFFUSER VV04

Glass diffuser

DIFFUSER VV04G

Acrylic diffuser

VV04

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 1x8 W

NET WEIGHT 12 lb

PACKAGING 33x33x15" | 21,2 lb

VV04G


LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 4x8 W


NET WEIGHT 26,5 lb

PACKAGING 43,3x43,3x13" | 33 lb

11,4"



11,4"



# Vento

Arturo Álvarez, 2005

## MATERIALS

Glass

## FINISHES

02	87
89	90
Color combination 90+95	90
90+95	90

## CABLE

Transparent or black  
Standard: 59,1"  
120 V: 78,7"

Custom lenght


## CANOPY

Stainless steel  
230V: 5,1x4,3"  
120V: 5,1x4,3"

## DIFFUSER

Bottom diffuser

## VN04-LD



## LIGHT SOURCE

Recommended bulbs  
100-277 V | 60 Hz 20W | 2700K | 2637 built in  
upon request 3000K | 2721lm  
Dimmer: PHASE CONTROL & 0-10V  
(only 120Vac TRIAC Dimmers)

## NET WEIGHT

12,3 lb

## PACKAGING

12,2x43,7x10,2" | 21,6 lb

# Woods

Héctor Serrano, 2011

## MATERIALS

Birch

\*Height is not adjustable on site

## FINISHES

Natural color	90
---------------	----

## CABLE

Transparent


## CANOPY

Painted steel  
230V: Ø60cm | 23,6"  
120V: Ø60cm | 23,6"

## DIFFUSER

Glass diffuser

## WD04



## LIGHT SOURCE

Recommended bulbs  
230 V | 50 Hz E27 LED Vintage-  
Max. 1x12 W  
120 V | 60 Hz E26 LED - Max. 1x12 W

## NET WEIGHT

31,5 lb

## PACKAGING

23,6x23,6x13" | 37,7 lb

# Compositions

## Agasallo

Héctor Serrano, 2021

## MATERIALS

Painted stainless steel

Stainless steel

## FINISHES

White



Beige



Grey



Taupe



Black



Custom



## LAMPSHADE

ref. 1xAG104, 1xAG204,  
1xAG304, 1xAG404

## CABLE

Black

Custom lenght

## CANOPY

Steel painted in black matt  
230V: Ø12cm | 4,7"  
120V: Ø12cm | 4,7"

4 x REF. PIEZA002  
Finish black matt

## AG04-4-P



## LIGHT SOURCE


Recommended bulbs  
120 V | 60 Hz E26 LED - Max. 4x12 W

## NET WEIGHT

PESO NETO  
9,9 lb

## PACKAGING

EMBALAJE  
18,1x9,4x9,8"  
17,3x17,3x15,7"  
18,5x18,5x24,8"  
20x20x20,9"  
23,4 lb



# Ballet

Héctor Serrano, 2016

MATERIALS Painted stainless steel  
Stainless steel


FINISHES White (BL)  
Beige (BE)  
Grey (G)  
Taupe (T)  
Custom (CC)

LAMPSHADE ref. 1xBAPI04, 1xBARE04,  
1xBALA04

CABLE Transparent or black  
Custom lenght

CANOPY DIBOND®  
230V: Ø60cm | 23,6"  
120V: Ø60cm | 23,6"

BA04-3



# Ballet

Héctor Serrano, 2016

MATERIALS Painted stainless steel  
Stainless steel

FINISHES White (BL)  
Beige (BE)  
Grey (G)  
Taupe (T)  
Custom (CC)


LAMPSHADE ref. 1xBAPI04, 1xBARE04,  
1xBALA04

CABLE Transparent or black  
Custom lenght

CANOPY Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

3 x REF. PIEZA002  
Finish nickel-plated

BA04-3-P



# Coral

Arturo Álvarez, 2011

MATERIALS Painted stainless steel  
Stainless steel

FINISHES ACABADOS White (BL)  
Beige (BE)  
Grey (G)  
Taupe (T)  
Custom (CC)

LAMPSHADE TULIPA ref. 1xCOAU04, 1xCOSE04,  
1xCOGA04

CABLE Transparent or black  
Custom lenght

CANOPY FLORÓN DIBOND®  
230V: Ø23,6"  
120V: Ø23,6"

C004-3



C004-3

LIGHT SOURCE Recommended bulbs  
120 V | 60 Hz E26 LED - Max. 3x12 W

NET WEIGHT 15,2 lb

PACKAGING 23,6x31,5x33,8" | 26,5 lb

C004-3-P



C004-3-P

LIGHT SOURCE Recommended bulbs  
120 V | 60 Hz E26 LED - Max. 3x12 W

NET WEIGHT PESO NETO 8,9 lb

PACKAGING EMBALAJE 17,3x17,3x15,7"  
17,3x17,3x15,7"  
14,2x14,2x11,8"  
13,6 lb

C004-3-P

MATERIALS Painted stainless steel  
Stainless steel

FINISHES White (BL)  
Beige (BE)  
Grey (G)  
Taupe (T)  
Black (N)  
Custom (CC)

LAMPSHADE ref. 1xCOAU04, 1xCOSE04,  
1xCOGA04

CABLE Transparent or black  
Custom lenght

CANOPY Steel gloss nickel-plated  
230V: Ø4,7"  
120V: Ø4,7"

C004-3-P

C004-3-P

C004-3-P

# Coral

Arturo Álvarez, 2011

MATERIALS Painted stainless steel

Stainless steel

FINISHES White (BL)

Beige (BE)

Grey (G)

Taupe (T)

Custom (CC)

LAMPSHADE ref. 1xCOAU04, 1xCOCY04, 1xCOSE04, 1xCOGA04, 1xCORE04

CABLE Transparent or black

Custom lenght

CANOPY DIBOND®

230V: Ø23,6"

120V: Ø23,6"

C004-5



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 5x12 W

NET WEIGHT 21,2 lb

PACKAGING 23,6x31,5x46,5" | 38,6 lb

31,5x31,5"

98,4"

37,4"

98,4"

31,5x31,5"

98,4"

# Coral

Arturo Álvarez, 2011

MATERIALS Painted stainless steel

Stainless steel

FINISHES White (BL)

Beige (BE)

Grey (G)

Taupe (T)

Black (N)

Custom (CC)

C004-5-P



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 5x12 W

NET WEIGHT 16,3 lb

PACKAGING 17,3x17,3x15,7"

17,3x17,3x15,7"

14,2x14,2x11,8"

14,2x14,2x11,8"

26x12,6x9,1"

22 lb

31,5x31,5"

98,4"

31,5x31,5"

98,4"

31,5x31,5"

CANOPY Steel gloss nickel-plated

230V: Ø4,7"

120V: Ø4,7"

3 x REF. PIECE002  
Finish nickel-plated

# Coral

Arturo Álvarez, 2011

MATERIALS Painted stainless steel

Stainless steel

FINISHES White (BL)

Beige (BE)

Grey (G)

Taupe (T)

Custom (CC)

LAMPSHADE ref. 2xCOAU04, 1xCOCY04, 2xCOSE04, 2xCOGA04, 2xCORE04, 1xCOAU04G

CABLE Transparent or black

Custom lenght

CANOPY DIBOND®

230V: Ø47,2"

120V: Ø47,2"

C004-10



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 10x12 W

NET WEIGHT 77,8 lb

PACKAGING 31,5x49,2x54,3" | 123,5 lb

53,1 x53,1"

98,4"

48,4"

# Curvas

Arturo Álvarez, 2004

MATERIALS Glass

02

87

89

90

LAMPSHADE ref. 3xCV04

CABLE Transparent or black

Custom lenght

CANOPY DIBOND®

230V: Ø23,6"

120V: Ø23,6"

DIFFUSER Bottom diffuser

CV04C-3



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 3x12 W

NET WEIGHT 17,6 lb

PACKAGING 23,6x31,5x37,4" | 35 lb

98,4"

7,1"

28,3x26"

## Curvas

Arturo Álvarez, 2004

MATERIALS

Glass

FINISHES

02

87

89

90

LAMPSHADE

ref. 7xCV04

CABLE

Transparent or black

Custom lenght

CANOPY

FLORÓN

DIBOND®

230V: Ø39,4"


120V: Ø39,4"

DIFFUSER

Bottom diffuser

## CV04-7

cULus



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 7x12 W

NET WEIGHT 39,7 lb

PACKAGING 31,5x47,2x49,2" | 77 lb

MATERIALS	Glass	LIGHT SOURCE	Recommended bulbs
FINISHES	02	120 V   60 Hz	E26 LED - Max. 7x12 W
	87		
	89		
	90		
LAMPSHADE	ref. 7xCV04	NET WEIGHT	39,7 lb
CABLE	Transparent or black	PACKAGING	31,5x47,2x49,2"   77 lb
	Custom lenght		
CANOPY	DIBOND®		
FLORÓN	230V: Ø39,4"		
	120V: Ø39,4"		
DIFFUSER	Bottom diffuser		

## Fluo

Arturo Álvarez, 2009

MATERIALS Galvanized painted steel

Stainless steel

FINISHES White B

Custom cc

LAMPSHADE ref. 16xFL04

CABLE Transparent

Custom lenght

CANOPY Stainless steel

230V: Ø5,51" | h5,5"


120V: Ø5,51" | h5,5"

\*Height is not adjustable on site

## FL04-16

2009

cULus



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 16x12 W

NET WEIGHT 125,6 lb

PACKAGING 30,3x32,3x78,7"

31,5x47,2x78,7"

30,3x32,3x30,3"

297 lb

## Fluo

Arturo Álvarez, 2009

MATERIALS

Galvanized painted steel

FINISHES

Stainless steel

LAMPSHADE

White B

CABLE

Custom lenght

CANOPY

Custom cc

ref. 4xFL04

TRANSPARENT

Transparent

Custom lenght

Stainless steel


230V: Ø5,51" | h3,9"

120V: Ø5,51" | h3,9"

## FL04-4

2009

cULus



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 4x12 W

NET WEIGHT 25 lb

PACKAGING 30,3x32,3x54,7" | 48,5 lb  
30,3x32,3x54,7" | 44,1 lb

MATERIALS	Painted stainless steel	LIGHT SOURCE	Light source built in
FINISHES	White BL	100-277 V   60 Hz	25W   300K   3201lm built in upon request 2700K 28801lm
	Black N		Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
LAMPSHADE	ref. 3xMY04G	NET WEIGHT	56,2 lb
CABLE	Transparent	PACKAGING	35,4x38,2x41,3"   61,7 lb
	Custom lenght		
CANOPY	Steel painted in black or white		
	230V: Ø5,9(4,7)"		
	120V: Ø5,9(4,7)"		

## Mytilus

Arturo Álvarez, 2019

MATERIALS Painted stainless steel

FINISHES White BL

Black N

LAMPSHADE ref. 3xMY04G

CABLE Transparent

Custom lenght


CANOPY Steel painted in black  
or white

230V: Ø5,9(4,7)"

120V: Ø5,9(4,7)"

## MY04-3

cULus



# Nevo

Arturo Álvarez, 2007

MATERIALS Painted stainless steel

Steel gloss nickel-plated and stainless steel

FINISHES White (BL)

Beige (BE)

Grey (G)

Taupe (T)

Custom (CC)

LAMPSHADE ref. 3xNE06P, 3xNE04-1

CABLE Transparent


Custom lenght

CANOPY DIBOND®

230V: Ø23,6"

120V: Ø23,6"

NE04-6



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 9x7 W

NET WEIGHT 20,7 lb

PACKAGING 23,6x31,5x41,2" | 40 lb

# Parga

Cenlitros, 2023

MATERIALS Stone

Painted stainless steel

FINISHES Natural color (N)

Black (N)

LAMPSHADE ref. 1xPA104, 1xPA204, 1xPA304

CABLE Black

Custom lenght

CANOPY Steel painted in matt black  
230V: Ø5,6"  
120V: Ø5,6"

2 x REF. PIECE006

DIFFUSER Bottom diffuser

PA04-3-L




LIGHT SOURCE Light source built in

100-277 V | 60 Hz 18W | 2700K | 2520lm built in upon request 3000K 2841lm

Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT 14,9 lb

PACKAGING 14,2x10,2x7,5"  
14,2x10,2x7,5"  
17,9x7,9x13,4"  
15,9 lb



# Nevo

Arturo Álvarez, 2007

MATERIALS Painted stainless steel

Steel gloss nickel-plated and stainless steel

FINISHES White (BL)

Beige (BE)

Grey (G)

Taupe (T)

Custom (CC)

LAMPSHADE ref. 4xNE06P, 7xNE04-1

CABLE Transparent


Custom lenght

CANOPY DIBOND®

230V: Ø47,2"

120V: Ø47,2"

NE04-11



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 18x7 W

NET WEIGHT 22 lb

PACKAGING 31,5x49,2x53,1" | 116,8 lb

# Parga

Cenlitros, 2023

MATERIALS Stone

Painted stainless steel

FINISHES Natural color (N)

Black (N)

LAMPSHADE ref. 1xPA104, 1xPA204, 1xPA304

CABLE Black

Custom lenght

CANOPY Steel painted in matt black  
230V: Ø5,6"  
120V: Ø5,6"

3 x REF. PIECE006

DIFFUSER Bottom diffuser

PA04-3-R




LIGHT SOURCE Light source built in

100-277 V | 60 Hz 24W | 2700K | 980lm built in upon request 3000K 1067lm

Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT 4,8 lb

PACKAGING 7,9x7,9x13,4" | 5,5 lb



## Tati

Arturo Álvarez, 2011

MATERIALS Painted stainless steel

Steel gloss nickel- plated and stainless steel

### FINISHES

White BL

Beige BE

Grey G

Taupe T

Custom CC

### LAMPSHADE

ref. 3xTA06G

### CABLE

Transparent

Custom lenght


### CANOPY

DIBOND®

230V: Ø23,6"

120V: Ø23,6"

TA04-3



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 6x7 W

NET WEIGHT 13,2 lb

PACKAGING 23,6x31,5x32,3" | 41,9 lb

## Tati

Arturo Álvarez, 2011

MATERIALS Painted stainless steel

Steel gloss nickel- plated and stainless steel

### FINISHES

White BL

Beige BE

Grey G

Taupe T

Custom CC

### LAMPSHADE

ref. 6xTA06G, 4xTA06P

### CABLE

Transparent

Custom lenght


### CANOPY

DIBOND®

230V: Ø47,2"

120V: Ø47,2"

TA04-10



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 16x7 W

NET WEIGHT 41,9 lb

PACKAGING 31,5x49,2x53,1" | 121,3 lb

## Tati

Arturo Álvarez, 2011

MATERIALS Painted stainless steel

Steel gloss nickel- plated and stainless steel

### FINISHES

White BL

Beige BE

Grey G

Taupe T

Custom CC

### LAMPSHADE

ref. 3xTA06G, 2xTA06P

### CABLE

Transparent

Custom lenght


### CANOPY

DIBOND®

230V: Ø23,6"

120V: Ø23,6"

TA04-5



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 8x7 W

NET WEIGHT 19,6 lb

PACKAGING 23,6x31,5x32,3" | 55,1 lb

## Ura

Arturo Álvarez, 2017

MATERIALS Painted stainless steel

Stainless steel

### FINISHES

White BL

Beige BE

Grey G

Taupe T

Black N

### LAMPSHADE

ref. 1xUR104, 1xUR204, 1xUR304

### CABLE

Transparent or black

Custom lenght


### CANOPY

DIBOND®

230V: Ø23,6"

120V: Ø23,6"

UR04-3



LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E26 LED - Max. 3x12 W

NET WEIGHT 22,5 lb


PACKAGING 23,6x31,5x37,4" | 22,5 lb

# Brétema

N

New collection

BR04M



Depth · 78,7"

LIGHT SOURCE

Recommended bulbs

230 V | 50 Hz  
2x4W 2700K 600lm  
built in

## Brétema

a-emotional light design team,  
2025

MATERIALS Painted stainless steel

FINISHES White

CABLE Black

Custom lenght

BR04S



Depth · 59,1"

78,74"



LIGHT SOURCE

Recommended bulbs

230 V | 50 Hz  
3x4W 2700K 600lm  
built in

BR04L



Depth · 90,6"

LIGHT SOURCE

Recommended bulbs

230 V | 50 Hz  
2x4W 2700K 600lm  
built in

# Wall & ceiling lamps

## Ballet

Héctor Serrano, 2016

MATERIALS Painted stainless steel

FINISHES White

Beige

Grey

Taupe

Custom

SUPPORT Painted steel

MOUNTING OPTIONS Wall lamp

DIFFUSER

Inside diffuser

## BA06




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 1x8 W

NET WEIGHT 1,3 lb

PACKAGING 17,3x17,3x7,9" | 4,2 lb



Depth · 5,9"

## BA06-LD




LIGHT SOURCE Light source built in

100-277 V | 60 Hz 8W | 2700K | 960lm built in upon request 3000K 1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT 2,3 lb

PACKAGING 17,3x17,3x7,9" | 5,1 lb



Depth · 5,9"

## Blum

Arturo Álvarez, 2015

MATERIALS Painted stainless thread

FINISHES White

SUPPORT Painted steel

MOUNTING OPTIONS Wall lamp

## BL06




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz E12 LED - Max. 1x12 W

NET WEIGHT 2,4 lb

PACKAGING 17,3x17,3x15,7" | 3,3 lb



Depth · 8,2"

## Cors

Arturo Álvarez, 2011

MATERIALS Painted stainless thread

FINISHES White

Beige

Grey

Taupe

Custom

SUPPORT Stainless steel

MOUNTING OPTIONS Wall lamp

SUPPORT Steel gloss nickel-plated and stainless steel

MOUNTING OPTIONS Wall lamp

## CR06




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz 69 LED - Max. 2x4 W

NET WEIGHT 1,3 lb

PACKAGING 20,1x7,5x10,6" | 2,2 lb



Depth · 5,9"

## CR06-LD




LIGHT SOURCE Light source built in

100-277 V | 60 Hz 17W | 2700K | 1645lm built in upon request 3000K 1776lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT 2,4 lb

PACKAGING 20,1x7,5x10,6" | 3,3 lb



Depth · 5,9"

# Curvas

Arturo Álvarez, 2004

MATERIALS	Glass	LIGHT SOURCE	Recommended bulbs
FINISHES	02	120 V   60 Hz	E12 LED - Max. 2x7 W
	87	NET WEIGHT	3,7 lb
	89	PACKAGING	25,6x12,6x9,1"   6,5 lb
SUPPORT	90		
	Stainless steel		
MOUNTING OPTIONS			
	Wall lamp		
		Depth · 4,7"	

MATERIALS	Painted stainless steel	LIGHT SOURCE	Recommended bulbs
FINISHES	White	120 V   60 Hz	G9 LED - Max. 2x4 W
	Beige	NET WEIGHT	1,3 lb
	Grey	PACKAGING	14,2x10,2x7,5"   2,2 lb
SUPPORT	Taupe		
	Custom		
MOUNTING OPTIONS	Stainless steel		
	Wall lamp		
		Depth · 5,1"	

MATERIALS	Painted stainless steel	LIGHT SOURCE	Light source built in
FINISHES	White	100-277 V   60 Hz	8W   2700K   960lm built in upon request 3000K 1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
	Beige	NET WEIGHT	2,4 lb
	Grey	PACKAGING	14,2x10,2x7,5"   3,3 lb
SUPPORT	Taupe		
	Custom		
MOUNTING OPTIONS	Stainless steel		
	Wall lamp		
		Depth · 5,1"	

# Kala

Arturo Álvarez, 2011

MATERIALS	Painted stainless steel	LIGHT SOURCE	Recommended bulbs
FINISHES	White	120 V   60 Hz	G9 LED - Max. 2x4 W
	Beige	NET WEIGHT	1,3 lb
	Grey	PACKAGING	14,2x10,2x7,5"   2,2 lb
SUPPORT	Taupe		
	Custom		
MOUNTING OPTIONS	Painted steel		
	Wall lamp		
		Depth · 5,5"	


MATERIALS	Painted stainless steel	LIGHT SOURCE	Light source built in
FINISHES	White	100-277 V   60 Hz	8W   2700K   960lm built in upon request 3000K 1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
	Beige	NET WEIGHT	2,4 lb
	Grey	PACKAGING	14,2x10,2x7,5"   3,3 lb
SUPPORT	Taupe		
	Custom		
MOUNTING OPTIONS	Painted steel		
	Wall lamp		
		Depth · 5,5"	

# Kite

Arturo Álvarez, 2011

MATERIALS	Painted stainless steel	LIGHT SOURCE	Light source built in
FINISHES	White	100-277 V   60 Hz	8W   2700K   960lm built in upon request 3000K 1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
	Beige	NET WEIGHT	18,7 lb
	Grey	PACKAGING	28x28x5,9"   20,3 lb
SUPPORT	Custom		
	Painted steel		
MOUNTING OPTIONS	Wall & ceiling lamp		
		Depth · 3,5"	

KT06G-LD




LIGHT SOURCE Light source built in  
 100~277 V | 60 Hz 34W | 2700K | 7272lm built in upon request 3000K 7560lm  
 Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)  
 NET WEIGHT 16,5 lb  
 PACKAGING 40,1x40,1x5,1" | 24,2 lb

Depth · 3,5"

LI06G-D



LIGHT SOURCE Light source built in  
 100~277 V | 60 Hz 17W | 2700K | 2558lm built in upon request 3000K 2632lm  
 Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)  
 NET WEIGHT 6,4 lb  
 PACKAGING 43,3x12,2x9,8" | 10,4 lb



Depth · 2,6"

Li

Arturo Álvarez, 2013


LI06



MATERIAL

Pressed cellulose

FINISHES



SUPPORT

Stainless steel

MOUNTING OPTIONS

Wall lamp

Depth · 2,6"

LI06G



DIFFUSER


Lisa

a-emotional light team, 2025


New collection

MATERIALS Painted stainless steel

FINISHES



SUPPORT



MOUNTING OPTIONS




LIGHT SOURCE Recommended bulbs

120 V | 60 Hz 69 LED - Max. 2x4 W

NET WEIGHT 1,5 lb

PACKAGING 14,2x10,2x7,5" | 2,2 lb




Depth · 3,7"

LIGHT SOURCE Recommended bulbs

120 V | 60 Hz 69 LED - Max. 2x4 W

NET WEIGHT 2 lb

PACKAGING 22x10,2x7,5" | 3,31 lb



Depth · 3,5"

Depth · 2,6"

# Mytilus

Arturo Álvarez, 2019

MATERIALS Painted stainless steel

FINISHES White 

SUPPORT Painted steel in white

MOUNTING OPTIONS Wall lamp

DIFFUSER Glass diffuser

MY06



	LIGHT SOURCE	Light source built in
	100~277 V   60 Hz	 8W   2700K   960lm built in upon request 3000K 1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
	NET WEIGHT	6,6 lb
	PACKAGING	23,6x23,6x8,7"   9,9 lb

Depth · 6,3"

NEO6P



MATERIALS Painted stainless steel

Steel gloss nickel-plated and stainless steel

FINISHES White 

Beige 

Grey 

Taupe 

Custom 

SUPPORT Stainless steel

MOUNTING OPTIONS Wall lamp

SUPPORT 

Steel gloss nickel-plated and stainless steel

MOUNTING OPTIONS Wall lamp

DIFFUSER Inside diffuser

MY06



	LIGHT SOURCE	Light source built in
	100~277 V   60 Hz	 8W   2700K   960lm built in upon request 3000K 1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
	NET WEIGHT	2,6 lb
	PACKAGING	14,2x14,2x12,2"   4 lb

Depth · 7,9"

NEO6P-LD



MATERIALS Painted stainless steel

FINISHES White 

SUPPORT Custom 


Painted steel

MOUNTING OPTIONS Wall & ceiling lamp

NEO6



LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	 E12 LED - Max. 2x7 W
NET WEIGHT	2,4 lb
PACKAGING	14,2x14,2x12,2"   4,8 lb




Depth · 9"

NEO6-LD



LIGHT SOURCE	Light source built in
100~277 V   60 Hz	 8W   2700K   960lm built in upon request 3000K 1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
NET WEIGHT	3,1 lb
PACKAGING	14,2x14,2x12,2"   4,8 lb




Depth · 9,8"


Onn

Arturo Álvarez, 2017


LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	 E26 LED - Max. 1x8 W
NET WEIGHT	6,6 lb
PACKAGING	18,1x20,5x11,8"   9,7 lb



Depth · 7,1"



LIGHT SOURCE	Light source built in
100~277 V   60 Hz	15W   2700K   2860lm built in upon request 3000K 2945lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
NET WEIGHT	7,7 lb
PACKAGING	18,1x20,5x11,8"   9,7 lb




LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	E26 LED - Max. 3x8 W
NET WEIGHT	15,4 lb
PACKAGING	28x28x12,6"   17,6 lb

## Planum


Arturo Álvarez, 2008

MATERIALS	Painted stainless steel
FINISHES	White BL
	Grey G
	Custom CC
SUPPORT	Steel painted in white
MOUNTING OPTIONS	Wall & ceiling lamp




LIGHT SOURCE	Light source built in
100~277 V   60 Hz	34W   2700K   7272lm built in upon request 3000K 7560lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
NET WEIGHT	14,6 lb
PACKAGING	40,1x40,1x5,1"   22 lb

Depth · 3,1"



## PM06PR-LD



LIGHT SOURCE	Light source built in
100~277 V   60 Hz	17W   2700K   3636lm built in upon request 3000K 3780lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
NET WEIGHT	6,2 lb
PACKAGING	40,1x20,8x5,1"   11 lb



Depth · 3,1"

## Tati

Arturo Álvarez, 2011

MATERIALS	Painted stainless steel
FINISHES	Steel gloss nickel-plated and stainless steel
	White BL
	Beige BE
	Grey G
	Taupe T
	Custom CC
SUPPORT	Stainless steel
MOUNTING OPTIONS	Wall lamp

## TA06




LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	69 LED - Max. 2x4 W
NET WEIGHT	1,1 lb
PACKAGING	13,7x9,8x6,7"   2,2 lb

Depth · 5,9"

SUPPORT	Steel gloss nickel-plated and stainless steel
MOUNTING OPTIONS	Wall lamp



## TA06-LD



LIGHT SOURCE	Light source built in
100~277 V   60 Hz	8W   2700K   960lm built in upon request 3000K 1067lm Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
NET WEIGHT	1,5 lb
PACKAGING	13,7x9,8x6,7"   2,2 lb

Depth · 5,9"


TA06P



LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	G9 LED - Max. 1x4 W
NET WEIGHT	1,8 lb
PACKAGING	14,2x14,2x12,2"   2,2 lb

Depth · 7,9"


TA06G-LD



LIGHT SOURCE	Light source built in
100-277 V   60 Hz	8W   2700K   960lm built in upon request 3000K 1067lm
Dimmer:	PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
NET WEIGHT	3,1 lb

Depth · 8,7"

TA06P-LD



LIGHT SOURCE	Light source built in
100-277 V   60 Hz	8W   2700K   960lm built in upon request 3000K 1067lm
Dimmer:	PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)
NET WEIGHT	2,6 lb

PACKAGING · 14,2x14,2x12,2" | 3,3 lb

Depth · 7,9"

## Umbra Line

Isaac Piñeiro, 2025

N New collection

MATERIALS Satin stainless steel

FINISHES Inox steel


White BL

Satin Inox INOX

SUPPORT Painted steel

MOUNTING OPTIONS Wall lamp


ULI06S



LIGHT SOURCE	Recommended bulbs
100-277 V   60 Hz	6W   2700K   400lm built in
Dimmer:	TRIAC
NET WEIGHT	3,1 lb

Depth · 1,9"


TA06G



LIGHT SOURCE	Recommended bulbs
120 V   60 Hz	E26 LED - Max. 2x7 W
NET WEIGHT	2,2 lb
PACKAGING	20,5x18,5x12,2"   5,3 lb

Depth · 8,7"

ULI06M



LIGHT SOURCE	Recommended bulbs
100-277 V   60 Hz	14W   2700K   950lm built in
Dimmer:	TRIAC
NET WEIGHT	6,2 lb

Depth · 1,9"

ULI06L



Depth · 1,9"


LIGHT SOURCE Recommended bulbs

100-277 V | 60 Hz 14W | 2700K | 950 lm  
Dimmer: TRIAC

NET WEIGHT 10,6 lb

PACKAGING 51,2x8x8" | 13,2 lb

UR006L



Depth · 3"

LIGHT SOURCE Light source built in

100-277 V | STRIP 24W | 2700K | 1630lm  
60 Hz Dimmer: TRIAC

NET WEIGHT 10,4 lb

PACKAGING 26x12,6x6,7" | 13,7 lb

## Umbra Round

Isaac Piñeiro, 2025

New collection

MATERIALS Painted steel

Painted stainless steel


FINISHES White Black

Custom

SUPPORT Stainless steel

MOUNTING OPTIONS Wall lamp

UR006S



Depth · 1,8"

LIGHT SOURCE Light source built in

100-277 V | STRIP 9W | 2700K | 610lm  
60 Hz Dimmer: TRIAC

NET WEIGHT 2,4 lb

PACKAGING 17,3x17,3x6,3" | 4,6 lb

## Venus

PF1 interiorismo, 2022

MATERIALS Painted stainless steel

FINISHES White


Black

Custom

SUPPORT Painted steel in the same color that lampshade

MOUNTING OPTIONS Wall lamp

VE06



Depth · 2,8"



LIGHT SOURCE Light source built in

100-277 V | 4W | 2700K | 1060lm built in  
60 Hz Dimmer: PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)

NET WEIGHT 3,5 lb

PACKAGING 17,3x17,3x7,9" | 5,7 lb

UR006M



Depth · 2,4"

LIGHT SOURCE Light source built in


100-277 V | STRIP 18W | 2700K | 1220lm  
60 Hz Dimmer: TRIAC

NET WEIGHT 6,6 lb

PACKAGING 26x12,6x6,7" | 8,4 lb

# Accessories

CANOPY & PIECE TO MOVE THE ELECTRIC CABLE



**REF. PIECE04**  
PIECE TO HOLD THE STEEL CABLE

**REF. PIECE02**  
PIECE TO MOVE  
THE ELECTRIC CABLE

**REF. PIECE06**  
FINISH IN BLACK COLOR

Option for luminaires with electric cable only

Option for luminaires with electric and steel  
cable

## CANOPY

Canopy small Ø3,15"



Finishing nickel-plated

Maximum 3 outputs

Ref. CAN8

Canopy medium Ø4,72"



Finishing nickel-plated

Maximum 8 outputs

Ref. CAN12



Type 1

One side output

Type 2

Around side output

Type 3

Downward output



Finishing black matt

For compositions  
with black cable

Finishing black matt



For compositions  
with black cable

Ref. CAN-BL

Canopy recessed

Finishing matt white  
or matt black



Ref. CAN-N

## LIGHT BULBS

BASE



E27 LED



Standard vintage Ø60mm

Standard Dimmable vintage Ø60mm

6 2700K 3000K ELEC0907 ELEC0908

6 2700K 2700K ELEC0700

10 2700K 2700K ELEC2201



Standard vintage Ø60mm

Round Vintage

4 2700K ELEC0689



LED bi-pin 230V

G9 LED

4 2700K 3000K ELEC0703 ELEC0655

Ecodesign standards for lighting products are mandatory for all manufacturers and importers who intend to market their products in the EU.  
As of September 1, 2021, Regulation (EU) 2019/2020 establishing eco-design requirements for light sources and independent control mechanisms repeals and replaces  
Regulations (EC) No 244/2009, (EC) No 244/2009, (EC) No 245/2009 and (EU) No 1194/2012.

W

T (kelvin)

REF.

2700K 3000K ELEC0907 ELEC0908

2700K 2700K ELEC0700

2700K 2700K ELEC2201

2700K ELEC0689

2700K 3000K ELEC0703 ELEC0655

## Headquarters

Calor Color S.L.  
C/ Castiñeiras 108A,  
15895 O Milladoiro, A Coruña, Spain.  
T. +34 981 814 600

a by emotional light inc.  
1460 Broadway Ste 6025 New York,  
NY 10036 US  
T. +1 323 599 6363

info@a-emotionallight.com  
www.a-emotionallight.com

©2024 Calor Color S.L.  
All rights reserved.



Crafted in Spain