



arturo alvarez
emotional light

2017

arturo alvarez
emotional light

2017

Handmade in Spain

Arturo Álvarez has been designing and manufacturing decorative lighting for over 20 years. The natural surroundings where our factory is based is a constant source of inspiration, reflected in the forms, textures and materials of the designs. The pursuit of human well-being through the hedonistic enjoyment of the object underlies behind his work.

Handmade design lamps, created taking care of every detail, converting them into unique objects, made under the premise of offering exclusive products with a high emotional content, full of personality. All of this, without overlooking the research and development of new materials, bearing in mind our concern to introduce technologies that contribute to energy saving and a sustainable production.

Arturo Álvarez lleva más de 20 años diseñando y fabricando iluminación decorativa. El enclave natural donde se encuentra nuestra fábrica es una fuente de inspiración continua reflejada en las formas, texturas y materiales de las luminarias. Detrás de su trabajo está la búsqueda del bienestar del ser humano ligado al disfrute hedonista del objeto.

Lámparas de diseño hechas a mano, prestando atención a los detalles, convirtiendo cada una de ellas en un objeto único, bajo la premisa de ofrecer productos exclusivos con un alto componente emocional, llenos de personalidad. Todo ello, sin dejar de lado la exploración y el desarrollo de nuevos materiales, sin perder de vista la preocupación por implementar tecnologías que contribuyan al ahorro energético y a una producción sostenible.



Our atelier is located in the countryside, on the northwest of Spain, near Santiago de Compostela

Index	
98	Africa
116	Arc
144	Aros
34	Ballet
134	Bety
106	Blum
122	Caos
50	Coral
84	Cors
154	Curvas
110	Fluo
62	Gea
162	Gluc
104	Iki
102	Kala
86	Kite
174	Le
130	Li
44	Luisa
100	Muu
74	Nevo
160	Norman
14	Onn
20	Pili
92	Planum
166	Shio
68	Tati
26	Tempo
138	Tina
4	Ura
172	Uxi
178	V
148	Vento
176	Woods
182	Arturo Álvarez
184	Contract
189	Materials
197	Technical data
247	Technical data for USA

Ura

NEW

Ura is handcrafted through delicate folds that originate four recognizable shapes from nature. They can be combined freely, and together they create a harmonious game of volumes that shrink and expand, while individually they convey a subtle lightness. The collection is made of painted stainless steel mesh.

Ura está trabajada a mano mediante delicados dobleces, de los que surgen cuatro formas reconocibles en la naturaleza. Combinables entre sí, juntas crean un juego armónico de volúmenes que se contraen y se expanden y en solitario respiran una sutil ligereza. La colección está realizada en malla de acero inoxidable pintada.



Designed by **Arturo Álvarez**
2017



**Ura 1 - UR104**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h28cm Ø50cm H150cm
technical data pg. 232

120V-60Hz: 1-E26, 1-GU24 or LED
h11in Ø19,7in H59,1in H-USA:78,7in
technical data for USA pg. 277

**Ura 2 - UR204**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h42cm Ø20cm H150cm
technical data pg. 232-233

120V-60Hz: 1-E26, 1-GU24 or LED
h16,5in Ø7,9in H59,1in H-USA:78,7in
technical data for USA pg. 277-278



Ura 3 - UR304

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h24cm Ø33cm H150cm
technical data pg. 233

120V-60Hz: 1-E26, 1-GU24 or LED
h9,4in Ø13in H59,1in H-USA:78,7in
technical data for USA pg. 278

**UR04-3**

Pendant lamp Lámpara colgante

230V-50Hz: 3-E27
h47cm w71cm d75cm H250cm
technical data pg. 233

120V-60Hz: 3-E26 or 3-GU24
h18,6in w27,8in d29,3in H98,4in
technical data for USA pg. 278







UR01

Table lamp Lámpara de mesa

230V-50Hz: 1-E27 | h32cm Ø17cm H49cm
technical data pg. 201

120V-60Hz: 1-E26 or 1-GU24 | h12,6in Ø6,7in H19,3in
technical data for USA pg. 250

UR03

Floor lamp Lámpara de pie

230V-50Hz: 3-E27 | h100cm Ø52cm H156cm
technical data pg. 207

120V-60Hz: 3-E26 or 3-GU24 | h39,4in Ø20,5in H61,4in
technical data for USA pg. 253




Onn

NEW

Onn is a collection of pendant and ceiling lamps made out of painted stainless steel mesh. They evoke the sea world: shells, seaweed, and corals emerge with great force, full of dynamism and vitality. Ideal for walls and ceilings, they allow for interesting compositions through their unusual shapes.

Onn es una colección de lámparas colgantes y plafones realizados en malla de acero inoxidable pintada. Evocan el mundo marino; conchas, algas, corales surgen con fuerza llenos de dinamismo y vitalidad. Ideales para paredes y techos permiten generar interesantes composiciones a través de sus inusuales formas.



Designed by **Arturo Álvarez**
2017



**ON04G**

Pendant lamp Lámpara colgante



230V-50Hz: 3-E27 or LED
h50cm Ø45cm H150cm
technical data pg. 225

120V-60Hz: 3-E26, 3-GU24 or LED
h19,7in Ø17,7in H59,1in H-USA:78,7in
technical data for USA pg. 271

**ON04**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h35cm Ø36cm H150cm
technical data pg. 225

120V-60Hz: 1-E26, 1-GU24 or LED
h13,8in Ø14,1in H59,1in H-USA:78,7in
technical data for USA pg. 270

**ON06G**

Wall lamp Aplique

230V-50Hz: 3-E27 | h65cm w73cm d20cm

technical data pg. 242

120V-60Hz: 3-E26 or 3-GU24 | h25,6in w28,7in d7,9in

technical data for USA pg. 287

**ON06**

Wall lamp Aplique

230V-50Hz: 1-E27 | h42cm w50cm d16cm

technical data pg. 242

120V-60Hz: 1-E26 or 1-GU24 | h16,5in w19,7in d6,3in

technical data for USA pg. 286



Pili

NEW

Pili, a single painted stainless steel thread is interwoven, creating random volumes and a harmonious wrapping irregularity, full of charm and mystery, through which the whimsical light escapes. It is available in two sizes, which allows for visually stunning compositions when several units are combined.

Un único hilo de acero inoxidable pintado se entrelaza creando volúmenes aleatorios sin orden, entreteljiendo una irregularidad armónica y envolvente llena de encanto y misterio, por la que escapa caprichosa la luz. Se presenta en dos tamaños, permitiendo generar composiciones, de gran impacto visual, con la combinación de varias unidades.



Designed by **Arturo Álvarez**
2017



**PL04G**

Pendant lamp Lámpara colgante

230V-50Hz: 1-E27 | h55cm Ø55cm H150cm

technical data pg. 226

120V-60Hz: 1-E26 or 1-GU24 | h21,7in Ø21,7in H59,1in H-USA:78,7in
technical data for USA pg. 271

**PL04**

Pendant lamp Lámpara colgante

230V-50Hz: 1-E27 | h40cm Ø40cm H150cm

technical data pg. 226

120V-60Hz: 1-E26 or 1-GU24 | h15,7in Ø15,7in H59,1in H-USA:78,7in
technical data for USA pg. 271

**PL04-4**

Pendant lamp Lámpara colgante

230V-50Hz: 4-E27
h100cm Ø100cm H250cm
technical data pg. 226

120V-60Hz: 4-E26 or 4-GU24
h39,4in Ø39,4in H98,4in
technical data for USA pg. 272


**PL01**


Table lamp Lámpara de mesa



230V-50Hz: LED

h20cm w40cm d20cm H60cm | h7,9in w15,7in d7,9in H23,6in

technical data pg. 200



Tempo

Tempo is a pendant lamp collection made with painted stainless steel mesh. This material, crafted in fine pleats, gives form to two overlapped layers that create two models of lamps full of dynamism. Two liveliness shapes that delicately shine light through each pore. Two forms that part of one. *Andante* and *Vivace*, the representation of two instants generated by the same movement at a different *tempo*.

Tempo es una colección de lámparas colgantes realizadas en malla de acero inoxidable pintada. La malla, trabajada en finos pliegues, da forma a dos capas que se superponen creando dos modelos de luminarias llenas de dinamismo. Dos formas vivas que irradian luz por sus poros con delicadeza. Dos formas que parten de una. *Andante* y *Vivace*, la representación de dos instantes generados por un mismo movimiento con diferente *tempo*.



Designed by Arturo Álvarez
2016







**Tempo Andante - TEANO4**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h50cm w30cm d25cm H150cm
technical data pg. 230

120V-60Hz: 1-E26, 1-GU24 or LED
h19,6in w11,8in d9,8 H59,1in H-USA:78,7in
technical data for USA pg. 275



Tempo Vivace - TEV104
Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h25cm w45cm d35cm H150cm
technical data pg. 230

120V-60Hz: 1-E26, 1-GU24 or LED
h9,8in w17,7in d13,7in H59,1in H-USA:78,7in
technical data for USA pg. 275





Ballet

Its shapes are formed by the superposition or gathering of its vertexes, allowing freedom for the own flexibility of the material. The resulting volumes are fluid and natural due to the tension of the SIMETECH®. Its asymmetry makes its forms change depending on the point of view. *Plié, Relevé, Elancé...* a constant dance of light and shadows.

Las formas son creadas a partir de la superposición o uniones de sus vértices, dejando libertad a la propia naturaleza flexible del material. El resultado son volúmenes fluidos y naturales gracias a la tensión del SIMETECH®. Su asimetría hace que sus formas cambien dependiendo del punto de vista. *Plié, Relevé, Elancé...* un baile constante de luz y sombras.



Designed by **Héctor Serrano**
2016

INTERIOR
DESIGN | **BEST
OF
YEAR 2014**

This collection is made of
SIMETECH® a material created
by arturo alvarez awarded in
the category of Innovative
translucent shading/lighting
solution.



Ballet chandelier was
recognized with a Best of Year
Award 2016 in the category of
lighting: chandeliers.







**Ballet Plié - BAPIO4**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h25cm w73cm d57cm H150cm
technical data pg. 209

120V-60Hz: 1-E26, 1-GU24 or LED
h9,8in w28,7in d22,4in H59,1in H-USA:78,7in
technical data for USA pg. 255

**Ballet Relevé - BARE04**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED | h45cm w40cm d22cm H150cm
technical data pg. 209

120V-60Hz: 1-E26, 1-GU24 or LED
h17,7in w15,7in d8,6in H59,1in H-USA:78,7in
technical data for USA pg. 255

**Ballet Elancé - BALA04**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED | h42cm w45cm d33cm H150cm
technical data pg. 210

120V-60Hz: 1-E26, 1-GU24 or LED
h16,5in w17,7in d13in H59,1in H-USA:78,7in
technical data for USA pg. 256

**BA04-3**

Pendant lamp Lámpara colgante

230V-50Hz: 3-E27
h102cm Ø110cm H250cm
technical data pg. 210

120V-60Hz: 3-E26, 3-GU24
h40,2in Ø43,3in H98,4in
technical data for USA pg. 256





Ballet - BA06
Wall lamp Applique

NEW

230V-50Hz: 1-E27
h35cm w36cm d15cm
technical data pg. 236


120V-60Hz: 1-E26 or 1-GU24
h13,7in w14,2in d5,9in
technical data for USA pg. 281



Luisa

A series of overlapped layers produces a brightness that softly leaks and filters through them, creating a magical and enveloping atmosphere. Its material, SIMETECH®, developed and registered by the firm, crafted in a smooth way, provides a subtle and elegant texture.

Capas superpuestas crean distintas luminosidades que se escapan y se filtran formando un ambiente mágico y envolvente. El material desarrollado y patentado por la marca, SIMETECH®, trabajado en liso, consigue una textura sutil y elegante.



Designed by **Arturo Álvarez**
2015

INTERIOR
DESIGN
**BEST
OF
YEAR 2014**

This collection is made of **SIMETECH®** a material created by arturo alvarez awarded in the category of Innovative translucent shading/lighting solution.



**LS04G**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h50cm Ø45cm H150cm
technical data pg. 222-223

120V-60Hz: 1-E26, 1-GU24 or LED
h20in Ø18in H59,1in H-USA:78,7in
technical data for USA pg. 268

**LS04**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h40cm Ø40cm H150cm
technical data pg. 222

120V-60Hz: 1-E26, 1-GU24 or LED
h16in Ø16in H59,1in H-USA:78,7in
technical data for USA pg. 267-268





Coral

An organic look for a collection of wraparound and warm lamps that refer us to the origins of life, the sea. Shapes that remind us of the beauty and richness of coral reefs.

De aspecto orgánico, esta colección de luminarias envolventes y cálidas nos remite al origen de todo lo viviente, al mar. Formas que nos recuerdan la belleza y riqueza de los arrecifes coralinos.




Designed by **Arturo Álvarez**
2011

INTERIOR
DESIGN
**BEST
OF
YEAR 2014**

This collection is made of **SIMETECH®** a material created by arturo alvarez awarded in the category of innovative translucent shading/lighting solution.

HD Product Design
Competition
2013







**Coral Seaurchin - COAU04G**

Pendant lamp Lámpara colgante

230V-50Hz: 4-E27
h41cm Ø70cm H150cm
technical data pg. 216

120V-60Hz: 4-E26 or 4-GU24
h16,1in Ø27,6in H59,1in H-USA:78,7in
technical data for USA pg. 262

**Coral Seaurchin - COAU04**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h30cm Ø44cm H150cm
technical data pg. 216

120V-60Hz: 1-E26, 1-GU24 or LED
h11,8in Ø17,3in H59,1in H-USA:78,7in
technical data for USA pg. 262

**Coral Sea - COSE04**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED | h25cm Ø35cm H150cm

technical data pg. 215

120V-60Hz: 1-E26, 1-GU24 or LED | h9,8in Ø13,8in H59,1in H-USA:78,7in
technical data for USA pg. 261**Coral Cay - COCY04**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED | h30cm Ø30cm H150cm

technical data pg. 214

120V-60Hz: 1-E26, 1-GU24 or LED | h11,8in Ø11,8in H59,1in H-USA:78,7in
technical data for USA pg. 260

**Coral Reef - CORE04**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED | h60cm Ø20cm H150cm

technical data pg. 215

120V-60Hz: 1-E26, 1-GU24 or LED | h23,6in Ø7,9in H59,1in H-USA:78,7in
technical data for USA pg. 261**Coral Galaxea - COGA04**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED | h37cm Ø25cm H150cm

technical data pg. 214

120V-60Hz: 1-E26, 1-GU24 or LED | h14,6in Ø9,8in H59,1in H-USA:78,7in
technical data for USA pg. 260

**C004-3**

Pendant lamp Lámpara colgante

230V-50Hz: 3-E27
h68cm w70cm d70cm H250cm
technical data pg. 216

120V-60Hz: 3-E26, 3-GU24
h26,8in w27,6in d27,6in H98,4in
technical data for USA pg. 262

**C004-5**

Pendant lamp Lámpara colgante

230V-50Hz: 5-E27

h95cm w80cm d80cm H250cm

technical data pg. 217

120V-60Hz: 5-E26, 5-GU24

h37,4in w31,5in d31,5in H98,4in

technical data for USA pg. 263

**C004-10**

Pendant lamp Lámpara colgante

230V-50Hz: 13-E27
h123cm w135cm d135cm H250cm
technical data pg. 217


120V-60Hz: 10-E26, 10-GU24
h48,4in w53,1in d53,1in H98,4in
technical data for USA pg. 263



Gea

A sinuous shape that provides an indirect enveloping light. A piece that fills up space with a soft and pleasant light and is easy to combine, blending ideally in any kind of atmosphere.

Una forma sinuosa que proporciona una luz indirecta y envolvente. Una pieza que llena los espacios de una luz suave y agradable, fácilmente combinable y que se mimetiza en cualquier ambiente.



Designed by **Arturo Álvarez**
2007

INTERIOR
DESIGN
**BEST
OF
YEAR 2014**

This collection is made of **SIMETECH®** a material created by arturo alvarez awarded in the category of Innovative translucent shading/lighting solution.



2008



**GEO3**

Floor lamp Lámpara de pie

230V-50Hz: 5-E27

Ø28cm H180cm

technical data pg. 205

120V-60Hz: 5-E26

Ø11in H70,9in

technical data for USA pg. 252


**GEO4**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h45cm Ø19cm H150cm
technical data pg. 220

120V-60Hz: 1-E26, 1-GU24 or LED
h17,7in Ø7,5in H59,1in H-USA:78,7in
technical data for USA pg. 265-266

**GE06**

Wall lamp Applique

230V-50Hz: 2-G9
h26cm w16cm d13cm
technical data pg. 237

120V-60Hz: 2-G9
h10,2in w6,3in d5,1in
technical data for USA pg. 282



Tati

A round form with a texture that is woven into circles repeatedly creating a sort of skin, a shell. We turn our gaze to the symmetry of recreated nature.

Una forma redondeada, con una textura tejida en torno a círculos que se repiten formando una piel, un caparazón. Volvemos la mirada a la simetría de la naturaleza recreada.



Designed by Arturo Álvarez
2011

INTERIOR
**BEST
OF
YEAR 2014**

This collection is made of SIMETECH® a material created by arturo alvarez awarded in the category of Innovative translucent shading/lighting solution.



**TAO4**

Pendant lamp Lámpara colgante

230V-50Hz: 3-E27 | h22cm Ø55cm H150cm

technical data pg. 228

120V-60Hz: 3-E26, 3-GU24 | h8,7in Ø21,7in H59,1in H-USA:78,7in

technical data pg. 273

TAO4-1

Pendant lamp Lámpara colgante

LED

230V-50Hz: 1-E27 or LED | h22cm Ø45cm H150cm

technical data pg. 228

120V-60Hz: 1-E26, 1-GU24 or LED | h8,7in Ø17,7in H59,1in H-USA:78,7in

technical data pg. 273-274

**TA04-5**

Pendant lamp Lámpara colgante

230V-50Hz: 10-E14
h60cm w85cm d85cm H250cm
technical data pg. 229


120V-60Hz: 10-E12 o 5-GU24
h23,6in w33,5in d33,5in H98,4in
technical data for USA pg. 274

**TA02**

Table lamp Lámpara de mesa

230V-50Hz: 2-E14
h20cm Ø40cm H65cm
technical data pg. 201

120V-60Hz: 2-E12
h7,9in Ø15,7in H25,6in
technical data for USA pg. 250

**TA06**

Wall lamp Aplique

230V-50Hz: 2-G9

h22cm w20cm d13cm

technical data pg. 244

120V-60Hz: 2-G9

h8,7in w7,9in d5,1in

technical data for USA pg. 288

Nevo

A vibrant shape that seems in constant change.
A cloud of suggestive curves, of impossible volumes
in which future and past interweave in a subtle way.
A self-confident shape made of the latest materials.

Una forma viva que parece en constante evolución.
Una nube de curvas sugerentes, de volúmenes
imposibles en la que el futuro se entrelaza con el
presente de forma sutil. Una forma desacomplicada
trabajada con materiales de última generación.




Designed by Arturo Álvarez
2007

INTERIOR
DESIGN
**BEST
OF
YEAR 2014**

This collection is made of **SIMETECH®** a material created by
arturo alvarez awarded in the category of Innovative translucent
shading/lighting solution.





NEO4

Pendant lamp Lámpara colgante

230V-50Hz: 3-E27 | h25cm Ø65cm H150cm

technical data pg. 223

120V-60Hz: 3-E26 or 3-GU24 | h9,8in Ø25,6in H59,1in H-USA:78,7in

technical data for USA pg. 268

NEO4-1


Pendant lamp Lámpara colgante

230V-50Hz: 2-E14 or LED | h22cm Ø44cm H150cm

technical data pg. 223-224

120V-60Hz: 2-E12, 1-GU24 or LED | h8,7in Ø17,3in H59,1in H-USA:78,7in

technical data for USA pg. 269

**NEO4G**

Pendant lamp Lámpara colgante

230V-50Hz: 4-E27
h30cm Ø100cm H150cm
technical data pg. 223

120V-60Hz: 4-E26 or 4-GU24
h11,8in Ø39,4in H59,1in H-USA:78,7in
technical data for USA pg. 269

**NE04-6**

Pendant lamp Lámpara colgante

230V-50Hz: 12-E14
h115cm w90cm d90cm H250cm
technical data pg. 224

120V-60Hz: 12-E12 or 6-GU24
h45,3in w35,4in d35,4in H98,4in
technical data for USA pg. 269

**NE04-11**

Pendant lamp Lámpara colgante

230V-50Hz: 22-E14
h140cm w125cm d125cm H250cm
technical data pg. 224

120V-60Hz: 22-E12 or 11-GU24
h55,1in w49,2in d49,2in H98,4in
technical data for USA pg. 270

**NE01**

Table lamp Lámpara de mesa

230V-50Hz: 2-E14
h17cm Ø35cm H22cm
technical data pg. 200

120V-60Hz: 2-E12
h6,7in Ø13,8in H8,7in
technical data for USA pg. 249

**NEO2**

Table lamp Lámpara de mesa

230V-50Hz: 2-E14
h22cm Ø44cm H70cm
technical data pg. 200

120V-60Hz: 2-E12
h8,7in Ø17,3in H27,6in
technical data for USA pg. 249



NEO6P

Wall lamp Aplique

230V-50Hz: 1-G9 | h35cm w32cm d20cm
technical data pg. 242

120V-60Hz: 1-G9 | h13,8in w12,6in d7,9in
technical data for USA pg. 286

NEO6

Wall lamp Aplique

230V-50Hz: 2-E14 | h44cm w44cm d22cm
technical data pg. 241

120V-60Hz: 2-E12 or 1-GU24 | h17,3in w17,3in d8,7in
technical data for USA pg. 286



Cors

The female figure is always present, wrapped in sophistication and mystery. Magnificent curves that shine suggesting a dazzling and beautiful body.

La mujer siempre presente envuelta en sofisticación y misterio. Unas curvas que lucen todo su esplendor y que dejan entrever un cuerpo luminoso y bello.



Designed by **Arturo Álvarez**
2011

INTERIOR
**BEST
OF
YEAR 2014**

This collection is made of **SIMETECH®** a material created by arturo alvarez awarded in the category of Innovative translucent shading/lighting solution.

**CR06**

Wall lamp Appliance

230V-50Hz: 2-G9

h43cm w30cm d13cm

technical data pg. 237

120V-60Hz: 2-G9

h16,9in w11,8in d5,1in

technical data for USA pg. 282

Kite

An irregular curved square dresses walls and ceilings in a whimsical but restrained way. Just as kites in the sky, filling space with a warm and joyful light.

Un cuadrado irregular y con curvas viste paredes y techos de forma caprichosa pero controlada. Como si se tratara de cometas en el cielo, llenan el espacio de una luz alegre y cálida.



Designed by **Arturo Álvarez**
2012

INTERIOR
**BEST
OF
YEAR 2014**

This collection is made of **SIMETECH®** a material created by arturo alvarez awarded in the category of Innovative translucent shading/lighting solution.



**KT04**

Pendant lamp Lámpara colgante

LED

230V-50Hz: 1-2GX13 or LED
h9cm w92cm d85cm H150cm
technical data pg. 220-221

120V-60Hz: 1-2GX13 or LED
h3,5in w36,2in d33,4in H59,1in H-USA:78,7in
technical data for USA pg. 266

**KT04G**

Pendant lamp Lámpara colgante

LED

230V-50Hz: 4-G5 or LED
h9cm w133cm d119cm H150cm
technical data pg. 221-222

120V-60Hz: 4-T5 or LED
h3,5in w52,4in d46,8in H59,1in H-USA:78,7in
technical data for USA pg. 267

**KT06**

Wall & ceiling lamp Plafón o Aplique

LED

230V-50Hz: 1-2GX13 or LED | h88cm w96cm d9cm
technical data pg. 239-240

120V-60Hz: 1-2GX13 or LED | h34,6in w37,8in d3,5in
technical data for USA pg. 284

KT06G

Wall & ceiling lamp Plafón o Aplique

LED

230V-50Hz: 4-G5 or LED | h124cm w135cm d9cm
technical data pg. 240

120V-60Hz: 4-T5 or LED | h48,8in w53,1in d3,5in
technical data for USA pg. 285



Planum

A lampshade that covers big surfaces with a warm and pleasant light. Delicate shapes with small and subtle reliefs that allow the creation of authentic skies of light in architectural atmospheres.

Una pantalla que nos permite cubrir grandes superficies con una luz cálida y agradable. Delicadas formas planas con pequeños y sutiles relieves que nos permiten crear auténticos cielos de luz en ambientes arquitectónicos.



Designed by **Arturo Álvarez**
2008

INTERIOR
DESIGN
BEST
OF
YEAR 2014

This collection is made of **SIMETECH®** a material created by arturo alvarez awarded in the category of Innovative translucent shading/lighting solution.



**PM06R**


Wall & ceiling lamp Aplique y plafón



230V-50Hz: 4-G5 or LED
h96cm w96cm d8cm
technical data pg. 243

120V-60Hz: 4-T5 or LED
h37,8in w37,8in d3,1in
technical data for USA pg. 287



**PM06PR**

Wall & ceiling lamp Aplique y plafón



230V-50Hz: 2-G5 or LED

h96cm w47cm d8cm

technical data pg. 243-244

120V-60Hz: 2-T5 or LED

h37,8in w18,5in d3,1in


technical data for USA pg. 288



Africa

An exuberant lamp that overflows power from its stunning height. Its voluptuous curves catch the observer, enchanting him. Its smooth and firm skin permits light to escape, rising greatly towards its complete expansion.

Una luminaria exuberante, que rebosa poderío desde su imponente altura. Sus curvas voluptuosas atraen al observador hechizándolo. Su piel lisa y firme deja escapar la luz que asciende con fuerza para expandirse de forma completa.



Designed by **Arturo Álvarez**
2014

INTERIOR
DESIGN | **BEST
OF
YEAR 2014**

This collection is made of SIMETECH® a material created by arturo alvarez awarded in the category of innovative translucent shading/lighting solution.

**AF03**

Floor lamp Lámpara de pie

230V-50Hz: 3-E27

h220cm Ø130cm

technical data pg. 203

120V-60Hz: 3-E26, 3-GU24

h86,6in Ø51,2in

technical data for USA pg. 251

Muu

These table lamps, available in two sizes, are inspired by nature and the animals which the countrymen work with. It is a tribute to their unrecognized hard work, always in the shadows.

Estas lámparas de mesa en dos tamaños se inspiran en la naturaleza y los animales con los que trabajan las gentes del campo. Es un homenaje, un tributo, a su duro trabajo siempre en la sombra y sin ningún reconocimiento.



Designed by **Arturo Álvarez**
2013

INTERIOR
DESIGN
**BEST
OF
YEAR 2014**

This collection is made of **SIMETECH®** a material created by arturo alvarez awarded in the category of Innovative translucent shading/lighting solution.



MU02

Table lamp Lámpara de mesa

230V-50Hz: 1-E14 | h47cm w41,5cm d10cm
technical data pg. 199

120V-60Hz: 1-E12 | h18,5in w16,3in d3,9in
technical data for USA pg. 249

MU01

Table lamp Lámpara de mesa

230V-50Hz: 1-E14 | h36cm w30,5cm d8cm
technical data pg. 199

120V-60Hz: 1-E12 | h14,2in w12in d3,2in

Kala

Broken lines, an irregular volume of moving and living appearance, that recall of the changing drawings made by the sand on the great dunes.

Líneas discontinuas, un volumen irregular de aspecto vivo y en movimiento, que nos recuerda los dibujos cambiantes de la arena en las grandes dunas.



Designed by **Arturo Álvarez**
2011

INTERIOR
DESIGN
**BEST
OF
YEAR 2014**

This collection is made of **SIMETECH®** a material created by arturo alvarez awarded in the category of Innovative translucent shading/lighting solution.

**KL06**

Wall lamp Aplique

230V-50Hz: 2-G9

h25cm w23cm d15cm

technical data pg. 239

120V-60Hz: 2-G9

h9,8in w9,1in d5,9in

technical data for USA pg. 284

Iki

Enveloping, soft and festive. An organic, kind and vivid being that invites you to touch and observe it. Its secret and mysterious interior at times becomes transparent and bright.

Envolvente, suave y lúdica. Un ser orgánico, vivo, amable, que invita a ser tocado y observado. Su interior misterioso y oculto por momentos es translúcido y brillante.



Designed by **Arturo Álvarez**
2008

INTERIOR
DESIGN
**BEST
OF
YEAR 2014**

This collection is made of **SIMETECH®** a material created by arturo alvarez awarded in the category of Innovative translucent shading/lighting solution.



IK04

Pendant lamp Lámpara colgante


230V-50Hz: 2-E27
h20cm w120cm d30cm H150cm
technical data pg. 220

120V-60Hz: 2-E26 or 2-GU24
h7,9in w47,2in d11,8in H59,1in H-USA:78,7in
technical data for USA pg. 266

Blum

The pieces express a subtle, ethereal and transparent beauty, created from such a cold material as steel. The creator Arturo Álvarez reflects, once more, about the many possible interpretations of objects. Maybe not everything is what it seems.

Las piezas expresan una belleza sutil, etérea y transparente creada a partir de un material frío como es el acero. El creador Arturo Álvarez vuelve a reflexionar sobre las muchas interpretaciones posibles de los objetos. Quizás no todo es lo que parece.



Designed by **Arturo Álvarez**
2015



**BL04**

Pendant lamp Lámpara colgante

230V-50Hz: 1-E27
h40cm Ø40cm H150cm
technical data pg. 211

120V-60Hz: 1-E26
h16in Ø16in H59,1in H-USA:78,7in
technical data for USA pg. 257

**BLO6**

Wall lamp Aplique

230V-50Hz: 1-E27

h35cm w38cm d21cm

technical data pg. 236

120V-60Hz: 1-E26

h13,7in w14,9in d8,2in

technical data for USA pg. 281

Fluo

To see or not to see, existing in a gentle and magical way. Transparencies and volumes dance together engaging in a unique and endless embrace. Flowing, sensing and dreaming.

Ver o no ver, estar de forma sutil y mágica. Transparencias y volúmenes danzan juntos entrelazándose en un abrazo único e infinito. Un dejarse llevar, intuir y soñar.



Designed by **Arturo Álvarez**
2009





**FL04**

Pendant lamp Lámpara colgante

230V-50Hz: 1-E27
h60cm Ø80cm H150cm
technical data pg. 219

120V-60Hz: 1-E26
h23,6in Ø31,5in H59,1in H-USA:78,7in
technical data for USA pg. 265



**FL04-4**

Pendant lamp Lámpara colgante

230V-50Hz: 4-E27
h70cm Ø140cm H250cm
technical data pg. 219

120V-60Hz: 4-E26
h28in Ø55in H98,4 in
technical data for USA pg. 265

**FL04-16**

Pendant lamp Lámpara colgante

230V-50Hz: 16-E27
h120cm Ø260cm H250cm
technical data pg. 219

120V-60Hz: 16-E26
h47,2in Ø102in H98,4in

Arc

The piece is composed of two crossed arches. Inspired by the beautiful arcades of Santiago de Compostela, it's a tribute to the ancient artisan masters. Its strength is channelized through the interior LED light that escapes from the Japanese cord, wrapping it in a mysterious dignity.

La pieza la forman dos arcos que se cruzan. Inspirada en los bellos soportales de Santiago de Compostela, es un tributo a los antiguos maestros artesanos. Su fuerza se canaliza a través de su luz LED interior que escapa del cordón japonés que la envuelve de una misteriosa dignidad.



Designed by **Arturo Álvarez**
2015



**AC03**

Floor lamp Lámpara de pie



230V-50Hz: LED
h185cm w135cm d60cm
technical data pg. 203

120V-60Hz: LED
h72,8in w53,1in d23,6in



**AC02**

Table lamp Lámpara de mesa



230V-50Hz: LED
h70cm w85cm d35cm
technical data pg. 198

120V-60Hz: LED
h28in w33,5in d13,7in



Caos

It is the primitive stage of the cosmos, before gods and basic forces. It is the crack between heaven and earth, the disarray that finally becomes ordered in a harmonic and beautiful volume, full of energy, movement and light.

Es el estado primigenio del cosmos anterior a los dioses y fuerzas elementales. Es el resquicio que existe entre el cielo y la tierra. Un desorden que al final deviene ordenado en un volumen armónico, bello, lleno de energía, movimiento y luz.



Designed by **Arturo Álvarez**
2014







**CA04A**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h35cm Ø35cm H150cm
technical data pg. 211

120V-60Hz: 1-E26, 1-GU24 or LED
h13,8in Ø13,8in H59,1in H-USA:78,7in
technical data for USA pg. 257

**CAO4AG**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h50cm Ø50cm H150cm
technical data pg. 212

120V-60Hz: 1-E26, 1-GU24 or LED
h19,7in Ø19,7in H59,1in H-USA:78,7in
technical data for USA pg. 258

**CA04B**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h25cm Ø35cm H150cm
technical data pg. 212

120V-60Hz: 1-E26, 1-GU24 or LED
h9,8in Ø13,8in H59,1in H-USA:78,7in
technical data for USA pg. 258

**CA04AB-3**

Pendant lamp Lámpara colgante

230V-50Hz: 3-E27
h94cm w75cm d80cm H250cm
technical data pg. 213

120V-60Hz: 3-E26 or 3-GU24
h37in w29,5in d31,5in H98,4in
technical data for USA pg. 259

Li

A subtle wall lamp made of pressed cellulose strips obtained from recycled materials. The use of LED light completes and goes further into the concept of sustainability.

Un aplique sutil hecho en celulosa que se obtiene de reciclado ecológico. La luz LED utilizada completa y profundiza el concepto de sostenibilidad.



Designed by **Arturo Álvarez**
2013



**LI06**

Wall lamp Applique



230V-50Hz: LED
h15,5cm w51,5cm d6,5cm
technical data pg. 241

120V-60Hz: LED
h6,1in w20,3in d2,6in

**LI06G**

Wall lamp Aplique



230V-50Hz: LED
h16cm w103,5cm d6,5cm
technical data pg. 241

120V-60Hz: LED
h6,3in w40,7in d2,6in
technical data for USA pg. 285

Bety

Fetishism, sophistication, recreated femininity, an unfinished, free shape. An object with history and memory, which contributes to a new narrative.

Fetichismo, sofisticación, la femineidad recreada, una forma inacabada, libre. Un objeto con historia, con memoria, que aporta una nueva narrativa.



Designed by Arturo Álvarez
2009



**BE04**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h55cm Ø65cm H150cm
technical data pg. 210-211

120V-60Hz: 1-E26, 1-GU24 or LED
h21,7in Ø25,6in H59,1in H-USA:78,7in
technical data for USA pg. 256-257



Concert of La Reverdie. Espazos Sonoros Festival. Church of Santa María, Baiona, Spain.

BEO3

Floor lamp Lámpara de pie

230V-50Hz: 1-E27

h55cm Ø65cm H185cm

technical data pg. 204

120V-60Hz: 1-E26 o 1-GU24

h21,7in Ø25,6in H72,8in

technical data pg. 251

Tina

Different sizes of polypropylene strips are molded to create irregular and harmonic volumes, softening the light through its layers, emitting a warm brightness, while its light source remains hidden.

Tiras de polipropileno de distintas medidas se trabajan para crear unos volúmenes irregulares y armónicos, consiguiendo tamizar la luz entre sus distintas capas para aportar una luz cálida con su fuente de luz oculta.



Designed by **Arturo Álvarez**
2009



**TN03**

Floor lamp Lámpara de pie

230V-50Hz: 1-E27
h70cm Ø80cm H160cm
technical data pg. 207

120V-60Hz: 1-E26 or 1-GU24
h27,6in Ø31,5in H63in
technical data for USA pg. 253

**TN04G**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED | h100cm Ø90cm H150cm
technical data pg. 231

120V-60Hz: 1-E26, 1-GU24 or LED | h39,4in Ø35,4in H59,1in H-USA:78,7in
technical data for USA pg. 276

TN04

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED | h70cm Ø80cm H150cm
technical data pg. 231

120V-60Hz: 1-E26, 1-GU24 or LED | h27,6in Ø31,5in H59,1in H-USA:78,7in
technical data for USA pg. 276

**TN04-5**

Pendant lamp Lámpara colgante

230V-50Hz: 5-E27
h200cm w200cm d200cm H250cm
technical data pg. 232

120V-60Hz: 5-E26 or 5-GU24
h78,7in w78,7in d78,7in H98,4in
technical data for USA pg. 277



Aros

Strips of polypropylene are moulded in different ways to obtain shapes with volume and grace, producing fresh and light designs that nuance the brightness in a warm way. Celestial bodies that spin around, again and again, and ourselves with them, in an eternal, timeless dance full of harmony. The capricious light escapes between the gaps.

Tiras de polipropileno se trabajan de distintas maneras para lograr formas con volumen y gracia, aportando unos diseños muy frescos y ligeros que tamizan la luz de forma cálida. Los cuerpos celestes girando una y otra vez y nosotros con ellos, en una danza sin fin, sin tiempo, llena de armonía. La luz, caprichosa, se escapa por los espacios abiertos.



Designed by **Arturo Álvarez**
2010



**AR04**

Pendant lamp Lámpara colgante



230V-50Hz: 1-E27 or LED
h23cm Ø60cm H150cm
technical data pg. 208

120V-60Hz: 1-E26, 1-GU24 or LED
h9,1in Ø23,6in H59,1in H-USA:78,7in
technical data for USA pg. 254



AR03G

Floor lamp Lámpara de pie

230V-50Hz: 1-E27 | h23cm Ø60cm H188cm

technical data pg. 204

120V-60Hz: 1-E26 or 1-GU24 | h9,1in Ø23,6in H74in

technical data for USA pg. 251

AR03

Floor lamp Lámpara de pie

230V-50Hz: 1-E27 | h23cm Ø60cm H160cm

technical data pg. 204

120V-60Hz: 1-E26 or 1-GU24 | h9,1in Ø23,6in H63in

technical data for USA pg. 251

Vento

A sinuous movement like a soft breeze that rocks the trees. A shape that combines soft curves to create a powerful lamp. A model that mingles placidity and the sensation of serenity, thanks to its shape and mix of colors.

Un movimiento sinuoso como un viento suave que mece los árboles. Una forma que combina suaves curvas para crear una lámpara contundente. Un modelo en el que se unen placidez y sensación de calma gracias a su forma y a la mezcla de colores.



Designed by **Arturo Álvarez**
2005





VN01

Table lamp Lámpara de mesa

230V-50Hz: 2-G9 | h18cm w58cm d16cm
technical data pg. 201

120V-60Hz: 2-G9 | h7,1in w22,8in d6,3in
technical data for USA pg. 250

VN02

Table lamp Lámpara de mesa

230V-50Hz: 4-G9 | h21cm w96cm d20cm
technical data pg. 202

120V-60Hz: 4-G9 | h8,3in w37,8in d7,9in
technical data for USA pg. 250

**VN06**

Wall lamp Aplique

230V-50Hz: 2-G9

h15cm w58cm d15cm

technical data pg. 245

120V-60Hz: 2-G9

h5,9in w22,8in d5,9in

technical data for USA pg. 289

**VN04-LD**

Pendant lamp Lámpara colgante



230V-50Hz: LED
h17cm w96cm d19cm H150cm
technical data pg. 235

120V-60Hz: LED
h6,7in w37,8in d7,5in H59,1in H-USA:78,7in
technical data for USA pg. 280

**VN04-1**

Pendant lamp Lámpara colgante

230V-50Hz: 2-G9
h15cm w58cm d13,5cm H150cm
technical data pg. 235

120V-60Hz: 2-G9
h5,9in w22,8in d5,3in H59,1in H-USA:78,7in
technical data for USA pg. 280

Curvas

A continuous irregularity, curved pieces that fit into each other in a subtle movement, a feeling of well-being. A warm and elegant collection.

Una irregularidad continua, piezas curvas que encajan unas con otras, un movimiento sutil, una sensación de bienestar. Una colección cálida y elegante.



Designed by Arturo Álvarez
2004



**CV04G**

Pendant lamp Lámpara colgante

230V-50Hz: 4-E27
h23cm Ø50cm H150cm
technical data pg. 218

120V-60Hz: 4-E26 or 4-GU24
h9,1in Ø19,7in H59,1in H-USA:78,7in
technical data for USA pg. 264

CV04

Pendant lamp Lámpara colgante

230V-50Hz: 1-E27
h18cm Ø32cm H150cm
technical data pg. 217

120V-60Hz: 1-E26 or 1-GU24
h7,1in Ø12,6in H59,1in H-USA:78,7in
technical data for USA pg. 263

CV04-1

Pendant lamp Lámpara colgante

230V-50Hz: 1-E14
h11,5cm Ø15cm H150cm
technical data pg. 217

120V-60Hz: 1-E12
h4,5in Ø5,9in H59,1in H-USA:78,7in
technical data for USA pg. 263



**CV04C-3**

Pendant lamp Lámpara colgante

230V-50Hz: 3-E27
h18cm w72cm d66cm H250cm
technical data pg. 218

120V-60Hz: 3-E26 or 3-GU24
h7,1in w28,3in d26in H98,4in
technical data for USA pg. 264

**CV04-7**

Pendant lamp Lámpara colgante

230V-50Hz: 7-E27
h18cm w102cm d102cm H250cm
technical data pg. 218

120V-60Hz: 7-E26 or 7-GU24
h7,1in w40,1in d40,1in H98,4in
technical data for USA pg. 264

Norman

A collection for today, with contemporary lines that are elegant and practical. A timeless design with straight lines that provides solutions for intimate environments and public spaces.

Una colección actual de líneas contemporáneas, elegante y funcional. Un diseño atemporal de formas rectas que aporta soluciones para entornos íntimos y también para espacios públicos.



Designed by **Arturo Álvarez**
2006



N004

Pendant lamp Lámpara colgante

230V-50Hz: 1-G5
h9,5cm w119cm d6,5cm H150cm
technical data pg. 224

120V-60Hz: 1-T5
h3,7in w46,9in d2,6in H59,1in H-USA:78,7in
technical data for USA pg. 270



Gluc

A flashy, fun and cheerful collection that reminds us of the shapes and colors of the 70's. A set of bubbles that provides a variety of lighting solutions for residential and commercial use.

Una colección lúdica, divertida y alegre que nos remite a las formas y colores de los años setenta. Un conjunto de burbujas que aporta soluciones lumínicas muy variadas para uso doméstico y comercial.



Designed by Arturo Álvarez
2008



**GLO6**

Wall lamp Applique

230V-50Hz: 3-G9
h35cm w45cm d7cm
technical data pg. 238

120V-60Hz: 3-G9
h13,8in w17,7in d3,9in
technical data for USA pg. 283



**GL05**

Ceiling lamp Plafón

230V-50Hz: 3-G9

h7cm w55cm d45cm

technical data pg. 238

120V-60Hz: 3-G9

h3,9in w21,7in d17,7in

technical data for USA pg. 283

Shio

A gentle, universal shape, combined with the beauty of the new use given to plywood, a sequence of curved layers that give power and dynamism to a warm and multi-purpose collection.

Una forma universal, amable, unida a la belleza del nuevo uso dado al tablero marino, una sucesión de líneas con curva que dan fuerza y dinamismo a una colección versátil y cálida.



Designed by **Arturo Álvarez**
2010



**SH04**

Pendant lamp Lámpara colgante

230V-50Hz: 1-2GX13 | h16,5cm Ø49cm H150cm
technical data pg. 226-227

120V-60Hz: 1-2GX13 | h6,5in Ø19,3in H59,1in H-USA:78,7in
technical data for USA pg. 272

SH04-1

Pendant lamp Lámpara colgante

LED

230V-50Hz: 1-2GX13 or LED | h13cm Ø34cm H150cm
technical data pg. 227

120V-60Hz: 1-2GX13 or LED | h5,1in Ø13,4in H59,1in H-USA:78,7in
technical data for USA pg. 272-273



**SH02**

Table lamp Lámpara de mesa

230V-50Hz: 1-2GX13
h13cm Ø34cm H39cm
technical data pg. 200-201

120V-60Hz: 1-2GX13
h5,1in Ø13,4in H15,4in
technical data for USA pg. 250

**SH03**

Floor lamp Lámpara de pie

230V-50Hz: 1-2GX13

h16,5cm Ø52cm H140cm

technical data pg. 206

120V-60Hz: 1-2GX13

h6,5in Ø20,5in H55,1in

technical data for USA pg. 252

Uxi

The beauty and warmth of wood rises from a sinuous shape, created by a succession of plywood strips, that let light slip away through the gaps in a subtle way.

La belleza y calor de la madera surge a través de una forma sinuosa. Formada por una sucesión de barritas de tablero marino, por las que se escurre la luz de forma sutil.



Designed by **Arturo Álvarez**
2010



UX04

Pendant lamp Lámpara colgante

230V-50Hz: 2-G5
h13cm w98cm d23cm H150cm
technical data pg. 234

120V-60Hz: 2-T5
h5,1in w38,6in d9,1in H59,1in H-USA:78,7in
technical data for USA pg. 279

Le

The base reminds us of tree branches, made of plywood, that fall together in a fanciful shape, yet with a calculated proportion. A simple form that, like a branch in the wind, moves in many different ways.

El pie recuerda ramas de árboles que, a partir de tablero marino, se juntan de forma caprichosa, pero con una proporción calculada. Una forma simple, que como una rama al viento, se mueve de muy diferentes maneras.



Designed by **Arturo Álvarez**
2011



LEO3

Floor lamp Lámpara de pie



230V-50Hz: LED
h150cm w150cm d65cm H185cm
technical data pg. 206

120V-60Hz: LED
h59,1in w59,1in d25,6in H72,8in

Woods

Inspired by the magic of a forest, the light escapes through its majestic trees. The controlled chaos and the game played by light and shadow gives naturalness, character and a pleasant direct light wherever required.

Inspirada en la magia de un bosque, la luz se deja ver entre sus majestuosos árboles. Su caos controlado y el juego de luz y sombra le concede naturalidad, carácter y una agradable luz directa donde se requiere.



Designed by **Héctor Serrano**
2011



WD04

Pendant lamp Lámpara colgante

230V-50Hz: 1-E27
h61cm Ø60cm H90m
technical data pg. 235

120V-60Hz: 1-E26 or 1-GU24
h24in Ø23,6in H35,4in
technical data for USA pg. 280

V

A shape from out of space, but yet close and possible, that thrills and inspires us and with who we identify through the extraordinary and fantastic. With the help of plastic injection technology we developed a lighting collection which, through its ribs combined with the geometrical form, immerses us in a world of dreams.

Una forma espacial, pero cercana y posible, que nos emociona y con la que nos identificamos, a través de lo extraordinario y fantástico. A través de la tecnología de inyección de plástico se consigue una familia de luminarias que a través de sus lamas, combinadas de forma geométrica, nos sumergen en un mundo onírico.



Designed by **Héctor Serrano**
2007





VV04G

Pendant lamp Lámpara colgante

230V-50Hz: 4-E27 | h29cm Ø105cm H200cm

technical data pg. 234

120V-60Hz: 4-E26 or 4-GU24 | h11,4in Ø41,3in H78,7in

technical data for USA pg. 279

VV04

Pendant lamp Lámpara colgante

230V-50Hz: 1-E27 | h29cm Ø80cm H150cm

technical data pg. 234

120V-60Hz: 1-E26 or 1-GU24 | h11,4in Ø31,5in H59,1in H-USA:78,7in

technical data for USA pg. 279

**VV03**

Floor lamp Lámpara de pie

230V-50Hz: 1-E27
h29cm Ø80cm H173cm
technical data pg. 207

120V-60Hz: 1-E26 or 1-GU24
h11,4in Ø31,5in H68,1in
technical data for USA pg. 253

Arturo Álvarez

Arturo Alvarez is an established creator, well known in Spain and out of its borders for his conceptual contributions to the lighting design world. His work has a recognizable style, with strong personality. In the past few years he has been carrying out an intense research and experimentation work in the development of his own materials, what led him to achieve an Interior Design's Best Of Year 2014 for the material SIMETECH®.

He manages with ease forms, volumes and light sources in a simple and elegant way, turning spaces into amazing lighting settings. Energy saving and LED lighting are increasingly present in his work.

The recognition for more than 20 years of career path came with two consecutive "Good Design" awards, the first one in 2008 for Gea and the next, in 2009 for Fluo, convened by The Chicago Athenaeum: Museum of Architecture and Design. In 2013, in Las Vegas, he also achieved an HD Product Design Competition Award in the lighting category.

Bety, one of his most emblematic designs, is part of the permanent collection of the Museu del Disseny de Barcelona. He has recently begun his incursion in the Art field with the display of two installations, Conversas and Geas, in the collective exhibition 'Et facta est lux', at the Museo de Arte Contemporáneo Gas Natural Fenosa of A Coruña [Spain]. Also outstanding is the exhibition, in an informational way, of his artwork Encontros at ARCO, contemporary art fair of Madrid, due to a collaboration with the editorial Dardo Magazine.

Since 2008, arturo alvarez starts a new and more experimental collaboration path, with other designers, so they can contribute with their vision about contemporary decorative illumination, they have participated among others: Héctor Serrano and El Último Grito.


Arturo Álvarez es un consolidado creador, reconocido tanto dentro como fuera de España, por sus aportaciones conceptuales al mundo de la iluminación de diseño. Su trabajo posee un estilo propio y reconocible, de fuerte personalidad. Desde hace años viene realizando una labor exhaustiva de experimentación e investigación en el desarrollo de sus propios materiales, que le ha llevado a obtener en 2014 un Best Of Year de Interior Design por el material SIMETECH®.

Maneja con soltura formas, volúmenes y fuentes de luz de una forma sencilla y elegante, llegando a concebir en los espacios montajes lumínicos y escenográficos sorprendentes. El ahorro energético y la iluminación LED están cada vez más presentes en su trabajo.

Los reconocimientos a más de veinte años de carrera llegan con dos premios consecutivos "Good Design", en 2008 por el diseño de Gea y en el 2009 por Fluo, concedidos por The Chicago Athenaeum: Museum of Architecture and Design. En 2013, en Las Vegas, le otorgan el HD Product Design Competition Award en la categoría Iluminación.

Bety, uno de sus diseños más emblemáticos, forma parte de la colección permanente del Museu del Disseny de Barcelona. Recientemente ha comenzado su incursión en el mundo del arte con la exposición de dos instalaciones, Conversas y Geas, dentro de la muestra colectiva 'Et facta est lux' en el Museo de Arte Contemporáneo Gas Natural Fenosa de A Coruña. También es reseñable la exhibición, a modo divulgativo, de su obra Encontros en la feria de arte ARCO, fruto de una colaboración con la editorial Dardo Magazine.

Desde el año 2008, arturo alvarez comienza una línea de colaboración más experimental con otros diseñadores para que aporten su visión sobre la iluminación decorativa actual, entre otros han participado: Héctor Serrano y El Último Grito.





Installation at Festival *In Spiritum*. Porto. Portugal. Arc, floor lamp

CONTRACT

We customize and adapt all the designs of our catalogue and develop special models to offer a personal touch, different and unique to every project.

We modify sizes and finishes to meet the esthetic and technical requirements.

Personalizamos y adaptamos los diseños de catálogo y realizamos modelos especiales para ofrecer un toque personal diferenciado y único a cada uno de los proyectos.

Modificamos medidas y acabados según los requerimientos técnicos y estéticos de cada obra.



Cidade da Cultura by
Peter Eisenman,
Santiago de Compostela, Spain

Africa, floor lamp



Pop-up installation
at Mestre Mateo awards.
Santiago de Compostela, Spain

Tati, pendant lamps



Millesime culinary event,
Madrid. Spain

Tina, pendant lamps



Restaurant Porta do Sol de
Lamela,
Galicia. Spain

Fluo, pendant lamps



Scene of *The Gunman*
a thriller stared by Sean Penn,
Idris Elba and Javier Bardem

Coral, pendant lamps



Voxelz Studio,
Antwerp. Belgium

V, floor lamps


MATERIALS

arturo alvarez has developed, for some years now, a profound and extensive work on materials. Exploring the possibilities of quotidian elements, taking them out of context to give them new purposes. This research has lead him to create his own materials, allowing him new ways of expression.

SIMETECH®, the innovative material created by arturo alvarez, was awarded in New York with a BEST OF YEAR 2014 of Interior Design Magazine in the category of "Innovative Translucent Shading / Lighting Solution". 14 of our collections are made of SIMETECH®.

arturo alvarez's collaboration with Bergmeyer Associates received the "best use of materials" award at Couturism 2016 [United States].

arturo alvarez lleva años desarrollando un trabajo profundo y extenso en materiales. Explora las posibilidades de elementos cotidianos descontextualizándolos y otorgándoles nuevos usos. Esta investigación le lleva también a crear materiales propios, que le permiten nuevas formas de expresión. SIMETECH®, un innovador material creado por arturo alvarez ha sido reconocido en New York, con un premio BEST OF YEAR 2014 organizado por el magazine Interior Design en la categoría de "Material Innovador Translúcido para Iluminación". 14 de nuestras colecciones están hechas con SIMETECH®. La colaboración de arturo alvarez con Bergmeyer Associates obtuvo el premio al "mejor uso de materiales" en Couturism 2016 [Estados Unidos].



SIMETECH® detail. Nevo collection

SIMETECH® by arturo alvarez

In April 2014, arturo alvarez patented SIMETECH®, a handmade material, composed by a stainless steel mesh with a silicone covering application. The diverse possibilities this stainless steel mesh allows with its silicone covering converts SIMETECH® in a highly malleable and moldable material, suitable for creating large volumes, with different textures and light capacity, adapting itself to the design and identity of every lamp. This material creates zones of chiaroscuro providing a warm and hypnotic light that floods the room causing nice and welcoming atmospheres, full of personality.

En abril del 2014 arturo alvarez patenta SIMETECH®, un material hecho a mano compuesto de una malla metálica de acero inoxidable a la que se le aplica un recubrimiento de silicona. SIMETECH® es un material altamente maleable y moldeable, apto para crear grandes volúmenes, con diferentes texturas y diferentes intensidades lumínicas, adaptándose así al diseño e identidad de cada lámpara. Este material crea zonas de claroscuros aportando una luz cálida e hipnótica que salpica las estancias creando ambientes amables y acogedores llenos de personalidad.

Collections: Africa, Ballet, Coral , Cors , Gea, Hexa, Iki, Kala, Kite, Luisa, Muu, Nevo, Planum, Tati



B WHITE BLANCO



G GREY GRIS



BE BEIGE BEIGE



A YELLOW AMARILLO



NA ORANGE NARANJA

Its characteristics remain intact for a long time
 Low flammability. Resistant up to 960°C
 Simple maintenance. Easy to clean with a damp cloth and mild soap
 Translucent

Sus características permanecen intactas a lo largo del tiempo
 Baja flamabilidad. Resistente hasta 960°C
 Mantenimiento sencillo. Fácil de limpiar con un paño húmedo y jabón neutro
 Traslúcido

INTERIOR
DESIGN
**BEST
OF
YEAR 2014**

SIMETECH® is material created by arturo alvarez awarded
 in the category of Innovative translucent shading/lighting solution


Painted stainless steel mesh and thread

Malla e hilo de acero inoxidable pintada

Arturo Álvarez takes materials out of their usual context, exploring their possibilities up to the point of achieving surprising results. He begins with an apparently cold steel mesh or thread, that he folds, curves or embroils, forming organic elements. He transforms it with these crafting techniques in warm and pleasant forms... bringing it to life. A whole universe of designs develop from this way of working. They all radiate a subtle elegance and delicacy, full of movement, and shine an intense light through them. Painted stainless steel is a compact and resistant material, that wont wear out as time goes by.

Arturo Álvarez descontextualiza el uso habitual de un material, explorando sus posibilidades hasta conseguir un resultado sorprendente. Partiendo de malla o hilo de acero, aparentemente fríos, juega con él creando pliegues, curvándolo o embrollándolo en sí mismo, componiendo elementos orgánicos y convirtiéndolo, con estas técnicas hechas a mano, en formas cálidas, amables... vivas. De este trabajo surge un universo de diseños, de una sutil elegancia y delicadeza, llenos de movimiento, por los que se escapa una luminosidad intensa. El acero inoxidable pintado es un material resistente y compacto, que no se deteriora con el paso del tiempo.

Collections: Blum, Pili, Tempo, Ura, Onn



B WHITE BLANCO



B WHITE BLANCO
NCS: S 0500-N



V GREEN VERDE
NCS: S 2020-690Y



O OCHER OCRE
NCS: S 2040-Y20R

Low Flammability. Resistant up to 960°C
Simple maintenance. Easy to clean with a duster or with a compressed air spray

Baja flamabilidad. Resistente hasta 960°C
Mantenimiento sencillo. Fácil de limpiar con un plumero o con una pistola de aire comprimido

Cord Cordón

It is a pressed recycled cellulose cord, moulded by techniques developed at the factory. It allows large volume structures, with a light and graceful appearance. Its pleasant touch and the wide range of colors it is made in, from intense ones to more natural tones, is very inspiring to create lamps full of life and movement.

Se trata de un cordón de celulosa prensada reciclada, que se moldea mediante técnicas desarrolladas en la propia fábrica. Esto permite generar estructuras de gran volumen, con una apariencia muy grácil y ligera. Su agradable textura y amplia gama de colores, que va de tonos con carácter a otros más naturales, resulta de gran inspiración a la hora de crear lámparas llenas de vida y movimiento.

Collections: Arc, Caos



42 WHITE BLANCO



43 GREY GRIS



46 RED ROJO



47 BROWN MARRÓN



48 GOLD YELLOW AMARILLO
ORO



49 MEDIUM BROWN MARRÓN
MEDIO



50 BEIGE BEIGE



51 GREEN VERDE



52 BLUE AZUL

Low Flammability. Resistant up to 900°C. Flame retardant treatment
Simple maintenance. Easy to clean with a duster or compressed air spray
We recommend not to wet it

Baja flamabilidad. Resistente hasta 900°C. Tratamiento retardante de la flama
Mantenimiento sencillo. Fácil de limpiar con un plumero o una pistola de aire comprimido
Se recomienda no mojar

Glass Vidrio

A semi-handcrafted glass from the USA was the chosen one. Its irregularities, eye catching watermarks, felt by touch, give the lamps personality, reinforcing their unique character. It is opalescent glass, in a range of vibrant colors, used in different combinations, going from sobriety to a multicolored symphony. The glass is worked with several techniques, assembled with metal, in a particular revision of the tiffany technique, or in small sequenced pieces that form sinuous and elegant waves.

Se ha seleccionado un vidrio de producción semiartesanal procedente de USA. Las irregularidades que presenta, en forma de aguas, sensibles al tacto y a la vista, dotan a las lámparas de personalidad, reforzando su carácter único. Son vidrios opalescentes, con una gama amplia de colores brillantes, usados en distintas combinaciones que van de la sobriedad a una sinfonía multicolor. Se emplean en diversas técnicas, con ensamblajes de estaño, en una revisión particular de la técnica tiffany, o en pequeñas piezas secuenciadas que forman sinuosas y elegantes ondulaciones.

Collections: Apliques, Curvas, Doscubos, Encaixe, Gluc, Norman, Vento



02 WHITE BLANCO



84 LIGHT PINK ROSA CLARO



87 SAND ARENA



89 DARK AMBER AMBAR OSCURO



90 BROWN MARRÓN



95 BEIGE BEIGE

Low Flammability

Simple maintenance. Easy to clean with a damp cloth and mild soap

Baja flamabilidad

Mantenimiento sencillo. Fácil de limpiar con un paño húmedo y jabón neutro

Pressed cellulose Celulosa prensada

Versatile and highly moldable materials are chosen for decorative lamp production, especially those which maintain their features of resistance and durability. This is the case of pressed cellulose, which is still made with ancestral techniques and suitably refined becomes a flexible material, ideal to generate compact but stylized structures.

En la fabricación de lámparas decorativas se trabajan materiales versátiles, altamente moldeables, pero que mantienen sus cualidades de durabilidad y resistencia. Este es el caso de la celulosa prensada, que se sigue produciendo a través de técnicas ancestrales. Un refinado adecuado la convierte en un material flexible, idóneo para generar estructuras compactas, aunque estilizadas.

Collections: Li



42 WHITE BLANCO



43 LIGHT GREY GRIS CLARO



46 RED ROJO



47 BROWN MARRÓN



48 GOLD YELLOW AMARILLO ORO



49 MEDIUM BROWN MARRÓN MEDIO



50 BEIGE BEIGE



51 GREEN VERDE



52 BLUE AZUL

Low Flammability

Simple maintenance. Easy to clean with a dry cloth
We recommend not to wet it

Baja flamabilidad

Mantenimiento sencillo. Fácil de limpiar con un paño seco
Se recomienda no mojar

Plywood Tablero marino

At arturo alvarez's plywood is used in an original way, outstanding its hidden beauty, showing the interior face of the board instead of its surface. The light provided from the lamp comes from the spaces between the perfectly placed strips of plywood, as if they were domino pieces. Its own laminated finish produces the tone of the light, and it is available in white, yellow and black. Plywood, used this way, generates warm pieces, with elegant and clean lines, a searched simpleness that reveals from the inside and that contrasts with the usual toughness of wood, but preserves its resistance.

En arturo alvarez se emplea el tablero de una forma original, poniendo en valor lo oculto, mostrando la belleza de la cara interna en lugar de su superficie. La luz obtenida de las lámparas proviene de los espacios que resultan de colocar ordenadamente los listones de tablero, como si de piezas de dominó se tratase. El propio acabado del laminado proporciona la tonalidad de la luz, y está disponible en blanco, amarillo o wengue. El tablero marino usado de esta forma genera piezas cálidas, con líneas elegantes y limpias, una sencillez buscada que se revela desde el interior y que contrasta con la habitual robustez de la madera, aunque mantenga intacta su resistencia.

Collections: Le, Shio, Uxi



AM YELLOW AMARILLO



B WHITE BLANCO



WE WENGUE WENGUE

Low Flammability

Simple maintenance. Easy to clean with a damp cloth

Baja flamabilidad


Mantenimiento sencillo. Fácil de limpiar con un paño húmedo

Polypropylene Tiras de Polipropileno

It is a material that permits infinite possibilities for design as it's highly flexible. It is used mainly in strips, woven among themselves, recalling the antique techniques of traditional basketmaking. Its lightness is another of its virtues, and large volume lamps, with a lot of presence but very light looking, can be made with it. The designs in polypropylene are commercialized in white and black, colors that provide a touch of elegance to the lamps with more body and appearance of arturo alvarez.

Es un material que permite infinidad de posibilidades en diseño gracias a su alta flexibilidad. Se usa principalmente en forma de tiras, tejiéndolas entre sí, evocando las antiguas técnicas de cestería tradicional. La ligereza es otra de sus cualidades y con él se consiguen lámparas de gran presencia y volumen, que resultan livianas incluso a la vista. Los diseños con polipropileno se comercializan en blanco y en negro, colores que aportan un toque de elegancia a las iluminarias con más cuerpo y presencia de arturo alvarez.

Collections: Aros, Bety, Tina



B WHITE BLANCO

Mid Flammability
Simple maintenance. Easy to clean with a damp cloth

Flamabilidad media
Mantenimiento sencillo. Fácil de limpiar con un paño húmedo

TECHNICAL DATA

TABLE LAMPS

LÁMPARAS DE MESA



Arc ref. AC02


LAMP SHADE TULIPA

Cord
Cordón
One color
Un color


SUPPORT SOPORTE

Stainless steel
Acero inoxidable

230V - 50Hz

STRIP 27,36W 3000K 1368lm built-in

CABLE

Transparent
Transparente

120V - 60Hz

STRIP 27,36W 3000K 1368lm built-in

pg. 120



71x71x40 cm
28x28x16 in
10kg | 22lb



Energy efficiency: from A++ to A
Eficiencia energética: desde A++ a A

Certifications:



Ø 35cm | 13,8in

35cm | 13,8in



67cm | 26,4in

Bety ref. BE01

LAMP SHADE TULIPA

Polypropylene
Polipropileno
One color
Un color



Stainless steel
Acero inoxidable

SUPPORT SOPORTE

Stainless steel
Acero inoxidable

230V - 50Hz

E14 - Max. 1x9 W
 E14 - Max. 1x11 W
 E14 ECO - Max. 1x46 W
 E14 LED - Max. 1x7 W
 E14 - Max. 1x60 W

CABLE

Black or transparent*
Negro o transparente*

*120V only black cable
*120V solo cable negro

120V - 60Hz

E12 Candel - Max. 1x60 W



60x25x20 cm
23,6x9,8x7,9 in
1,5kg | 3,3lb



Certifications:

Ø15cm | 5,9in

11,5cm | 4,5in



33cm | 13in

Curvas ref. CV01

LAMP SHADE TULIPA

Glass
Vidrio
One color to choose
Un color a elegir


SUPPORT SOPORTE

Painted steel
and stainless steel
Acero pintado y acero
inoxidable

230V - 50Hz

E14 - Max. 1x9 W
 E14 ECO - Max. 1x46 W
 E14 LED - Max. 1x7 W
 E14 - Max. 1x60 W

CABLE

Black or transparent*
Negro o transparente*

*120V only black cable
*120V solo cable negro

120V - 60Hz

E12 Candel - Max. 1x60 W




35x25x25 cm
13,8x9,8x9,8 in
2,6kg | 5,7lb



Certifications:

Doscubos ref. D001G

**LAMP SHADE TULIPA**Glass
VidrioOne color to choose
Un color a elegir**SUPPORT SOPORTE**Stainless steel
Acero inoxidable**CABLE**Black or transparent*
Negro o transparente**120V only black cable
*120V solo cable negro

230V - 50Hz


- G9 LED - Max. 1x4 W
- G9 ECO - Max. 1x42 W
- G9 ECO - Max. 1x33 W

120V - 60Hz

- G9 Bi-pin - Max. 1x40 W



Certifications:

**Energy efficiency:** from A+ to C
Eficiencia energética: desde A+ a C

Doscubos ref. D002


LAMP SHADE TULIPAGlass
VidrioOne color to choose
Un color a elegir**SUPPORT SOPORTE**Painted steel
and stainless steel
Acero pintado y acero
inoxidable**CABLE**Black or transparent*
Negro o transparente**120V only black cable
*120V solo cable negro

230V - 50Hz

- G9 LED - Max. 2x4 W
- G9 ECO - Max. 2x42 W
- G9 ECO - Max. 2x33 W

120V - 60Hz

- G9 Bi-pin - Max. 2x40 W



Certifications:

**Energy efficiency:** from A+ to C
Eficiencia energética: desde A+ a C

Muu ref. MU01

LAMP SHADE TULIPASIMETECH® by arturo alvarez
pg.190One color to choose
Un color a elegir**SUPPORT SOPORTE**Painted steel
Acero pintado**CABLE**Black or transparent
Negro o transparente


230V - 50Hz

- E14 - Max. 1x9 W
- E14 - Max. 1x11 W
- E14 ECO - Max. 1x46 W
- E14 LED - Max. 1x7 W
- E14 - Max. 1x60 W

120V - 60Hz

- E12 Candel - Max. 1x60 W

pg. 101



Certifications:

**Energy efficiency:** from A+ to E
Eficiencia energética: desde A+ a E

Muu ref. MU02

LAMP SHADE TULIPASIMETECH® by arturo alvarez
pg.190One color to choose
Un color a elegir**SUPPORT SOPORTE**Painted steel
Acero pintado**CABLE**Black or transparent*
Negro o transparente**120V only black cable
*120V solo cable negro

230V - 50Hz

- E14 - Max. 1x9 W
- E14 - Max. 1x11 W
- E14 ECO - Max. 1x46 W
- E14 LED - Max. 1x7 W
- E14 - Max. 1x60 W

120V - 60Hz

- E12 Candel - Max. 1x60 W

pg. 101



Certifications:

**Energy efficiency:** from A+ to E
Eficiencia energética: desde A+ a E

Nevo ref. NEO1

pg. 80



LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Steel gloss nickel-plated and stainless steel
Acero níquel-satinado y acero inoxidable

*120V only black cable

SUPPORT SOPORTE
Painted steel and stainless steel
Acero pintado y acero inoxidable

CABLE

Black or transparent*

Negro o transparente*

*120V only black cable

*120V solo cable negro

230V - 50Hz

- E14 - Max. 2x9 W
- E14 - Max. 2x11 W
- E14 ECO - Max. 2x46 W
- E14 LED - Max. 2x7 W
- E14 - Max. 2x60 W

120V - 60Hz

- E12 Candel - Max. 2x60 W

Energy efficiency: from A+ to E

Eficiencia energética: desde A+ a E

42x42x19 cm
16,5x16,5x7,5 in
2,5kg | 5,5lb




Certifications:



Nevo ref. NEO2

pg. 81



LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Steel gloss nickel-plated and stainless steel
Acero níquel-satinado y acero inoxidable

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

CABLE

Black or transparent*

Negro o transparente*

*120V only black cable

*120V solo cable negro

230V - 50Hz

- E14 - Max. 2x9 W
- E14 - Max. 2x11 W
- E14 ECO - Max. 2x46 W
- E14 LED - Max. 2x7 W
- E14 - Max. 2x60 W

120V - 60Hz

- E12 Candel - Max. 2x60 W

Energy efficiency: from A+ to E

Eficiencia energética: desde A+ a E

60x60x20 cm
23,6x23,6x7,9 in
4kg | 8,8lb




Certifications:



Pili ref. PL01

pg. 24



LAMP SHADE TULIPA
Painted stainless steel thread
Hilo de acero inoxidable pintado

One color
Un color



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

CABLE
Transparent
Transparente

230V - 50Hz

- 4W 2700K 290lm built-in

Energy efficiency: from A++ to A
Eficiencia energética: desde A++ a A

61x61x32 cm
24x24x12,6 in
2,25kg | 4,9lb



Certifications:



Shio ref. SH02

pg. 170



LAMP SHADE TULIPA
Plywood
Tablero marino

One color to choose
Un color a elegir



Painted steel
Acero pintado
Top and bottom diffuser
Difusor superior e inferior

CABLE
Black or transparent*

Negro o transparente*

*120V only black cable

*120V solo cable negro

230V - 50Hz

- 2GX13 - Max. 1x22 W

120V - 60Hz

- 2GX13 - Max. 1x22 W

Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

43x43x50 cm
16,9x16,9x19,7 in
5kg | 11lb



Certifications:





Shio ref. SH02-D

LAMP SHADE TULIPA

Plywood
Tablero marino

One color to choose
Un color a elegir



Painted steel
Acero pintado

Top and bottom diffuser
Difusor superior e inferior

CABLE

Black or transparent
Negro o transparente

DIMMABLE

230V - 50Hz

2GX13 - Max. 1x22 W

Dimming system: Switch DIM

pg. 170


43x43x50 cm
16,9x16,9x19,7 in
5kg | 11lb



Certifications:



Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B



Tati ref. TA02

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

SUPPORT SOPORTE

Stainless steel
Acero inoxidable

CABLE

Black or transparent*
Negro o transparente*

*120V only black cable
*120V solo cable negro

230V - 50Hz

E14 - Max. 2x9 W
E14 - Max. 2x11 W
E14 ECO - Max. 2x46 W
E14 LED - Max. 2x7 W
E14 - Max. 2x60 W

120V - 60Hz

E12 Candel - Max. 2x60 W

pg. 72

60x60x20 cm
23,6x23,6x7,9 in
4kg | 8,8lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Ura ref. UR01

LAMP SHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

SUPPORT SOPORTE

Stainless steel
Acero inoxidable

CABLE

Black or transparent*
Negro o transparente*

*120V only black cable
*120V solo cable negro

230V - 50Hz

E27 - Max. 1x100 W

E27 LED - Max. 1x12 W

E27 ECO - Max. 1x77 W

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

pg. 12

61x27x20 cm
24x10,6x7,9 in
1,48kg | 3,3lb



Certifications:



Vento ref. VN01

LAMP SHADE TULIPA

Glass
Vidrio

One color to choose
Un color a elegir



Color combinations
Pink Rosa Brown Marrón

SUPPORT SOPORTE

Stainless steel
Acero inoxidable

CABLE

Black or transparent*
Negro o transparente*

*120V only black cable
*120V solo cable negro

Diffuser included
Incluye difusor

230V - 50Hz

G9 LED - Max. 2x4 W

G9 ECO - Max. 2x33 W

120V - 60Hz

G9 Bi-pin - Max. 2x40 W

pg. 150


80x30x30 cm
31,5x11,8x11,8 in
4,4kg | 9,7lb



Certifications:



Energy efficiency: from A+ to C
Eficiencia energética: desde A+ a C



Vento ref. VN02

pg. 150

LAMP SHADE TULIPA

 Glass
Vidrio

 One color to choose
Un color a elegir


Color combinations

Pink Rosa Brown Marrón

SUPPORT SOPORTE

 Stainless steel
Acero inoxidable

CABLE

 Black or transparent*
Negro o transparente*

 *120V only black cable
*120V solo cable negro

 Diffuser included
Incluye difusor

230V - 50Hz

 G9 LED - Max. 4x4 W
G9 ECO - Max. 4x33 W

120V - 60Hz

G9 Bi-pin - Max. 4x40 W

 125x31x25 cm
49,2x12,2x9,8 in
6,8kg | 15lb


Certifications:


Energy efficiency: from A+ to C
Eficiencia energética: desde A+ a C

FLOOR LAMPS

LÁMPARAS DE PIE

Ø 130cm | 51,2in



220cm | 86,6in

LED

60cm | 23,6in

135cm | 53,1in



185cm | 72,8in

Africa ref. AF03

pg. 99

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez. pg.190

One color to choose Un color a elegir



SUPPORT SOPORTE

Stainless steel and painted steel
Acero inoxidable y acero pintado

CABLE

Black or transparent*
Negro o transparente*

*120V only black cable

*120V solo cable negro

230V - 50Hz

- E27 ECO - Max. 3x7W
- E27 LED - Max. 3x12 W
- E27 - Max. 3x100 W

120V - 60Hz

- E26 Med. - Max. 3x100 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

288kg | 635lb

143x143x241 cm
56,3x56,3x94,9 in

Certifications:

Transport not included,
price upon request.Transporte no incluido,
consultar precio.

Arc ref. AC03

pg. 118

LAMP SHADE TULIPA

Cord Cordón

One color Un color



SUPPORT SOPORTE

Steel
Acero

CABLE

Transparent
Transparente

230V - 50Hz

STRIP 79,2W 3000K 3960lm built-in

120V - 60Hz

STRIP 79,2W 3000K 3960lm built-in

Energy efficiency: from A++ to A
Eficiencia energética: desde A++ a A

26kg | 57,3lb

40x140x190 cm
16x55,1x75 in

Certifications:

Transport not included,
price upon request.Transporte no incluido,
consultar precio.

**Aros** ref. AR03

pg. 147

LAMPSHADE TULIPA

Polypropylene Polipropileno

One color Un color



Painted steel Acero pintado

SUPPORT SOPORTEPainted stainless steel and painted steel
Acero inoxidable pintado y acero pintado**CABLE**Black or transparent*
Negro o transparente**120V only black cable
*120V solo cable negro

230V - 50Hz

- E27 - Max. 1x23 W
- E27 LED - Max. 1x11 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x12 W
- E27 - Max. 1x100 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

Aros ref. AR03G

pg. 147

LAMPSHADE TULIPA

Polypropylene Polipropileno

One color Un color



Painted steel Acero pintado

SUPPORT SOPORTEPainted stainless steel and painted steel
Acero inoxidable pintado y acero pintado**CABLE**Black or transparent*
Negro o transparente**120V only black cable
*120V solo cable negro

230V - 50Hz

- E27 - Max. 1x23 W
- E27 LED - Max. 1x11 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x12 W
- E27 - Max. 1x100 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

Betty ref. BE03

pg. 137

LAMPSHADE TULIPA

Polypropylene Polipropileno

One color Un color

**SUPPORT SOPORTE**Stainless steel
Acero inoxidable**CABLE**Black or transparent*
Negro o transparente*

*120V only black cable

*120V solo cable negro

230V - 50Hz

- E27 - Max. 1x23 W
- E27 LED - Max. 1x11 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x12 W
- E27 - Max. 1x100 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Curvas ref. CV03G

LAMP SHADE TULIPA

Glass Vidrio
One color to choose Un color a elegir



SUPPORT SOPORTE

Painted steel and stainless steel
Acero pintado y acero inoxidable

CABLE

Black or transparent*
Negro o transparente*



*120V only black cable
*120V solo cable negro

Top diffuser included
Incluye difusor superior

Dimmable Regulable

230V - 50Hz

E27 ECO - Max. 4x77 W
 E27 - Max. 4x100 W

120V - 60Hz

E26 Med. - Max. 4x100 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

Doscubos ref. D003

LAMP SHADE TULIPA

Glass Vidrio
One color to choose Un color a elegir



SUPPORT SOPORTE

Painted steel and stainless steel
Acero pintado y acero inoxidable

CABLE

Black or transparent*
Negro o transparente*



*120V only black cable
*120V solo cable negro

230V - 50Hz

E14 - Max. 2x9 W
 E14 ECO - Max. 2x46 W
 E14 LED - Max. 2x7 W
 E14 - Max. 2x60 W

120V - 60Hz

E12 Candel. - Max. 2x60 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

Gea ref. GE03

pg. 64

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez. pg.190
One color to choose Un color a elegir



SUPPORT SOPORTE

Painted steel and stainless steel
Acero pintado y acero inoxidable

CABLE

Black or transparent*
Negro o transparente*



*120V only black cable
*120V solo cable negro

230V - 50Hz

E27 ECO - Max. 5x77 W
 E27 - Max. 5x100 W

120V - 60Hz

E26 Med. - Max. 5x100 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Energy efficiency: from A++ to A
Eficiencia energética: desde A++ a A

**Tina** ref. TN03

pg. 140

LAMP SHADE TULIPA

Polypropylene Polipropileno

One color Un color



Painted steel Acero pintado

SUPPORT SOPORTEPainted Stainless steel and painted steel
Acero inoxidable pintado y acero pintado**CABLE**Black or transparent*
Negro o transparente**120V only black cable
*120V solo cable negro

230V - 50Hz

- E27 - Max. 1x23 W
- E27 LED - Max. 1x11 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x12 W
- E27 - Max. 1x100 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

Ura ref. UR03

pg. 12

LAMP SHADE TULIPA

Painted stainless steel

Acero inoxidable pintado

One color Un color

**SUPPORT SOPORTE**Stainless steel
Acero Inoxidable**CABLE**Black or transparent*
Negro o transparente**120V only black cable
*120V solo cable negro

Dimmable Regulable

230V - 50Hz

- E27 ECO - Max. 3x77 W
- E27 - Max. 3x100 W

120V - 60Hz

- E26 Med. - Max. 3x100 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

V ref. VV03

pg. 181

LAMP SHADE TULIPA

Polycarbonate Policarbonato

One color to choose Un color a elegir



Glass diffuser Difusor de vidrio



17kg | 37,5lb

150x50x12 cm

59,1x19,7x4,7 in

83x83x37 cm

32,7x32,7x14,6 in

SUPPORT SOPORTEPainted steel
Acero pintado**CABLE**Black or transparent*
Negro o transparente**120V only black cable
*120V solo cable negro

230V - 50Hz


- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x12 W
- E27 - Max. 1x100 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

PENDANT LAMPS LÁMPARAS COLGANTES



150cm | 59,1in

Aros ref. AR04

LAMP SHADE TULIPA

 Polypropylene
Polipropileno

One color

Un color


 Painted steel
Acero pintado

CANOPY FLORÓN

 Steel gloss nickel-plated
Acero níquel-satinado

CABLE

 Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x8 W

pg. 146


 61x61x32 cm
24x24x12,6 in
2,80kg | 6,2lb


Certifications:


120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E


150cm | 59,1in

Aros ref. AR04-LD

LAMP SHADE TULIPA

 Polypropylene
Polipropileno

One color

Un color


 Painted steel
Acero pintado

CANOPY FLORÓN

 Steel gloss nickel-plated
Acero níquel-satinado

CABLE

 Black or transparent
Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in upon request 2700K 1645lm

 Dimming system DALI / Switch DIM
upon request PHASE CUT

pg. 146


 61x61x32 cm
24x24x12,6 in
3,30kg | 7,4lb


Certifications:


120V - 60Hz

- 18,1W 3000K 1776lm built-in upon request 2700K 1645lm

Dimming system 0-10 V
Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Ballet Plié ref. BAPI04

pg. 38

150cm | 59,1in

LAMPSHADE TULIPASIMETECH® by arturo alvarez
pg.190One color to choose
Un color a elegirStainless steel
Acero inoxidable**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Black or transparent
Negro o transparente

230V - 50Hz

E27 - Max. 1x100 W

E27 LED - Max. 1x12 W

E27 ECO - Max. 1x77 W

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W



Certifications:


Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

**LED**

Ballet Plié ref. BAPI04-LD

pg. 38

150cm | 59,1in

LAMPSHADE TULIPASIMETECH® by arturo alvarez
pg.190One color to choose
Un color a elegirStainless steel
Acero inoxidable**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Black or transparent
Negro o transparente

230V - 50Hz

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

Dimming system 0-10 V



Certifications:

Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Ballet Relevé ref. BARE04

pg. 39

150cm | 59,1in

LAMPSHADE TULIPASIMETECH® by arturo alvarez
pg.190One color to choose
Un color a elegirStainless steel
Acero inoxidable**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Black or transparent
Negro o transparente

230V - 50Hz

E27 - Max. 1x100 W

E27 LED - Max. 1x12 W

E27 ECO - Max. 1x77 W

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W



Certifications:

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

**LED**

Ballet Relevé ref. BARE04-LD

pg. 39

150cm | 59,1in

LAMPSHADE TULIPASIMETECH® by arturo alvarez
pg.190One color to choose
Un color a elegirStainless steel
Acero inoxidable**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Black or transparent
Negro o transparente

230V - 50Hz

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

Dimming system 0-10 V



Certifications:

Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Ballet Elancé ref. BALA04

pg. 39

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

44x44x40 cm
17,3x17,3x15,7 in
1,6kg | 3,8lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Ballet Elancé ref. BALA04-LD LED / DIMMABLE

pg. 39

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

44x44x40 cm
17,3x17,3x15,7 in
2,2kg | 4,1lb



Certifications:



Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Ballet ref. BA04-3

pg. 40

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
DIBOND®

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 3x100 W
- E27 LED - Max. 3x12 W
- E27 ECO - Max. 3x77 W

120V - 60Hz

- E26 Med. - Max. 3x100 W
- E26 Med. - Max. 3x42 W

60x80x105 cm
23,6x17,3x15,7 in
8kg | 17,6lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Betty ref. BE04

pg. 136

LAMP SHADE TULIPA
Polypropylene
Polipropileno

One color
Un color



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x8 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

43x43x62 cm
16,9x16,9x24,4 in
2,2kg | 4,9lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



150cm | 59,1in

**Bety** ref. BE04-LD**LAMP SHADE TULIPA**Polypropylene
PolipropilenoOne color
Un colorStainless steel
Acero inoxidable**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Black or transparent
Negro o transparente**LED / DIMMABLE**

pg.136

230V - 50Hz

(18,1W 3000K 1776lm built-in
upon request 2700K 1645lm)Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

(18,1W 3000K 1776lm built-in
upon request 2700K 1645lm)

Dimming system 0-10 V



Certifications:

**Energy efficiency: from A++ to A**

Eficiencia energética desde A++ hasta A



150cm | 59,1in

Blum ref. BL04**LAMP SHADE TULIPA**Painted stainless steel thread
Hilo de acero inoxidable pintadoOne color
Un color**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Transparent
Transparente

pg. 108



Certifications:

**Energy efficiency: from A+ to E**

Eficiencia energética: desde A+ a E



150cm | 59,1in

Caos ref. CA04A**LAMP SHADE TULIPA**Cord
CordónOne color to choose
Un color a elegirStainless steel
Acero inoxidable**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Black or Transparent
Negro o Transparente

pg. 126



Certifications:

**Energy efficiency: from A+ to E**

Eficiencia energética: desde A+ a E



150cm | 59,1in

**Caos** ref. CA04A-LD**LAMP SHADE TULIPA**Cord
CordónOne color to choose
Un color a elegirStainless steel
Acero inoxidable**LED / DIMMABLE**

pg. 126

230V - 50Hz

(18,1W 3000K 1776lm built-in
upon request 2700K 1645lm)Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

(18,1W 3000K 1776lm built-in
upon request 2700K 1645lm)

Dimming system 0-10 V



Certifications:

**Energy efficiency: from A++ to A**

Eficiencia energética desde A++ hasta A



Caos ref. CA04AG

LAMP SHADE TULIPA

Cord
Cordón

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN

Steel gloss nickel-plated
Acero níquel-satinado

CABLE

Black or Transparent
Negro o Transparente

230V - 50Hz

- E27 LED - Max. 1x8 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x12 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

pg. 127

50x50x50 cm
19,7x19,7x19,7 in
3kg | 6,6lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



LED Caos ref. CA04AG-LD

LAMP SHADE TULIPA

Cord
Cordón

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN

Steel gloss nickel-plated
Acero níquel-satinado

CABLE

Black or Transparent
Negro o Transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system 0-10 V
Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A

pg. 127

50x50x50 cm
19,7x19,7x19,7 in
3,5kg | 7,1lb



Certifications:



Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Caos ref. CA04B

LAMP SHADE TULIPA

Cord
Cordón

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN

Steel gloss nickel-plated
Acero níquel-satinado

CABLE

Black or Transparent
Negro o Transparente

230V - 50Hz

- E27 LED - Max. 1x8 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x12 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 128

36x36x30 cm
14,2x14,2x11,8 in
1,5kg | 3,3lb



Certifications:



LED / DIMMABLE

pg. 128

36x36x30 cm
14,2x14,2x11,8 in
2kg | 4,6lb



Certifications:



Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



LED Caos ref. CA04B-LD

LAMP SHADE TULIPA

Cord
Cordón

One color to choose
Un color a elegir

Stainless steel
Acero inoxidable

CANOPY FLORÓN

Steel gloss nickel-plated
Acero níquel-satinado

CABLE

Black or Transparent
Negro o Transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm


Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Caos ref. CA04A-3

LAMP SHADE TULIPA
Cord
Cordón

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

refs. 3xCA04A

CANOPY FLORÓN
DIBOND®

CABLE
Transparent
Transparente

230V - 50Hz

- E27 LED - Max. 3x8 W
- E27 ECO - Max. 3x77 W
- E27 LED - Max. 3x12 W

120V - 60Hz

- E26 Med. - Max. 3x100 W
- E26 Med. - Max. 3x42 W

60x80x92 cm
23,6x31,5x36,2 in
8kg | 17,6lb



Certifications:

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 129



Caos ref. CA04AB-3

LAMP SHADE TULIPA
Cord
Cordón

Color



One color or 2-3 color combination
Un color o combinación de 2-3 colores



Stainless steel
Acero inoxidable

refs. 1xCA04A, 2xCA04B

CANOPY FLORÓN
DIBOND®

CABLE
Transparent Transparente

230V - 50Hz

- E27 LED - Max. 3x8 W
- E27 ECO - Max. 3x77 W
- E27 LED - Max. 3x12 W

120V - 60Hz

- E26 Med. - Max. 3x100 W
- E26 Med. - Max. 3x42 W

60x80x92 cm
23,6x31,5x36,2 in
7,7kg | 17lb



Certifications:


Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Caos ref. CA04A-4

LAMP SHADE TULIPA
Cord
Cordón

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

refs. 3xCA04A, 1xCA04AG

CANOPY FLORÓN
DIBOND®

CABLE
Transparent Transparente

230V - 50Hz

- E27 LED - Max. 4x8 W
- E27 ECO - Max. 4x77 W
- E27 LED - Max. 4x12 W

120V - 60Hz

- E26 Med. - Max. 4x100 W
- E26 Med. - Max. 4x42 W

80x120x115 cm
31,5x47,2x45,3 in
18kg | 39,6lb



Certifications:

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Caos ref. CA04A-6

LAMP SHADE TULIPA
Cord
Cordón

Color



One color or 2-3 color combination
Un color o combinación de 2-3 colores



Stainless steel
Acero inoxidable

refs. 6xCA04A

CANOPY FLORÓN
DIBOND®

CABLE

Transparent Transparente

230V - 50Hz

- E27 LED - Max. 6x8 W
- E27 ECO - Max. 6x77 W
- E27 LED - Max. 6x12 W

120V - 60Hz

- E26 Med. - Max. 6x100 W
- E26 Med. - Max. 6x42 W

80x120x115 cm
31,5x47,2x45,3 in
20kg | 44lb



Certifications:

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Coral Cay ref. COCY04

pg. 56

150cm | 59,1in

30cm | 11,8in



Ø 30cm | 11,8in

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose

Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE

Black or transparent

Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x8 W

36x36x30 cm
14,2x14,2x11,8 in
1,6kg | 3,4lb



Certifications:



120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



LED

Coral Cay ref. COCY04-LD

pg. 56

150cm | 59,1in

30cm | 11,8in



Ø 30cm | 11,8in

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose

Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE

Black or transparent

Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
- Dimming system DALI / Switch DIM
upon request PHASE CUT

36x36x30 cm
14,2x14,2x11,8 in
2,1kg | 4,1lb



Certifications:



Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Coral Galaxea ref. COGA04

pg. 57

150cm | 59,1in

37cm | 14,6in



Ø 25cm | 9,8in

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose

Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE

Black or transparent

Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x8 W

36x36x30 cm
14,2x14,2x11,8 in
1,6kg | 3,4lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética desde A+ a E



LED

Coral Galaxea ref. COGA04-LD LED / DIMMABLE

pg. 57

150cm | 59,1in

37cm | 14,6in



Ø 25cm | 9,8in

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose

Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE

Black or transparent

Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
- Dimming system DALI / Switch DIM
upon request PHASE CUT

36x36x30 cm
14,2x14,2x11,8 in
2,1kg | 4,1lb



Certifications:



Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Coral Reef ref. CORE04

pg. 57

LAMPSHADE TULIPASIMETECH® by arturo alvarez
pg.190One color to choose
Un color a elegirStainless steel
Acero inoxidable**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x8 W

 61x27x20 cm
24x10,6x7,9 in
1,8kg | 4lb

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W



Certifications:

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

Coral Reef ref. CORE04-LD LED / DIMMABLE

pg. 57

LAMPSHADE TULIPASIMETECH® by arturo alvarez
pg.190

One color to choose

Un color a elegir

Stainless steel
Acero inoxidable**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Black or transparent
Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

 61x27x20 cm
24x10,6x7,9 in
2,3kg | 5,1lb
Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
- Dimming system 0-10 V



Certifications:

Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A

Coral Sea ref. COSE04

pg. 56

LAMPSHADE TULIPASIMETECH® by arturo alvarez
pg.190

One color to choose

Un color a elegir

Stainless steel
Acero inoxidable**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x8 W

 36x36x30 cm
14,2x14,2x11,8 in
1,7kg | 3,7lb

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W



Certifications:

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

Coral Sea ref. COSE04-LD LED / DIMMABLE

pg. 56

LAMPSHADE TULIPASIMETECH® by arturo alvarez
pg.190

One color to choose

Un color a elegir

Stainless steel
Acero inoxidable**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Black or transparent
Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

 36x36x30 cm
14,2x14,2x11,8 in
2,2kg | 4,1lb
Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
- Dimming system 0-10 V



Certifications:

Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Coral Seaurchin ref. COAU04

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz
E27 - Max. 1x100 W
E27 LED - Max. 1x12 W
E27 ECO - Max. 1x77 W
E27 LED - Max. 1x8 W

120V - 60Hz
E26 Med. - Max. 1x100 W
E26 Med. - Max. 1x42 W

pg. 55

44x44x40 cm
17,3x17,3x15,7 in
2,4kg | 5,4lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Coral Seaurchin ref. COAU04-LD LED / DIMMABLE

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V

pg. 55

44x44x40 cm
17,3x17,3x15,7 in
3kg | 6,9lb



Certifications:



Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Coral Seaurchin ref. COAU04G

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz
E27 - Max. 4x100 W
E27 LED - Max. 4x12 W
E27 ECO - Max. 4x77 W
E27 LED - Max. 4x8 W

120V - 60Hz
E26 Med. - Max. 4x100 W
E26 Med. - Max. 4x42 W

pg. 54

71x71x42 cm
28x28x16,5 in
6,4kg | 14,1lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Coral ref. C004-3

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir

Stainless steel
Acero inoxidable

CANOPY FLORÓN
DIBOND®

CABLE
Transparent
Transparente

230V - 50Hz
E27 - Max. 3x100 W
E27 LED - Max. 3x12 W
E27 ECO - Max. 3x77 W

120V - 60Hz
E26 Med. - Max. 3x100 W
E26 Med. - Max. 3x42 W

pg. 58

60x80x85 cm
23,6x31,5x33,5 in
11kg | 24,3lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

Ø60cm | 23,6in



250cm | 98,4in

95cm | 37,4in



80x80cm | 31,5x31,5in

Coral ref. C004-5

pg. 59

LAMP SHADE TULIPASIMETECH® by arturo alvarez
pg.190One color to choose
Un color a elegirStainless steel
Acero inoxidablerefs. 1xCOAU04, 1xCOCY04,
1xCOSE04, 1xCOGA04, 1xCORE04**CANOPY FLORÓN**

DIBOND®

CABLETransparent
Transparente

230V - 50Hz

E27 - Max. 5x100 W

E27 LED - Max. 5x12 W

E27 ECO - Max. 5x77 W

120V - 60Hz

E26 Med. - Max. 5x100 W

E26 Med. - Max. 5x42 W



Certifications:

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

Ø120cm | 47,2in



250cm | 98,4in

123cm | 48,4in

135x135cm | 53,1x53,1in

Coral ref. C004-10

pg. 60

LAMP SHADE TULIPASIMETECH® by arturo alvarez
pg.190One color to choose
Un color a elegirStainless steel
Acero inoxidablerefs. 2xCOAU04, 1xCOCY04, 2xCOSE04,
2xCOGA04, 2xCORE04, 1xCOAU04G**CANOPY FLORÓN**

DIBOND®

CABLETransparent
Transparente

230V - 50Hz

E27 - Max. 13x100 W

E27 LED - Max. 13x12 W

E27 ECO - Max. 13x77 W

120V - 60Hz

E26 Med. - Max. 10x100 W

E26 Med. - Max. 10x42 W



Certifications:

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

150cm | 59,1in

18cm | 7,1in

Ø 32cm | 12,6in

Curvas ref. CV04

pg. 156

LAMP SHADE TULIPAGlass
VidrioOne color to choose
Un color a elegirBottom diffuser
Difusor inferior**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Black or transparent
Negro o transparente

230V - 50Hz

E27 - Max. 1x100 W

E27 LED - Max. 1x12 W


E27 ECO - Max. 1x77 W

120V - 60Hz

E26 Med. - Max. 1x100 W



Certifications:

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

150cm | 59,1in

11,5cm | 4,5in

Ø 15cm | 5,9in

Curvas ref. CV04-1

pg. 156

LAMP SHADE TULIPAGlass
VidrioOne color to choose
Un color a elegir**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Black or transparent
Negro o transparente

230V - 50Hz

E14 - Max. 1x9 W

E14 ECO - Max. 1x46 W

E14 LED - Max. 1x7 W

E14 - Max. 1x60 W

120V - 60Hz

E12 Candel - Max. 1x60 W



Certifications:

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Curvas ref. CV04G

LAMP SHADE TULIPA

Glass
Vidrio

One color to choose
Un color a elegir



Top and bottom diffuser
Difusor superior e inferior

CANOPY FLORÓN

Steel gloss nickel-plated
Acero níquel-satinado

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 4x100 W
- E27 LED - Max. 4x12 W
- E27 ECO - Max. 4x77 W

120V - 60Hz


- E26 Med. - Max. 4x100 W

pg. 156

61x61x32 cm
24,4x24x12,6 in
15,7kg | 34,6lb



Certifications:



Curvas ref. CV04C-3

LAMP SHADE TULIPA

Glass
Vidrio

One color to choose
Un color a elegir



Bottom diffuser
Difusor inferior

CANOPY FLORÓN

DIBOND®

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 3x100 W
- E27 LED - Max. 3x12 W
- E27 ECO - Max. 3x77 W

120V - 60Hz

- E26 Med. - Max. 3x100 W

pg. 158


60x80x95 cm
23,6x31,5x37,4 in
16kg | 35lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E




Curvas ref. CV04-7

LAMP SHADE TULIPA

Glass
Vidrio

One color to choose
Un color a elegir



Bottom diffuser
Difusor inferior

CANOPY FLORÓN

DIBOND®

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 7x100 W
- E27 LED - Max. 7x12 W
- E27 ECO - Max. 7x77 W

120V - 60Hz

- E26 Med. - Max. 7x100 W

pg. 159


80x120x125 cm
31,5x47,2x49,2 in
35kg | 77lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Doscubos ref. D004-1

LAMP SHADE TULIPA

Glass
Vidrio

One color to choose
Un color a elegir



CANOPY FLORÓN

Painted steel
and stainless steel
Acero pintado
y acero inoxidable

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- E14 - Max. 1x9 W
- E14 ECO - Max. 1x46 W
- E14 LED - Max. 1x7W
- E14 - Max. 1x60 W

120V - 60Hz


- E12 Candel - Max. 1x60 W

20x20x20 cm
7,9x7,9x7,9 in
1kg | 2,2lb



Certifications:





Encaixe ref. EN04

LAMP SHADE TULIPA

Glass
Vidrio

One color to choose
Un color a elegir


CANOPY FLORÓN

Painted steel
and stainless steel
Acero pintado
y acero inoxidable

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W

120V - 60Hz

- E26 Med. - Max. 1x100 W


42x42x30 cm
16,5x16,5x11,8 in
4,3kg | 9,5lb



Certifications:



pg. 112



Fluo ref. FL04

LAMP SHADE TULIPA

Galvanized painted steel
Acero pintado galvanizado

One color to choose*
Un color a elegir*



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN

Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado
y acero inoxidable

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- E27 LED - Max. 1x8 W
- E27 - Max. 1x100 W

120V - 60Hz

- E26 Med. - Max. 1x100 W

80x75x75 cm
31,5x29,5x29,5 in
3,5kg | 8lb



Certifications:



2009

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 112



Fluo ref. FL04-4

LAMP SHADE TULIPA

Galvanized painted steel
Acero pintado galvanizado

One color to choose*
Un color a elegir*



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

Transport not included
Transporte no incluido

CANOPY FLORÓN

Stainless steel
Acero inoxidable

CABLE

Transparent
Transparente

230V - 50Hz

- E27 LED - Max. 4x8 W
- E27 - Max. 4x100 W

120V - 60Hz

- E26 Med. - Max. 4x100 W

75x80x195 cm
29,5x31x77 in
 75x80x72 cm
29,5x31x28 in
16kg | 35lb



Certifications:



2009

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 1



Fluo ref. FL04-16

LAMP SHADE TULIPA

Galvanized painted steel
Acero pintado galvanizado

One color to choose*
Un color a elegir*



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

Transport not included
Transporte no incluido

CANOPY FLORÓN

Stainless steel
Acero inoxidable

CABLE

Transparent
Transparente

230V - 50Hz

- E27 LED - Max. 16x8 W
- E27 - Max. 16x100 W

120V - 60Hz

- E26 Med. - Max. 16x100 W

75x80x200 cm
29,5x31,5x78,7 in
 75x80x72 cm
29,5x31,5x28,3 in
 15x15x190 cm
5,91x5,91x74,8 in
77kg | 170lb



Certifications:





Gea ref. GE04

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W

120V - 60Hz

- E26 Med. - Max. 1x100 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 65

61x27x20 cm
24x10,6x7,9 in
2kg | 4,4lb



Certifications:



Gea ref. GE04-LD

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system 0-10 V

Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A

pg. 65

61x27x20 cm
24x10,6x7,9 in
2,5kg | 5,8lb



Certifications:



Iki ref. IK04

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Painted steel
Acero pintado

CANOPY FLORÓN

Stainless steel
Acero inoxidable

CABLE

Transparent
Transparente

230V - 50Hz

- E27 - Max. 2x100 W
- E27 LED - Max. 2x12 W
- E27 ECO - Max. 2x77 W

120V - 60Hz

- E26 Med. - Max. 2x100 W
- E26 Med. - Max. 2x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 105

125x31x32 cm
49,2x12,2x12,6 in
5,7kg | 12,6lb




Certifications:



Kite ref. KT04

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Painted steel
Acero pintado

CANOPY FLORÓN

Stainless steel
Acero inoxidable

CABLE

Transparent
Transparente

230V - 50Hz

- 2GX13 - Max. 1x55 W

120V - 60Hz

- 2GX13 - Max. 1x55 W

Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

pg. 88

71x71x13 cm
28x28x5,1 in
3kg | 6,6lb




Certifications:



Kite ref. KT04-D

LAMPSHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Painted steel
Acero pintado

CANOPY FLORÓN
Stainless steel
Acero inoxidable

CABLE
Transparent
Transparente

DIMMABLE

230V - 50Hz

2GX13 - Max. 1x55 W

Dimming system DALI / Switch DIM

pg. 88

71x71x13 cm
28x28x5,1 in
3kg | 6,6lb



Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

Certifications:



LED

Kite ref. KT04-LD

LAMPSHADE TULIPA
SIMETECH® by arturo alvarez
pg. 187

One color to choose
Un color a elegir



Painted steel
Acero pintado

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

CABLE
Transparent
Transparente

LED / DIMMABLE

230V - 50Hz

47,2W 5.536lm 3000K built-in

Dimming system DALI / Switch DIM
upon request PHASE CUT

pg. 88

71x71x13 cm
28x28x5,1 in
3kg | 6,6lb




120V - 60Hz

32W 4.250lm 3000K built-in

Dimming system 0-10V

Certifications:

Energy efficiency: A++
Eficiencia energética: A++



Kite ref. KT04G

LAMPSHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Painted steel
Acero pintado

CANOPY FLORÓN
Stainless steel
Acero inoxidable

CABLE
Transparent
Transparente

230V - 50Hz

65 - Max. 4x24 W

120V - 60Hz

T5 HO Bi-pin - 4x24 W


pg. 89

100x100x12 cm
39,4x39,4x4,7 in
9kg | 19,8lb



Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

Certifications:



Kite ref. KT04G-D

LAMPSHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Painted steel
Acero pintado

CANOPY FLORÓN
Stainless steel
Acero inoxidable

CABLE
Transparent
Transparente

DIMMABLE

230V - 50Hz

G5 - Max. 4x24 W

Dimming system DALI / Switch DIM

pg. 89

100x100x12 cm
39,4x39,4x4,7 in
9kg | 19,8lb




120V - 60Hz

T5 HO Bi-pin - 4x24 W

Dimming system 0-10V

Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

Certifications:



Kite ref. KT04G-LD

LED

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez pg.190
One color to choose
Un color a elegir

Painted steel
Acero pintado

CANOPY FLORÓN
Stainless steel
Acero inoxidable

CABLE
Transparent
Transparente

LED / DIMMABLE

pg. 89

230V - 50Hz
 73,6W 9.600lm 3000K built-in
Dimming system DALI / Switch DIM upon request PHASE CUT

120V - 60Hz
 64W 8.499lm 3000K built-in
Dimming system 0-10 V

Energy efficiency: A++
Eficiencia energética: A++

Certifications:



Luisa ref. LS04

LED

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez pg.190
One color to choose
Un color a elegir

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Transparent
Transparente

230V - 50Hz
 E27 - Max. 1x100 W
 E27 LED - Max. 1x12 W
 E27 ECO - Max. 1x77 W
 E27 LED - Max. 1x8 W

120V - 60Hz
 E26 Med. - Max. 1x100 W
 E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 47

Certifications:



Luisa ref. LS04-LD

LED

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez pg.190
One color to choose
Un color a elegir

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Transparent
Transparente

230V - 50Hz
 18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Dimming system DALI / Switch DIM upon request PHASE CUT

120V - 60Hz
 18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Dimming system 0-10 V

Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A

pg. 47

Certifications:



Luisa ref. LS04G

LED

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez pg.190
One color to choose
Un color a elegir

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Transparent
Transparente

230V - 50Hz
 E27 - Max. 1x100 W
 E27 LED - Max. 1x12 W
 E27 ECO - Max. 1x77 W
 E27 LED - Max. 1x8 W

120V - 60Hz
 E26 Med. - Max. 1x100 W
 E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 46

Certifications:





50cm | 20in

150cm | 59,1in

Ø 45cm | 18 in

LED

Luisa ref. LS04G-LD

LAMPSHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Transparent
Transparente

LED / DIMMABLE

pg. 46

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V

50x50x50 cm
20x20x20 in
4,6kg | 10,1lb



Certifications:



Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



25cm | 9,8in

150cm | 59,1in

Ø 65cm | 25,6in

Nevo ref. NEO4

LAMPSHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado
y acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado
y acero inoxidable

CABLE
Transparent
Transparente

230V - 50Hz

E27 - Max. 3x100 W

E27 LED - Max. 3x12 W

E27 ECO - Max. 3x77 W

120V - 60Hz

E26 Med. - Max. 3x100 W

61x61x20 cm
24x24x7,9 in
4,3kg | 9,5lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



30cm | 11,8in

150cm | 59,1in

Ø 100cm | 39,4in

Nevo ref. NEO4G

LAMPSHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado
y acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado
y acero inoxidable

CABLE
Transparent
Transparente

230V - 50Hz

E27 - Max. 4x100 W

E27 LED - Max. 4x12 W

E27 ECO - Max. 4x77 W

120V - 60Hz

E26 Med. - Max. 4x100 W


84x84x37 cm
33,1x33,1x14,6 in
8,6kg | 18,9lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



22cm | 8,7in

150cm | 59,1in

Ø 44cm | 17,3in

Nevo ref. NEO4-1

LAMPSHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado
y acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Transparent
Transparente

230V - 50Hz

E14 - Max. 2x9 W

E14 - Max. 2x11 W

E14 ECO - Max. 2x46 W

E14 LED - Max. 2x7 W

E14 - Max. 2x60 W

120V - 60Hz

E12 Candel - Max. 2x60 W


49x43x20 cm
16,9x16,9x7,8 in
2,1kg | 4,5lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Nevo ref. NE04-1-LD

LED

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Transparent
Transparente

LED / DIMMABLE

pg. 76

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V

Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A

43x43x20 cm
16,9x16,9x7,8 in
2,6kg | 5,1lb



Certifications:
CE cULus



Nevo ref. NE04-6

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CANOPY FLORÓN
DIBOND®

CABLE
Transparent
Transparente

230V - 50Hz

E14 - Max. 12x9 W
E14 ECO - Max. 12x46 W
E14 LED - Max. 12x7 W
E14 - Max. 12x60 W

120V - 60Hz

E12 - Max. 12x60 W
E12 CANDELABRA - Max. 12x9W
E12 HALOGEN CANDELABRA - Max. 12x40W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 78

60x80x82 cm
23,6x31,5x32,3 in
25kg | 55,1lb



Certifications:
CE cULus



Nevo ref. NE04-11

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CANOPY FLORÓN
DIBOND®

CABLE
Transparent
Transparente

230V - 50Hz

E14 - Max. 22x9 W
E14 ECO - Max. 22x46 W
E14 LED - Max. 22x7 W
E14 - Max. 22x60 W

120V - 60Hz

E12 - Max. 22x60 W
E12 CANDELABRA - Max. 22x9W
E12 HALOGEN CANDELABRA - Max. 22x40W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 79

80x120x135 cm
31,5x47,2x53,1 in
53kg | 116,8lb



Certifications:
CE cULus



Norman ref. N004

LAMP SHADE TULIPA
Glass
Vidrio

One color to choose
Un color a elegir

Steel
Acero

CANOPY FLORÓN
Stainless steel
Acero inoxidable

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

G5 - Max. 1x54 W

120V - 60Hz

T5 HO Bi-pin - 1x54 W

Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

pg. 161

145x20x20 cm
57,1x7,9x7,9 in
6,5kg | 14,3lb



Certifications:
CE cETLus cULus



Onn ref. ON04

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz
E27 - Max. 1x100 W
E27 LED - Max. 1x12 W
E27 ECO - Max. 1x77 W

pg. 17

44x44x40 cm
17,3x17,3x15,7 in
2,6kg | 5,7lb



Onn ref. ON04-LD

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

pg. 17

44x44x40 cm
17,3x17,3x15,7 in
3,1kg | 6,8lb



Onn ref. ON04G

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz
E27 - Max. 3x100 W
E27 LED - Max. 3x12 W
E27 ECO - Max. 3x77 W

pg. 16

50x50x50 cm
19,7x19,7x19,7 in
4,5kg | 9,9lb



Onn ref. ON04G-LD

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

pg. 16

50x50x50 cm
19,7x19,7x19,7 in
5kg | 11lb



LED / DIMMABLE


120V - 60Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V

pg. 16

50x50x50 cm
19,7x19,7x19,7 in
5kg | 11lb

Energy efficiency: from A++ to E
Eficiencia energética: desde A++ a E

Certifications:
CE cULus



Pili ref. PL04

150cm | 59,1in

LAMP SHADE TULIPAPainted stainless steel thread
Hilo de acero inoxidable pintado

One color

Un color

**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Transparent
Transparente

230V - 50Hz

E27 LED - Max. 1x8 W

E27 ECO - Max. 1x77 W

E27 LED - Max. 1x12 W

120V - 60Hz

E26 Med. - Max. 1x100 W

pg. 22

 44x44x40 cm
17,3x17,3x15,7 in
2,1kg | 4,6lb


Certifications:

**Energy efficiency:** from A+ to E

Eficiencia energética: desde A+ a E



Pili ref. PL04G

150cm | 59,1in

LAMP SHADE TULIPAPainted stainless steel thread
Hilo de acero inoxidable pintado

One color

Un color

**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Transparent
Transparente

230V - 50Hz

E27 LED - Max. 1x8 W

E27 ECO - Max. 1x77 W

E27 LED - Max. 1x12 W

120V - 60Hz

E26 Med. - Max. 1x100 W


pg. 22

 50x50x50 cm
19,7x19,7x19,7 in
3,1kg | 6,8lb


Certifications:

**Energy efficiency:** from A+ to E

Eficiencia energética: desde A+ a E



Pili ref. PL04-4

100cm
39,4in**LAMP SHADE TULIPA**Painted stainless steel thread
Hilo de acero inoxidable pintado

One color

Un color

**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**Transparent
Transparente

230V - 50Hz

E27 LED - Max. 4x8 W

E27 ECO - Max. 4x77 W

E27 LED - Max. 4x12 W

120V - 60Hz

E26 Med. - Max. 1x100 W

pg. 23

 80x120x115 cm
31,5x47,2x45,3 in
12kg | 26,5lb


Certifications:

**Energy efficiency:** from A+ to E

Eficiencia energética: desde A+ a E



Shio ref. SH04

150cm | 59,1in

LAMP SHADE TULIPAPlywood
Tablero marino
One color to choose
Un color a elegir

Painted steel

Acero pintado

Top and bottom diffuser
Difusor superior e inferior**CANOPY FLORÓN**Steel gloss nickel-plated
y Stainless steel
Acero níquel-satinado
y acero inoxidable**CABLE**Black or transparent
Negro o transparente

230V - 50Hz

2GX13 - Max. 1x55 W

120V - 60Hz

2GX13 - Max. 1x55 W

pg. 168

 61x61x20 cm
24x24x7,9 in
7,1kg | 15,5lb


Certifications:

**Energy efficiency:** from A+ to B

Eficiencia energética: desde A+ a B



Shio ref. SH04-D

LAMP SHADE TULIPA

Plywood
Tablero marino
One color to choose
Un color a elegir



Painted steel
Acero pintado

Top and bottom diffuser
Difusor superior e inferior

CANOPY FLORÓN

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CABLE

Black or transparent
Negro o transparente

DIMMABLE

230V - 50Hz

2GX13 - Max. 1x55 W
Dimming system DALI / Switch DIM

pg. 168

61x61x20 cm
24x24x7,9 in
7,1kg | 15,5lb



Certifications:



Shio ref. SH04-1

LAMP SHADE TULIPA

Plywood
Tablero marino
One color to choose
Un color a elegir



Painted steel
Acero pintado

Top and bottom diffuser
Difusor superior e inferior

CANOPY FLORÓN

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

2GX13 - Max. 1x22 W

120V - 60Hz

2GX13 - Max. 1x22 W

pg. 168

44x44x40 cm
17,3x17,3x15,7 in
4,2kg | 9,1lb



Certifications:



Shio ref. SH04-1-D

LAMP SHADE TULIPA

Plywood
Tablero marino
One color to choose
Un color a elegir



Painted steel
Acero pintado

Top and bottom diffuser
Difusor superior e inferior

CANOPY FLORÓN

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CABLE

Black or transparent
Negro o transparente

DIMMABLE

230V - 50Hz

2GX13 - Max. 1x22 W
Dimming system DALI / Switch DIM

pg. 168

44x44x40 cm
17,3x17,3x15,7 in
4,2kg | 9,1lb



Certifications:



Shio ref. SH04-1-LD

LAMP SHADE TULIPA

Plywood
Tablero marino
One color to choose
Un color a elegir



Painted steel
Acero pintado

Top and bottom diffuser
Difusor superior e inferior

CANOPY FLORÓN

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CABLE

Black or transparent
Negro o transparente

LED / DIMMABLE

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

pg. 168

44x44x40 cm
17,3x17,3x15,7 in
4,7kg | 10,5lb



Certifications:



Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A




Tati ref. TA04

pg. 70

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CANOPY FLORÓN

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 3x100 W
- E27 LED - Max. 3x12 W
- E27 ECO - Max. 3x77 W

120V - 60Hz

- E26 Med. - Max. 3x100 W

61x61x20 cm
24x24x7,9 in
4kg | 8,8lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Tati ref. TA04G

150cm | 59,1in

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CANOPY FLORÓN

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 4x100 W
- E27 LED - Max. 4x12 W
- E27 ECO - Max. 4x77 W



100x88x23cm
39,4x34,6x9,1 in
9kg | 19,8lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Tati ref. TA04-1

150cm | 59,1in

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CANOPY FLORÓN

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W



52x47x21 cm
20,5x18,5x8,3 in
3kg | 6,6lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Tati ref. TA04-1-LD

150cm | 59,1in

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CANOPY FLORÓN

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in upon request 2700K 1645lm

Dimming system DALI / Switch DIM upon request PHASE CUT

pg. 70



52x47x21 cm
20,5x18,5x8,3 in
3,5kg | 7,1lb



Certifications:



Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Tati ref. TA04-3

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez
pg.190

One color to choose
Un color a elegir



Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

refs. 3xTA06G

CANOPY FLORÓN

DIBOND®

CABLE

Transparent
Transparente

230V - 50Hz

- E14 - Max. 6x9 W
- E14 - Max. 6x11 W
- E14 ECO - Max. 6x46 W
- E14 LED - Max. 6x7 W
- E14 - Max. 6x60 W

120V - 60Hz

- E12 - Max. 6x60 W
- E12 CANDELABRA - Max. 6x9W
- E12 HALOGEN CANDELABRA - Max. 6x40W



60x80x82 cm
23,6x31,5x32,3 in
19kg | 41,9lb



Certifications:



Energy efficiency: from A+ to E

Eficiencia energética: desde A+ a E



Tati ref. TA04-5

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez
pg.190

One color to choose
Uno color a elegir



Two color combination
Combinación dos colores



Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

refs. 3xTA06G, 2xTA06P

CANOPY FLORÓN

DIBOND®

CABLE

Transparent
Transparente

230V - 50Hz

- E14 - Max. 10x9 W
- E14 - Max. 10x11 W
- E14 ECO - Max. 10x46 W
- E14 LED - Max. 10x7 W
- E14 - Max. 10x60 W

120V - 60Hz

- E12 - Max. 10x60 W
- E12 CANDELABRA - Max. 10x9W
- E12 HALOGEN CANDELABRA - Max. 10x40W



60x80x82 cm
23,6x31,5x32,3 in
25kg | 55,1lb



Certifications:



Energy efficiency: from A+ to E

Eficiencia energética: desde A+ a E



Tati ref. TA04-10

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez
pg.190

One color to choose
Uno color a elegir



Two color combination
Combinación dos colores



Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CANOPY FLORÓN

DIBOND®

CABLE

Transparent
Transparente

refs. 6xTA06G, 4xTA06P

230V - 50Hz

- E14 - Max. 20x9 W
- E14 - Max. 20x11 W
- E14 ECO - Max. 20x46 W
- E14 LED - Max. 20x7 W
- E14 - Max. 20x60 W

120V - 60Hz

- E12 - Max. 20x60 W
- E12 CANDELABRA - Max. 20x9W
- E12 HALOGEN CANDELABRA - Max. 20x40W



80x120x135 cm
31,5x47,2x53,1 in
55kg | 121,3lb



Certifications:



Energy efficiency: from A+ to E

Eficiencia energética: desde A+ a E



Tempo Andante ref. TEAN04

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 30

61x27x20 cm
24x10,6x7,9 in
1,8kg | 3,2lb



Certifications:



Tempo Andante ref. TEAN04-LD LED / DIMMABLE

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system 0-10 V

Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A

61x27x20 cm
24x10,6x7,9 in
2,4kg | 5,5lb



Certifications:



Tempo Vivace ref. TEVI04

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética desde A+ a E

pg. 31

42x42x30 cm
16,5x16,5x11,8 in
1,6kg | 3,8lb



Certifications:



Tempo Vivace ref. TEVI04-LD LED / DIMMABLE

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A

pg. 31

42x42x30 cm
16,5x16,5x11,8 in
2,2kg | 4,1lb



Certifications:





Tina ref. TN04

pg. 141

LAMPSHADE TULIPAPolypropylene
Polipropileno

One color

Un color

Painted steel
Acero pintado**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**

Black or transparent

Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x8 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42W

110x31x25 cm
43,3x12,2x9,8 in
3,8kg | 8,3lb

Certifications:

**Energy efficiency: from A+ to E**

Eficiencia energética: desde A+ a E



Tina ref. TN04-LD

pg. 141

LAMPSHADE TULIPAPolypropylene
Polipropileno

One color

Un color

Painted steel
Acero pintado**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**

Black or transparent

Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT110x31x25 cm
43,3x12,2x9,8 in
4,3kg | 9,7lb

Certifications:

**Energy efficiency: from A++ to A**

Eficiencia energética desde A++ hasta A



Tina ref. TN04G

pg. 141

LAMPSHADE TULIPAPolypropylene
Polipropileno

One color

Un color

Painted steel
Acero pintado**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**

Black or transparent

Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x8 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42W

110x31x25 cm
43,3x12,2x9,8 in
4,1kg | 9lb

Certifications:

**Energy efficiency: from A+ to E**

Eficiencia energética: desde A+ a E



Tina ref. TN04G-LD

pg. 141

LAMPSHADE TULIPAPolypropylene
Polipropileno

One color

Un color

Painted steel
Acero pintado**CANOPY FLORÓN**Steel gloss nickel-plated
Acero níquel-satinado**CABLE**

Black or transparent

Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT110x31x25 cm
43,3x12,2x9,8 in
4,6kg | 10,3lb

Certifications:

**Energy efficiency: from A++ to A**

Eficiencia energética: desde A++ hasta A





Tina ref. TN04-5

LAMP SHADE TULIPA

Polypropylene
Polipropileno

One color
Un color



Painted steel
Acero pintado

refs. 5xTN04

CANOPY FLORÓN

DIBOND®

230V - 50Hz

- E27 - Max. 5x100 W
- E27 LED - Max. 5x12 W
- E27 ECO - Max. 5x77 W
- E27 LED - Max. 5x8 W

120V - 60Hz

- E26 Med. - Max. 5x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 142

80x120x135 cm
31,5x47,2x53,1 in
38kg | 83,8lb



Certifications:



Ura 1 ref. UR104

LAMP SHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN

Steel gloss nickel-plated
Acero níquel-satinado

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 6

61x61x32 cm
24x24x12,6 in
3,9kg | 8,6lb



Certifications:



Ura 1 ref. UR104-LD

LAMP SHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN

Steel gloss nickel-plated
Acero níquel-satinado

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system 0-10 V

Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A

pg. 6

61x61x32 cm
24x24x12,6 in
4,4kg | 9,7lb



Certifications:



Ura 2 ref. UR204

LAMP SHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN

Steel gloss nickel-plated
Acero níquel-satinado

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

pg. 7

45x23x23 cm
17,7x9x9 in
1,6kg | 3,5lb



Certifications:



LED Ura 2 ref. UR204-LD

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

LED / DIMMABLE

230V - 50Hz

() 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

() 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system 0-10 V

pg. 7

45x23x23 cm
17,7x9x9 in
2,1kg | 4,6lb



Certifications:



Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Ura 3 ref. UR304

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

E27 - Max. 1x100 W

E27 LED - Max. 1x12 W

E27 ECO - Max. 1x77 W

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

pg. 8

36x36x30 cm
14,2x14,2x11,8 in
1,5kg | 3,3lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



LED Ura 3 ref. UR304-LD

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

() 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

() 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system 0-10 V

pg. 8

36x36x30 cm
14,2x14,2x11,8 in
2kg | 4,4lb



Certifications:



Energy efficiency: from A++ to A
Eficiencia energética desde A++ hasta A



Ura ref. UR04-3

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



*For orders of 5 or more units
select any color NCS
*A partir de 5 unidades
elegir color NCS

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

CABLE
Black or transparent
Negro o transparente

230V - 50Hz

E27 - Max. 3x100 W

E27 LED - Max. 3x12 W

E27 ECO - Max. 3x77 W

120V - 60Hz

E26 Med. - Max. 3x100 W

E26 Med. - Max. 3x42 W

pg. 9

60x80x95 cm
23,6x31,5x37,4 in
10,2kg | 22,5lb




Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

refs. 1xUR104, 1xUR204, 1xUR304



Uxi ref. UX04

LAMPSHADE TULIPA

Plywood
Tablero marino

One color to choose
Un color a elegir



Top and bottom diffuser
Difusor superior e inferior

CANOPY FLORÓN

Stainless steel
Acero inoxidable

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

→ G5 - Max. 2x39 W

120V - 60Hz

→ T5 HO Bi-pin - 2x39 W

pg. 173


110x31x25 cm
43,3x12,2x9,8 in
7,7kg | 17lb



Certifications:



Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B



Uxi ref. UX04-D

LAMPSHADE TULIPA

Plywood
Tablero marino

One color to choose
Un color a elegir



Top and bottom diffuser
Difusor superior e inferior

CANOPY FLORÓN

Stainless steel
Acero inoxidable

CABLE

Black or transparent
Negro o transparente

DIMMABLE

230V - 50Hz

→ G5 - Max. 2x39 W

Dimming system DALI / Switch DIM

120V - 60Hz

→ T5 HO Bi-pin - 2x39 W

Dimming system 0-10V

pg. 173

110x31x25 cm
43,3x12,2x9,8 in
7,7kg | 17lb



Certifications:



Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B



V ref. VV04

LAMPSHADE TULIPA

Polycarbonate
Polícarbonato

One color to choose
Un color a elegir



Glass diffuser
Difusor de vidrio

CANOPY FLORÓN

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

→ E27 - Max. 1x100 W

→ E27 LED - Max. 1x12 W

→ E27 ECO - Max. 1x77 W

120V - 60Hz

→ E26 Med. - Max. 1x100 W

→ E26 Med. - Max. 1x32 W

pg. 180


84x84x37 cm
33x33x14,5 in
8,2kg | 18lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



V ref. VV04G

LAMPSHADE TULIPA

Polycarbonate
Polícarbonato

One color to choose
Un color a elegir



Glass diffuser
Difusor de vidrio

CANOPY FLORÓN

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CABLE

Black or transparent
Negro o transparente

230V - 50Hz

→ E27 - Max. 4x100 W

→ E27 LED - Max. 4x12 W

→ E27 ECO - Max. 4x77 W

120V - 60Hz

→ E26 Med. - Max. 4x100 W

→ E26 Med. - Max. 4x32 W

pg. 180


110x110x32 cm
43,3x43,3x12,6 in
9,7kg | 21,4lb
61x61x32 cm
24x24x12,6 in
10,6kg | 23,4lb



Certifications:



Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Vento ref. VN04-LD

LAMP SHADE TULIPA

 Glass
Vidrio

One color to choose

Un color a elegir


Color combinations

Pink Rosa Brown Marrón

CANOPY FLORÓN

 Stainless steel
Acero inoxidable

CABLE

 Black or transparent
Negro o transparente

 Bottom diffuser
Difusor inferior

LED / DIMMABLE

230V - 50Hz

23,6W 2.768lm 3000K built-in

Dimming system DALI / Switch DIM upon request PHASE CUT

120V - 60Hz


16W 2.125lm 3000K built-in

Dimming system 0-10V

pg. 152

 125x30x30 cm
49,2x11,8x11,8 in
9,4kg | 20,7lb


Certifications:


Energy efficiency: A++
Eficiencia energética: A++


Vento ref. VN04-1

LAMP SHADE TULIPA

 Glass
Vidrio

One color to choose

Un color a elegir


Color combinations

Pink Rosa Brown Marrón

CANOPY FLORÓN

 Stainless steel
Acero inoxidable

CABLE

 Black or transparent
Negro o transparente

230V - 50Hz

G9 LED - Max. 2x4 W

G9 ECO - Max. 2x42 W

G9 ECO - Max. 2x33 W

120V - 60Hz

G9 Bi-pin - Max. 2x40 W

pg. 153

 80x30x30 cm
31,5x11,8x11,8 in
3,7kg | 8,2lb


Certifications:



Woods ref. WD04

LAMP SHADE TULIPA

 Birch
Abedul

 Glass diffuser
Difusor de vidrio

CANOPY FLORÓN

 Painted steel
Acero pintado

CABLE

 Transparent
Transparente

230V - 50Hz

E27 - Max. 1x100 W

E27 LED - Max. 1x12 W

E27 ECO - Max. 1x77 W

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

pg. 177


 61x61x32 cm
24x24x12,6 in
17kg | 37,7lb


Certifications:


Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

WALL & CEILING LAMPS APLIQUES Y PLAFONES

Appliques ref. A0604



38cm | 15in

9cm | 3.5in

15cm | 5.9in

LAMPSHADE TULIPA

Glass

Vidrio

One color to choose
Un color a elegir**SUPPORT SOPORTE**

Stainless steel

Acero inoxidable

230V - 50Hz

- E14 - Max. 2x11 W
- E14 ECO - Max. 2x46 W
- E14 LED - Max. 2x7 W
- E14 - Max. 2x60 W

50x20x25 cm
19,7x7,9x9,8 in
1,5kg | 3,3lb**120V - 60Hz**

- E12 Candel - Max. 2x60 W



Certifications:



35cm | 13,7in

15cm | 5,9in

36cm | 14,2in


Ballet ref. BA06

pg. 42

LAMPSHADE TULIPA

SIMETECH® by arturo alvarez

pg. 190

One color to choose
Un color a elegir**SUPPORT SOPORTE**

Painted steel

Acero pintado

230V - 50Hz


- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W

44x44x20 cm
17,3x17,3x7,9 in
1,6kg | 3,5lb**120V - 60Hz**

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W



Certifications:

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

35cm | 13,7in

21cm | 8,2in

38cm | 14,9in

Blum ref. BL06

pg. 109

LAMPSHADE TULIPA

Painted stainless steel thread

Hilo de acero inoxidable pintado

One color
Un color**SUPPORT SOPORTE**

Painted steel

Acero pintado

230V - 50Hz

- E27 LED - Max. 1x8 W
- E27 ECO - Max. 1x77 W
- E27 LED - Max. 1x12 W


43x43x22 cm
16,9x16,9x7,9 in
1kg | 2,2lb**120V - 60Hz**

- E26 Med. - Max. 1x100 W



Certifications:

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E



Cors ref. CR06

pg. 85

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall
Aplique

230V - 50Hz
G9 LED - Max. 2x4 W
G9 ECO - Max. 2x42 W
G9 ECO - Max. 2x33 W


120V - 60Hz
G9 Bi-pin - Max. 2x40 W

Energy efficiency: from A+ to C
Eficiencia energética: desde A+ a C

51x26x20 cm
20,1x10,2x7,9 in
1kg | 2,2lb



Certifications:
CE, RoHS, cULus



Curvas ref. CV06

LAMP SHADE TULIPA
Glass
Vidrio

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall
Aplique

230V - 50Hz
E14 - Max. 2x11 W
E14 ECO - Max. 2x46 W
E14 LED - Max. 2x7 W
E14 - Max. 2x60 W


120V - 60Hz
E12 Candel - Max. 2x60 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E

62x27x20 cm
24,4x10,6x7,9 in
3kg | 6,5lb



Certifications:
CE, RoHS, cULus



Doscubos ref. D006G

LAMP SHADE TULIPA
Glass
Vidrio

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero Inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz
G9 LED - Max. 1x4 W
G9 ECO - Max. 1x42 W
G9 ECO - Max. 1x33 W

120V - 60Hz
G9 Bi-pin - Max. 1x40 W

Energy efficiency: from A+ to C
Eficiencia energética: desde A+ a C

21x21x21cm
8,3x8,3x8,3 in
1,3kg | 2,8lb



Certifications:
CE, RoHS, cULus



Gea ref. GE06

pg. 66

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall
Aplique

230V - 50Hz
G9 LED - Max. 2x4 W
G9 ECO - Max. 2x42 W
G9 ECO - Max. 2x33 W


120V - 60Hz
G9 Bi-pin - Max. 2x40 W

Energy efficiency: from A+ to C
Eficiencia energética: desde A+ a C

35x24x14 cm
13,78x9,45x5,51 in
0,8kg | 1,8lb



Certifications:
CE, RoHS, cULus



Gluc ref. GL06

LAMP SHADE TULIPA

Glass
Vidrio

Combination BSN
Combinación BSN

Two color combination
Combinación de dos colores



SUPPORT SOPORTE

Stainless steel
Acero inoxidable

USA: Stainless steel
and steel gloss nickel-plated

MOUNTING OPTIONS

Opciones de instalación
Wall
Aplique

230V - 50Hz

- G9 LED - Max. 3x4 W
- G9 ECO - Max. 3x42 W
- G9 ECO - Max. 3x33 W

120V - 60Hz

- G9 Bi-pin - Max. 3x40 W

pg. 164


61x61x31 cm
24x24x12,2 in
4kg | 8,8lb



Certifications:



Energy efficiency: from A+ to C
Eficiencia energética: desde A+ a C



Gluc ref. GL05

LAMP SHADE TULIPA

Glass
Vidrio

Combination BSN
Combinación BSN

Two color combination
Combinación de dos colores



SUPPORT SOPORTE

Stainless steel
Acero inoxidable

USA: Stainless steel
and steel gloss nickel-plated

MOUNTING OPTIONS

Opciones de instalación
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz

- G9 LED - Max. 3x4 W
- G9 ECO - Max. 3x42 W
- G9 ECO - Max. 3x33 W

120V - 60Hz

- G9 Bi-pin - Max. 3x40 W

pg. 165


61x61x31 cm
24x24x12,2 in
5,4kg | 11,9lb



Certifications:



Energy efficiency: from A+ to C
Eficiencia energética: desde A+ a C



Hexa ref. HE06

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE

Stainless steel
Acero inoxidable

MOUNTING OPTIONS
Opciones de instalación
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz

- G5 - Max. 2x24 W

120V - 60Hz

- T5 HO Bi-pin - 2x24 W


Certifications:



100x50x12 cm
39,4x19,7x4,7 in
4,5kg | 9,9lb



Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B



Hexa ref. HE06-D

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE

Stainless steel
Acero inoxidable

MOUNTING OPTIONS
Opciones de instalación
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz

- G5 - Max. 2x24 W

Dimming system DALI / Switch DIM

120V - 60Hz

- T5 HO Bi-pin - 2x24 W

Dimming system 0-10V

Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B


DIMMABLE

Certifications:



100x50x12 cm
39,4x19,7x4,7 in
4,5kg | 9,9lb





LED

Hexa ref. HE06-LD

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

LED / DIMMABLE

230V - 50Hz

45,6W 5580lm 3000K built-in

Dimming system DALI / Switch DIM
upon request PHASE CUT

100x50x12 cm
39,4x19,7x4,7 in
4,5kg | 9,9lb

120V - 60Hz

45,6W 5580lm 3000K built-in

Dimming system 0-10 V



Certifications:



Energy efficiency: A++
Eficiencia energética: A++

pg. 103

Kala ref. KL06

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall
Aplique

230V - 50Hz

G9 LED - Max. 2x4 W
 G9 ECO - Max. 2x42 W
 G9 ECO - Max. 2x33 W

33x24x15 cm
13,9x4x5,9 in
1kg | 2,1lb

120V - 60Hz

G9 Bi-pin - Max. 2x40 W



Energy efficiency: from A+ to C
Eficiencia energética: desde A+ a C

Certifications:

pg. 90

Kite ref. KT06

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz

2GX13 - Max. 1x55 W

71x71x15 cm
28x28x5,9 in
5,9kg | 13lb

120V - 60Hz

2GX13 - Max. 1x55 W



Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

Certifications:

pg. 90

Kite ref. KT06-D

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz

2GX13 - Max. 1x55 W

Dimming system DALI / Switch DIM

71x71x15 cm
28x28x5,9 in
5,9kg | 13lb


Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B



Certifications:



96cm | 37,8in



88cm | 34,6in

LED

Kite ref. KT06-LD

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

LED / DIMMABLE

pg. 90

230V - 50Hz

47,2W 5.536lm 3000K built-in

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

32W 4.250lm 3000K built-in

Dimming system 0-10 V

71x71x15 cm
28x28x5,9 in
6,7kg | 14,7lb



Certifications:



Energy efficiency: A++
Eficiencia energética: A++

135cm | 53,1in



124cm | 48,8in

Kite ref. KT06G

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

pg. 90

230V - 50Hz

G5 - Max. 4x24 W

120V - 60Hz

T5 HO Bi-pin - 4x24 W

100x101x12 cm
39,4x39,8x4,7 in
10kg | 22lb



Certifications:



Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

135cm | 53,1in



124cm | 48,8in

Kite ref. KT06G-D

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

DIMMABLE

pg. 90

230V - 50Hz

G5 - Max. 4x24 W

Dimming system DALI / Switch DIM

120V - 60Hz

T5 HO Bi-pin - 4x24 W

Dimming system 0-10 V

100x101x12 cm
39,4x39,8x4,7 in
10kg | 22lb




Certifications:



Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

135cm | 53,1in



124cm | 48,8in

LED

Kite ref. KT06G-LD

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

LED / DIMMABLE

pg. 90

230V - 50Hz

73,6W 9.600lm 3000K built-in

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

64W 8.499lm 3000K built-in

Dimming system 0-10 V

100x101x12 cm
39,4x39,8x4,7 in
11kg | 24,2lb



Certifications:



Energy efficiency: A++
Eficiencia energética: A++



LED

Li ref. LI06**LAMPSHADE TULIPA**Pressed Cellulose
Celulosa prensadaOne color to choose
Un color a elegir**SUPPORT SOPORTE**Stainless steel
Acero inoxidable**MOUNTING OPTIONS**

OPCIONES DE INSTALACIÓN

Wall
Aplique**DIMMABLE**

230V - 50Hz


11,8W 1.805lm 3000K built-in
Dimming system Phase Cut included

pg. 132

70x21x11 cm
27,6x8,3x4,3 in
2,1kg | 4,6lb



Certifications:



LED

Li ref. LI06G**LAMPSHADE TULIPA**Pressed Cellulose
Celulosa prensadaOne color to choose
Un color a elegir**SUPPORT SOPORTE**Stainless steel
Acero inoxidable**MOUNTING OPTIONS**

OPCIONES DE INSTALACIÓN

Wall
Aplique

pg. 133


110x30x25 cm
43,3x11,8x9,8 in
4,7kg | 10,4lb



Certifications:



LED

Li ref. LI06G-D**LAMPSHADE TULIPA**Pressed Cellulose
Celulosa prensadaOne color to choose
Un color a elegir**SUPPORT SOPORTE**Stainless steel
Acero inoxidable**MOUNTING OPTIONS**

OPCIONES DE INSTALACIÓN

Wall
Aplique**DIMMABLE**

230V - 50Hz

23,6W 2.768lm 3000K built-in
Dimming system DALI / Switch DIM

pg. 133

110x30x25 cm
43,3x11,8x9,8 in
4,7kg | 10,4lb



Certifications:

**Nevo ref. NE06****LAMPSHADE TULIPA**SIMETECH® by arturo alvarez
pg. 190One color to choose
Un color a elegirSteel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable**SUPPORT SOPORTE**Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable**MOUNTING OPTIONS**

OPCIONES DE INSTALACIÓN

Wall & ceiling lamp
Aplique & plafón

230V - 50Hz

E14 - Max. 2x9 W
E14 ECO - Max. 2x46 W
E14 LED - Max. 2x7 W
E14 - Max. 2x60 W


pg. 82

43x43x19 cm
16,9x16,9x7,5 in
1,9kg | 4,2lb



Certifications:





Nevo ref. NE06P

pg. 82

LAMP SHADE TULIPA

SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

SUPPORT SOPORTE

Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

MOUNTING OPTIONS

OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz

- G9 LED - Max. 1x4 W
- G9 ECO - Max. 1x42 W
- G9 ECO - Max. 1x33 W

120V - 60Hz

- G9 Bi-pin - Max. 1x40 W




43x43x19 cm
16,9x16,9x7,5 in
1,7kg | 3,6lb



Certifications:



Norman ref. NO06


LAMP SHADE TULIPA

Glass
Vidrio

One color to choose
Un color a elegir


SUPPORT SOPORTE

Stainless steel
Acero inoxidable

OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz

- G5 - Max. 1x54 W

120V - 60Hz

- T5 HO Bi-pin - 1x54 W



145x20x20 cm
57,1x7,9x7,9 in
5kg | 11lb




Certifications:



Onn ref. ON06

pg. 18


LAMP SHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color
Un color


SUPPORT SOPORTE

Stainless steel
Acero inoxidable

OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz

- E27 - Max. 1x100 W
- E27 LED - Max. 1x12 W
- E27 ECO - Max. 1x77 W

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26 Med. - Max. 1x42 W



46x52x20 cm
18,1x20,5x7,9 in
2,5kg | 5,5lb



Certifications:



Onn ref. ON06G

pg. 18


LAMP SHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color
Un color


SUPPORT SOPORTE

Stainless steel
Acero inoxidable

OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz

- E27 - Max. 3x100 W
- E27 LED - Max. 3x12 W
- E27 ECO - Max. 3x77 W

120V - 60Hz

- E26 Med. - Max. 3x100 W
- E26 Med. - Max. 3x42 W



71x71x30 cm
28x28x11,8 in
6,1kg | 13,4lb



Certifications:



96x96cm | 37,8x37,8in



8cm | 3,1in

Planum ref. PM06R

pg. 94

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz
G5 - Max. 4x24 W

120V - 60Hz
T5 HO Bi-pin - 4x24 W

Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

102x102x12 cm
40,2x40,2x4,7 in
10,2kg | 22,5lb



Certifications:



96x96cm | 37,8x37,8in



8cm | 3,1in

Planum ref. PM06R-D

DIMMABLE

pg. 94

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz
G5 - Max. 4x24 W
Dimming system DALI / Switch DIM

120V - 60Hz
T5 HO Bi-pin - 4x24 W
Dimming system 0-10V

Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

102x102x12 cm
40,2x40,2x4,7 in
10,2kg | 22,5lb



Certifications:



96x96cm | 37,8x37,8in



8cm | 3,1in




Planum ref. PM06R-LD

LED / DIMMABLE

pg. 94

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz
73,6W 9.600lm 3000K built-in
Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz
64W 8.499lm 3000K built-in
Dimming system 0-10V

Energy efficiency: A++
Eficiencia energética: A++

102x102x12 cm
40,2x40,2x4,7 in
10,8kg | 23,8lb



Certifications:



47cm | 18,5in



96cm | 37,8in

8cm | 3,1in

Planum ref. PM06PR

pg. 96

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz
G5 - Max. 2x24 W

120V - 60Hz
T5 HO Bi-pin - 2x24 W


Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

100x53x12 cm
39,4x20,9x4,7 in
4,5kg | 9,9lb



Certifications:






Planum ref. PM06PR-D

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

DIMMABLE

230V - 50Hz
G5 - Max. 2x24 W
Dimming system DALI / Switch DIM

120V - 60Hz
T5 HO Bi-pin - 2x24 W
Dimming system 0-10V


Energy efficiency: from A+ to B
Eficiencia energética: desde A+ a B

pg. 96

100x53x12 cm
39,4x20,9x4,7 in
4,5kg | 9,9lb



Certifications:



Planum ref. PM06PR-LD

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

LED / DIMMABLE

230V - 50Hz
36,8W 4.800lm 3000K built-in
Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz
32W 4.250lm 3000K built-in
Dimming system 0-10 V


Energy efficiency: A++
Eficiencia energética: A++

pg. 96

100x53x12 cm
39,4x20,9x4,7 in
4,9kg | 10,8lb



Certifications:



Tati ref. TA06

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall
Aplique

230V - 50Hz
G9 LED - Max. 2x4 W
G9 ECO - Max. 2x42 W
G9 ECO - Max. 2x33 W

120V - 60Hz
G9 Bi-pin - Max. 2x40 W


Energy efficiency: from A+ to C
Eficiencia energética: desde A+ a C

pg. 73

34x24x15 cm
13,4x9,4x5,9 in
0,7kg | 1,5lb



Certifications:



Tati ref. TA06G

LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

SUPPORT SOPORTE
Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz
E14 - Max. 2x9 W
E14 ECO - Max. 2x46 W
E14 LED - Max. 2x7 W
E14 - Max. 2x60 W

120V - 60Hz
E12 Candel - Max. 2x60 W

Energy efficiency: from A+ to E
Eficiencia energética: desde A+ a E


42x42x20 cm
16,5x16,5x7,9 in
2,4kg | 5,3lb



Certifications:



Tati ref. TA06P



LAMP SHADE TULIPA
SIMETECH® by arturo alvarez
pg. 190

One color to choose
Un color a elegir



Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

SUPPORT SOPORTE
Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

230V - 50Hz
G9 LED - Max. 1x4 W
G9 ECO - Max. 1x42 W
G9 ECO - Max. 1x33 W

120V - 60Hz
G9 Bi-pin - Max. 1x40 W

Energy efficiency: from A+ to C
Eficiencia energética: desde A+ a C

42x42x20 cm
16,5x16,5x7,9 in
1kg | 2,2lb




Certifications:



pg. 151

Vento ref. VN06



LAMP SHADE TULIPA

Glass
Vidrio

One color to choose
Un color a elegir



Color combinations
Pink Rosa Brown Marrón

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall
Aplique

230V - 50Hz
G9 LED - Max. 2x4 W
G9 ECO - Max. 2x42 W
G9 ECO - Max. 2x33 W

120V - 60Hz
G9 Bi-pin - Max. 2x40 W

Energy efficiency: from A+ to C
Eficiencia energética: desde A+ a C

80x30x30 cm
31,5x11,8x11,8 in
4,4kg | 9,7lb



Certifications:



TECHNICAL DATA FOR USA

TABLE LAMPS



Bety ref. BE01

LAMP SHADE

Polypropylene

One color



Stainless steel

SUPPORT

Stainless steel

CABLE

Black

120V - 60Hz

E12 Candel - Max. 1x60 W


 23,6x9,8x7,9 in
3,3lb


Certifications:



Curvas ref. CV01

LAMP SHADE

Glass

One color to choose


SUPPORT

 Painted steel
and stainless steel

CABLE


Black

120V - 60Hz

E12 Candel - Max. 1x60 W


 13,8x9,8x9,8 in
5,7lb


Certifications:



Doscubos ref. D001G

LAMP SHADE

Glass

One color to choose


SUPPORT

Stainless steel

CABLE

Black


120V - 60Hz

G9 Bi-pin - Max. 1x40 W


 7,9x7,9x7,9 in
3,7lb


Certifications:





Doscubos ref. D002

LAMP SHADE
Glass
One color to choose



SUPPORT
Painted steel
and stainless steel


120V - 60Hz
E9 Bi-pin - Max. 2x40 W

23,6x9,8x7,9 in
9lb

CABLE
Black



Certifications:



Muu ref. MU02

LAMP SHADE
SIMETECH® by arturo alvarez
pg. 190
One color to choose



SUPPORT
Painted steel

120V - 60Hz
E12 Candel - Max. 1x60 W

20,5x18,1x8,3 in
5,4lb

CABLE
Black



Certifications:



Nevo ref. NE01

LAMP SHADE
SIMETECH® by arturo alvarez
pg. 190
One color to choose



Steel gloss nickel-plated
and stainless steel

SUPPORT
Painted steel
and stainless steel


120V - 60Hz
E12 Candel - Max. 2x60 W
E12 Candel - Max. 2x60 W
E12 LED - Max. 2x7 W
E12 Halogen - Max. 2x40 W

16,5x16,5x7,5 in
5,5lb

CABLE
Black




Certifications:



Nevo ref. NE02

LAMP SHADE
SIMETECH® by arturo alvarez
pg. 190
One color to choose



Steel gloss nickel-plated
and stainless steel

SUPPORT
Stainless steel

120V - 60Hz
E12 Candel - Max. 2x60 W
E12 Candel - Max. 2x60 W
E12 LED - Max. 2x7 W
E12 Halogen - Max. 2x40 W

23,6x23,6x7,9 in
8,8lb

CABLE
Black



Certifications:





Shio ref. SH02

LAMP SHADE
Plywood
One color to choose
Painted steel


CABLE
Black
Top and bottom diffuser

120V - 60Hz
2GX13 - Max. 1x22 W

pg. 170

 16,9x16,9x19,7 in
11lb


Certifications:



Tati ref. TA02

LAMP SHADE
SIMETECH® by arturo alvarez pg. 190
One color to choose

SUPPORT
Stainless steel
CABLE
Black

120V - 60Hz
E12 Candel - Max. 2x60 W
E12 Candel - Max. 2x60 W
E12 LED - Max. 2x7 W
E12 Halogen - Max. 2x40 W

pg. 75

 23,6x23,6x7,9 in
8,8lb


Certifications:



Ura ref. UR01

LAMP SHADE
Painted stainless steel
One color to choose


SUPPORT
Stainless steel
CABLE
Black

120V - 60Hz
E26 Med. - Max. 1x100 W
E26 Med. - Max. 1x42 W
E26LED - Max. 1x13 W
upon request:
GU24 - Max. 1x23 W

pg. 12

 24x10,6x7,9 in
3,3lb


Certifications:



Vento ref. VN01

LAMP SHADE
Glass
One color to choose


SUPPORT
Stainless steel
CABLE
Black
Diffuser included

120V - 60Hz
G9 Bi-pin - Max. 2x40 W

pg. 150

 31,5x11,8x11,8 in
9,7lb


Certifications:



Vento ref. VN02

LAMP SHADE
Glass
One color to choose

SUPPORT
Stainless steel
CABLE
Black
Diffuser included

120V - 60Hz
G9 Bi-pin - Max. 4x40 W

pg. 150

 49,2x12,2x9,8 in
15lb


Certifications:



FLOOR LAMPS



Africa ref. AF03

pg. 99

LAMP SHADE

SIMETECH® by arturo alvarez. pg. 190



635lb

56,3x56,2x94,9 in

One color to choose


SUPPORT

Stainless steel and painted steel

Certifications:



CABLE

Black

120V - 60Hz

E26 Med. - Max. 3x100 W

E26 Med. - Max. 3x42 W

E26LED - Max. 3x13 W

upon request :

GU24 - Max. 1x23 W

Transport not included,
price upon request.

Aros ref. AR03

pg. 147

LAMP SHADE

Polypropylene



8,8lb

66,9x3,9x3,9 in
24x24x12,6 in

One color to choose



Painted steel

SUPPORT
Painted stainless steel
and painted steel

Certifications:

CABLE

Black

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

Aros ref. AR03G

pg. 147

LAMP SHADE

Polypropylene



8,8lb

70,9x3,9x3,9 in
24x24x12,6 in

One color to choose



Painted steel

SUPPORT
Painted Stainless steel
and painted steel

Certifications:

CABLE

Black

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

Bety ref. BE03

pg. 137

LAMP SHADE

Polypropylene



14,3lb

70,9x3,9x3,9 in
16,9x16,9x23,6 in

One color to choose


SUPPORT

Stainless steel



Certifications:

CABLE

Black

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W



Curvas ref. CV03G

LAMP SHADE

Glass
One color to choose



33,1lb
72,8x17,7x9,8 in
23,6x23,6x11,8 in

SUPPORT

Painted steel
and stainless steel



Certifications:

CABLE

Black

Top diffuser included

Dimmable

120V - 60Hz

E26 Med. - Max. 4x100 W

E26Med. Dimmer - Max. 4x15 W

Doscubos ref. D003

LAMP SHADE

Glass
One color to choose



37,5lb
66,9x7,9x7,9 in
13,8x9,8x9,8 in

SUPPORT

Painted steel
and stainless steel



Certifications:

CABLE

Black

120V - 60Hz

E12 Candel. - Max. 2x60 W

Gea ref. GE03

pg. 64

LAMP SHADE

SIMETECH®
by arturo alvarez. pg. 190

One color to choose



41,9lb
74x16,9x10,2 in

SUPPORT

Painted steel
and stainless steel



Certifications:

CABLE

Black

Dimmable



2008

120V - 60Hz

E26 Med. - Max. 5x100 W

E26Med. Dimmer - Max. 5x15 W

Shio ref. SH03

pg. 171

LAMP SHADE

Plywood
One color to choose



26,2lb
61,4x3,9x3,9 in

24x24x8,3 in



Painted steel
Top and bottom diffuser included



Certifications:

CABLE

Black



120V - 60Hz

2GX13 - Max. 1x55 W

**Tina** ref. TN03

pg. 140

LAMP SHADE

Polypropylene

One color to choose



Painted steel

SUPPORT

Painted Stainless steel and painted steel

CABLE

Black

 14,3lb
49,2x12,2x9,8in

 Certifications:

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

Ura ref. UR03

pg. 12

LAMP SHADE

Painted stainless steel

One color

**SUPPORT**

Stainless steel

CABLE

Black

Dimmable

120V - 60Hz

E26 Med. - Max. 3x100 W

E26 Med. - Max. 3x42 W

E26LED - Max. 3x13 W

upon request :

GU24 - Max. 3x23 W

V ref. VV03

pg. 181

LAMP SHADE

Polycarbonate

One color to choose



Glass diffuser

SUPPORT

Painted steel

CABLE

Black

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

 37,5lb
59,1x19,7x4,7 in
32,7x32,7x14,6 in

 Certifications:

PENDANTS



Aros ref. AR04

pg. 146

LAMPSHADE

Polypropylene

One color



Painted steel

CANOPY

Steel gloss nickel-plated

120V - 60Hz

E26 Med. - Max. 1x100 W

CABLE

Black or transparent

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

 24x24x12,6 in
6,2 lb


Certifications:



Aros ref. AR04-LD

pg. 146

LAMPSHADE

Polypropylene

One color



Painted steel

CANOPY

Steel gloss nickel-plated

100~277V- 60Hz

18,1W 3000K 1776lm built-in

upon request 2700K 1645lm

Dimming system: 0-10 V

 24x24x12,6 in
7,4 lb


Certifications:





Ballet Plié ref. BAPI04

pg. 38

LAMPSHADESIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

 24x24x12,6 in
3,2 lb


Certifications:



Ballet Plié ref. BAPI04-LD

pg. 38

LAMPSHADESIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

100~277V- 60Hz

18,1W 3000K 1776lm built-in

upon request 2700K 1645lm

Dimming system: 0-10 V

 24x24x12,6 in
5,5 lb


Certifications:



Ballet Relevé ref. BARE04

pg. 39

LAMPSHADESIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

 16,5x16,5x11,8 in
3,5 lb


Certifications:



Ballet Relevé ref. BARE04-LD

LED / DIMMABLE

pg. 39

LAMPSHADESIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

100~277V- 60Hz

18,1W 3000K 1776lm built-in

upon request 2700K 1645lm

Dimming system: 0-10 V

 16,5x16,5x11,8 in
4,1 lb


Certifications:





Ballet Elancé ref. BALA04

pg. 39

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request:

GU24 - Max. 1x23 W

 17,3x17,3x15,7 in
3,8 lb


Certifications:



Ballet Elancé ref. BALA04-LD LED / DIMMABLE

pg. 39

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

100~277V- 60Hz

18,1W 3000K 1776lm built-in

upon request 2700K 1645lm

Dimming system: 0-10 V

 17,3x17,3x15,7 in
4,1 lb


Certifications:



Ballet ref. BA04-3

pg. 40

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY
DIBOND®

CABLE
Black or transparent

120V - 60Hz

E26 Med. - Max. 3x100 W

E26 Med. - Max. 3x42 W

E26LED - Max. 3x13 W

upon request :

GU24 - Max. 3x23 W

 23,6x17,3x15,7 in
17,6lb


Certifications:



Betty ref. BE04

pg. 136

LAMPSHADE
Polypropylene

One color



Stainless steel

CANOPY
Steel gloss nickel-plated

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

 16,9x16,9x24,4 in
4,9lb


Certifications:



**Bety** ref. BE04-LD**LAMPSHADE**

Polypropylene

One color



Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent


100~277V- 60Hz

() 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system: 0-10 V

pg. 136



Certifications:

**Blum** ref. BL04**LAMPSHADE**

Painted stainless steel thread

One color

**CANOPY**

Steel gloss nickel-plated

CABLE

Transparent

120V - 60Hz

() E26 Med. - Max. 1x100 W
() E26 LED - Max. 1x13 W

pg. 108



Certifications:

**Caos** ref. CA04A**LAMPSHADE**

Cord

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or Transparent

120V - 60Hz

() E26 Med. - Max. 1x100 W
() E26 Med. - Max. 1x42 W
() E26LED - Max. 1x13 W
upon request :
() GU24 - Max. 1x23 W

pg. 126




Certifications:

**Caos** ref. CA04A-LD**LAMPSHADE**

Cord

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or Transparent

100~277V- 60Hz

() 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system: 0-10 V

pg. 126



Certifications:





Caos ref. CA04AG

LAMPSHADE
Cord
One color to choose

Stainless steel

CANOPY
Steel gloss nickel-plated
CABLE
Black or Transparent

120V - 60Hz
 E26 Med. - Max. 1x100 W
 E26 Med. - Max. 1x42 W
 E26LED - Max. 1x13 W
upon request:
 GU24 - Max. 1x23 W

pg. 127




Certifications:




Caos ref. CA04AG-LD

LAMPSHADE
Cord
One color to choose

Stainless steel

CANOPY
Steel gloss nickel-plated
CABLE
Black or Transparent

100~277V- 60Hz
 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system: 0-10 V

pg. 127




Certifications:




Caos ref. CA04B

LAMPSHADE
Cord
One color to choose

Stainless steel

CANOPY
Steel gloss nickel-plated
CABLE
Black or Transparent

120V - 60Hz
 E26 Med. - Max. 1x100 W
 E26 Med. - Max. 1x42 W
 E26LED - Max. 1x13 W
upon request:
 GU24 - Max. 1x23 W


pg. 128




Certifications:




Caos ref. CA04B-LD

LAMPSHADE
Cord
One color to choose

Stainless steel

CANOPY
Steel gloss nickel-plated
CABLE
Black or Transparent

100~277V- 60Hz
 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system: 0-10 V

pg. 128




Certifications:




Caos ref. CA04A-3

LAMP SHADE

Cord

One color to choose



Stainless steel

CANOPY

DIBOND®

CABLE

Transparent

120V - 60Hz

E26 Med. - Max. 3x100 W

E26 Med. - Max. 3x42 W

E26LED - Max. 3x13 W

upon request :

GU24 - Max. 3x23 W

23,6x31,5x36,2 in
17,6lb

Certifications:



refs. 3xCA04A




Caos ref. CA04AB-3

LAMP SHADE

Cord

Color



One color or 2-3 color combination



Stainless steel

CANOPY

DIBOND®

CABLE

Transparent

120V - 60Hz

E26 Med. - Max. 3x100 W

E26 Med. - Max. 3x42 W

E26LED - Max. 3x13 W

upon request :

GU24 - Max. 3x23 W

23,6x31,5x36,2 in
17lb

Certifications:



refs. 1xCA04A, 2xCA04B



Caos ref. CA04A-4

LAMP SHADE

Cord

One color to choose



Stainless steel

CANOPY

DIBOND®

CABLE

Transparent

120V - 60Hz

E26 Med. - Max. 4x100 W

E26 Med. - Max. 4x42 W

E26LED - Max. 4x13 W

upon request :

GU24 - Max. 4x23 W

31,5x47,2x45,3 in
39,6lb

Certifications:



refs. 3xCA04A, 1xCA04AG



Caos ref. CA04A-6

LAMP SHADE

Cord

Color



One color or 2-3 color combination



Stainless steel

CANOPY

DIBOND®

CABLE

Transparent

120V - 60Hz

E26 Med. - Max. 6x100 W

E26 Med. - Max. 6x42 W

E26LED - Max. 6x13 W

upon request :

GU24 - Max. 6x23 W

31,5x47,2x45,3 in
44lb

Certifications:



refs. 6xCA04A



Coral Cay ref. COCY04

78,7in

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190
One color to choose
Stainless steel

CANOPY
Steel gloss nickel-plated
CABLE
Black or transparent

120V - 60Hz
E26 Med. - Max. 1x100 W
E26 Med. - Max. 1x42 W
E26LED - Max. 1x13 W
upon request:
GU24 - Max. 1x23 W

pg. 56



Certifications:



Coral Cay ref. COCY04-LD

78,7in

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190
One color to choose
Stainless steel

CANOPY
Steel gloss nickel-plated
CABLE
Black or transparent

100~277V- 60Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system: 0-10 V

pg. 56



Certifications:



Coral Galaxea ref. COGA04

78,7in

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190
One color to choose
Stainless steel

CANOPY
Steel gloss nickel-plated
CABLE
Black or transparent

120V - 60Hz
E26 Med. - Max. 1x100 W
E26 Med. - Max. 1x42 W
E26LED - Max. 1x13 W
upon request:
GU24 - Max. 1x23 W

pg. 57



Certifications:



Coral Galaxea ref. COGA04-LD

78,7in

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190
One color to choose
Stainless steel

CANOPY
Steel gloss nickel-plated
CABLE
Black or transparent

100~277V- 60Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system: 0-10 V

pg. 57



Certifications:



Coral Reef ref. CORE04

pg. 57

LAMPSHADESIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

24x10,6x7,9 in
4lb

Certifications:



Coral Reef ref. CORE04-LD LED / DIMMABLE

pg. 57

LAMPSHADESIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

100~277V- 60Hz

18,1W 3000K 1776lm built-in

upon request 2700K 1645lm

Dimming system: 0-10 V

24x10,6x7,9 in
5,1lb

Certifications:



Coral Sea ref. COSE04

pg. 56

LAMPSHADESIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

14,2x14,2x11,8 in
3,7lb

Certifications:



Coral Sea ref. COSE04-LD LED / DIMMABLE

pg. 56

LAMPSHADESIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

100~277V- 60Hz

18,1W 3000K 1776lm built-in

upon request 2700K 1645lm

Dimming system: 0-10 V

14,2x14,2x11,8 in
4,1lb

Certifications:





Coral Seaurchin ref. COAU04

LAMP SHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request:

GU24 - Max. 1x23 W

pg. 55

17,3x17,3x15,7 in
5,4lb



Certifications:



Coral Seaurchin ref. COAU04-LD LED / DIMMABLE

LAMP SHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

100~277V- 60Hz

18,1W 3000K 1776lm built-in

upon request 2700K 1645lm

Dimming system: 0-10 V

pg. 55

17,3x17,3x15,7 in
6,9lb



Certifications:



Coral Seaurchin ref. COAU04G

LAMP SHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

120V - 60Hz

E26 Med. - Max. 4x100 W

E26 Med. - Max. 4x42 W

E26LED - Max. 4x13 W

upon request:

GU24 - Max. 4x23 W

pg. 54

28x28x16,5 in
14,1lb



Certifications:



Coral ref. C004-3

LAMP SHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY
DIBOND®

CABLE
Transparent

120V - 60Hz

E26 Med. - Max. 3x100 W

E26 Med. - Max. 3x42 W

E26LED - Max. 3x13 W

upon request:

GU24 - Max. 3x23 W

pg. 58

23,6x31,5x33,5 in
24,3lb



Certifications:

refs. 1xC0AU04, 1xCOSE04, 1xCOGA04



Coral ref. C004-5

pg. 59

LAMP SHADESIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY

DIBOND®

CABLE

Transparent

120V - 60Hz

E26 Med. - Max. 5x100 W

E26 Med. - Max. 5x42 W

E26LED - Max. 5x13 W

upon request:

GU24 - Max. 5x23 W

31,5x31,5x43,3 in
26,5lb

Certifications:



refs. 1xCOAU04, 1xCOCY04, 1xCOSE04, 1xCOGA04, 1xCORE04



Coral ref. C004-10

pg. 60

LAMP SHADESIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY

DIBOND®

CABLE

Transparent

120V - 60Hz

E26 Med. - Max. 10x100 W

E26 Med. - Max. 10x42 W

E26LED - Max. 10x13 W

upon request:


GU24 - Max. 10x23 W

31,5x47,2x57,1 in
77,6lb

Certifications:



refs. 2xCOAU04, 1xCOCY04, 2xCOSE04, 2xCOGA04, 2xCORE04, 1xCOAU04G



Curvas ref. CV04

pg. 156

LAMP SHADE

Glass

One color to choose



Bottom diffuser

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request:

GU24 - Max. 1x23 W

16,5x16,5x11,8 in
9,7lb

Certifications:



Curvas ref. CV04-1

pg. 156

LAMP SHADE

Glass

One color to choose

**CANOPY**

Steel gloss nickel-plated

CABLE

Black or transparent

120V - 60Hz

E12 Candel - Max. 1x60 W

7,9x7,9x7,9 in
3,7lb

Certifications:





Curvas ref. CV04G

pg. 156

LAMPSHADE
Glass

One color to choose



Top and bottom diffuser

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 4x100 W

E26 Med. - Max. 4x42 W

E26LED - Max. 4x13 W


upon request :

GU24 - Max. 4x23 W

24x24x12,6 in
34,6lb



Certifications:



Curvas ref. CV04C-3

pg. 158

LAMPSHADE
Glass

One color to choose



Bottom diffuser

CANOPY

DIBOND®

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 3x100 W

E26 Med. - Max. 3x42 W

E26LED - Max. 3x13 W


upon request :

GU24 - Max. 3x23 W

23,6x31,5x33,5 in
24,3lb



Certifications:



Curvas ref. CV04-7

pg. 159

LAMPSHADE
Glass

One color to choose



Bottom diffuser

CANOPY

DIBOND®

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 7x100 W

E26 Med. - Max. 7x42 W

E26LED - Max. 7x13 W


upon request :

GU24 - Max. 7x23 W

31,5x47,2x49,2 in
77lb



Certifications:



Doscubos ref. D004-1

LAMPSHADE
Glass

One color to choose



CANOPY

Painted steel
and stainless steel

CABLE

Black or transparent

120V - 60Hz


E12 Candel - Max. 1x60 W

7,9x7,9x7,9 in
2,2lb



Certifications:

Encaixe ref. EN04

**LAMPSHADE**

Glass

One color to choose

**CANOPY**Painted steel
and stainless steel**CABLE**

Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W


16,5x16,5x11,8 in
9,5lb

Certifications:



pg. 112

Fluo ref. FL04

**LAMPSHADE**

Galvanized painted steel

One color to choose*

**CANOPY**Steel gloss nickel-plated
and Stainless steel**CABLE**

Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26LED - Max. 1x13 W

31,5x29,5x29,5 in
8lb

Certifications:



2009

pg. 112

Fluo ref. FL04-4

**LAMPSHADE**

Galvanized painted steel

One color to choose*

**CANOPY**

Stainless steel

CABLE

Transparent

120V - 60Hz

E26 Med. - Max. 4x100 W

E26LED - Max. 4x13 W

29,5x31x77 in
29,5x31x28 in

Certifications:



2009

35lb



pg. 114

Gea ref. GE04

**LAMPSHADE**SIMETECH® by arturo alvarez
pg.190

One color to choose

**CANOPY**

Steel gloss nickel-plated

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

24x10,6x7,9 in
4,4lb

Certifications:



pg. 65



Gea ref. GE04-LD

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



CANOPY
Steel gloss nickel-plated
CABLE
Black or transparent

LED / DIMMABLE

100~277V- 60Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system: 0-10 V

pg. 65

24x10,6x7,9 in
5,8lb



Certifications:



Iki ref. IK04

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Painted steel

CANOPY
Stainless steel

CABLE
Transparent

120V - 60Hz
E26 Med. - Max. 2x100 W
E26 Med. - Max. 2x42 W
E26LED - Max. 2x13 W
upon request:
GU24 - Max. 2x23 W

pg. 105

49,2x12,2x12,6 in
12,6lb



Certifications:



Kite ref. KT04

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Painted steel

CANOPY
Stainless steel

CABLE
Transparent

120V - 60Hz
2GX13 - Max. 1x55 W

pg. 88

28x28x5,1 in
6,6lb



Certifications:



Kite ref. KT04-LD

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Painted steel

CANOPY
Stainless steel

CABLE
Transparent

100~277V- 60Hz
32W 4.250lm 3000K built-in
Dimming system 0-10 V


pg. 88

49,2x11,8x11,8 in
20,7lb



Certifications:





Kite ref. KT04G

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Painted steel

CANOPY
Stainless steel

CABLE
Transparent

120V - 60Hz
T5 HO Bi-pin - 4x24 W

pg. 89

39,4x39,4x4,7 in
19,8lb



Certifications:



Kite ref. KT04G-D

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Painted steel

CANOPY
Stainless steel

CABLE
Transparent

120V - 60Hz
T5 HO Bi-pin - 4x24 W

Dimming system: 0-10 V

pg. 89

39,4x39,4x4,7 in
19,8lb



Certifications:



Kite ref. KT04G-LD

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Painted steel

CANOPY
Stainless steel

CABLE
Transparent

100~277V - 60Hz

64W 8.499lm 3000K built-in

Dimming system 0-10 V

pg. 89

49,2x11,8x11,8 in
20,7lb



Certifications:



Luisa ref. LS04

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

CABLE
Transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

pg. 47

17,3x17,3x15,7 in
6,6lb



Certifications:





LED

Luisa ref. LS04-LD

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated
CABLE
Transparent

LED / DIMMABLE

pg. 47

100~277V- 60Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system: 0-10 V



Certifications:

**Luisa** ref. LS04G

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated
CABLE
Transparent

120V - 60Hz
E26 Med. - Max. 1x100 W
E26 Med. - Max. 1x42 W
E26LED - Max. 1x13 W
upon request:
GU24 - Max. 1x23 W



Certifications:



LED

Luisa ref. LS04G-LD

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated
CABLE
Transparent

100~277V- 60Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system: 0-10 V




Certifications:

**Nevo** ref. NE04

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Steel gloss nickel-plated
and Stainless steel

CANOPY
Steel gloss nickel-plated
and Stainless steel


CABLE
Transparent

120V - 60Hz
E26 Med. - Max. 3x100 W
E26 Med. - Max. 3x42 W
E26LED - Max. 3x13 W
upon request:
GU24 - Max. 3x23 W



Certifications:






Nevo ref. NE04G

LAMPSHADE

SIMETECH® by arturo alvarez
pg.190

One color to choose



Steel gloss nickel-plated
and Stainless steel

CANOPY

Steel gloss nickel-plated
and Stainless steel

CABLE

Transparent

120V - 60Hz

E26 Med. - Max. 4x100 W

E26 Med. - Max. 4x42 W

E26LED - Max. 4x13 W

upon request :


GU24 - Max. 4x23 W

pg. 77

33,1x33,1x14,6 in
18,9lb



Certifications:



Nevo ref. NE04-1

LAMPSHADE

SIMETECH® by arturo alvarez
pg.190

One color to choose



Steel gloss nickel-plated
and Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Transparent

120V - 60Hz

E12 - Max. 2x60 W

E12 LED - Max. 2x7 W

E12 - HALOGEN BULB Max. 2x40 W

upon request :


GU24 - Max. 1x23 W

pg. 76

16,9x16,9x7,8 in
4,5lb



Certifications:




Nevo ref. NE04-1-LD

LAMPSHADE

SIMETECH® by arturo alvarez
pg.190

One color to choose



Steel gloss nickel-plated
and Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Transparent

100~277V- 60Hz

18,1W 3000K 1776lm built-in

upon request 2700K 1645lm

Dimming system: 0-10 V

pg. 76

16,9x16,9x7,8 in
5,1lb



Certifications:



Nevo ref. NE04-6

LAMPSHADE

SIMETECH® by arturo alvarez
pg.190

One color to choose



Steel gloss nickel-plated
and Stainless steel

refs. 3xNE06P, 3xNE04-1

CANOPY

DIBOND®

CABLE

Transparent

120V - 60Hz

E12 - Max. 12x60 W

E12 LED - Max. 12x7 W

E12 - HALOGEN BULB Max. 12x40 W

upon request :


GU24 - Max. 6x23 W

pg. 78

23,6x31,5x32,3 in
55,1lb



Certifications:



Nevo ref. NE04-11

pg. 79

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Steel gloss nickel-plated
and Stainless steel

CANOPY
DIBOND®

CABLE
Transparent

120V - 60Hz

E12 - Max. 22x60 W

E12 LED - Max. 22x7 W

E12 - HALOGEN BULB Max. 22x40 W

upon request :

GU24 - Max. 11x23 W

31,5x47,2x53,1 in
116,8lb



Certifications:

refs. 4xNE06P, 7xNE04-1

Norman ref. N004

pg. 161



LAMPSHADE
Glass

One color to choose



Steel

CANOPY
Stainless steel

CABLE
Black or transparent

120V - 60Hz

T5 HO Bi-pin - 1x54 W

57,1x7,9x7,9 in
14,3lb



Certifications:



Onn ref. ON04

pg. 17

LAMPSHADE
Painted stainless steel

One color to choose



*For orders of 5 or more units
select any color NCS

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

17,3x17,3x15,7 in
5,7lb



Certifications:



Onn ref. ON04-LD

LED / DIMMABLE

pg. 17

LAMPSHADE
Painted stainless steel

One color to choose



*For orders of 5 or more units
select any color NCS

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

100~277V - 60Hz

18,1W 3000K 1776lm built-in

upon request 2700K 1645lm

Dimming system: 0-10 V

17,3x17,3x15,7 in
6,8lb



Certifications:



Onn ref. ON04G

pg. 16

LAMPSHADE	CANOPY
Painted stainless steel	Steel gloss nickel-plated
One color to choose	

*For orders of 5 or more units
select any color NCS

CABLE
Black or transparent

120V - 60Hz
E26 Med. - Max. 3x100 W
E26 Med. - Max. 3x42 W
E26LED - Max. 3x13 W
upon request:
GU24 - Max. 3x23 W

 19,7x19,7x19,7 in
9,9lb


Certifications:



LED

Onn ref. ON04G-LD

LED / DIMMABLE

pg. 16

LAMPSHADE	CANOPY
Painted stainless steel	Steel gloss nickel-plated
One color to choose	


*For orders of 5 or more units
select any color NCS

CABLE
Black or transparent

100~277V- 60Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system: 0-10 V

 19,7x19,7x19,7 in
11lb


Certifications:



Pili ref. PL04

pg. 22

LAMPSHADE	CANOPY
Painted stainless steel thread	Steel gloss nickel-plated
One color	




CABLE
Transparent

120V - 60Hz
E26 Med. - Max. 1x100 W
E26LED - Max. 1x13 W
upon request:

 17,3x17,3x15,7 in
4,6lb


Certifications:



Pili ref. PL04G

pg. 22

LAMPSHADE	CANOPY
Painted stainless steel thread	Steel gloss nickel-plated
One color	




CABLE
Transparent

120V - 60Hz
E26 Med. - Max. 1x100 W
E26LED - Max. 1x13 W
upon request:

 19,7x19,7x19,7 in
6,8lb


Certifications:



Pili ref. PL04-4

pg. 23

LAMPSHADE

Painted stainless steel thread

One color

**CANOPY**

Steel gloss nickel-plated

CABLE

Transparent

120V - 60Hz

E26 Med. - Max. 4x100 W

E26LED - Max. 4x13 W

upon request:

GU24 - Max. 4x23 W

 31,5x47,2x45,3 in
26,5lb


Certifications:



Shio ref. SH04

pg. 168

LAMPSHADE

Plywood

One color to choose

**CANOPY**

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

120V - 60Hz

2GX13 - Max. 1x55 W

 24x24x7,9 in
15,5lb


Certifications:



Shio ref. SH04-1

pg. 168

LAMPSHADE

Plywood

One color to choose

**CANOPY**

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

120V - 60Hz

2GX13 - Max. 1x22 W

 17,3x17,3x15,7 in
9,1lb


Certifications:



Shio ref. SH04-1-D

DIMMABLE

pg. 168

LAMPSHADE

Plywood

One color to choose

**CANOPY**

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

120V - 60Hz

2GX13 - Max. 1x22 W

Dimming system: 0-10 V

 17,3x17,3x15,7 in
9,1lb


Certifications:





Shio ref. SH04-1-LD

LAMPSHADE

Plywood
One color to choose



Painted steel
Top and bottom diffuser

CANOPY

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

LED / DIMMABLE

pg. 168

100~277V - 60Hz


16,6W 3000K 1530lm built-in
upon request 2700K 1449lm
Dimming system: 0-10 V



17,3x17,3x15,9 in
10,5lb



Certifications:



Tati ref. TA04

pg. 70

LAMPSHADE

SIMETECH® by arturo alvarez
pg.190



Steel gloss nickel-plated and Stainless steel

CANOPY

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 3x100 W
 E26 Med. - Max. 3x42 W
 E26LED - Max. 3x13 W
upon request:
 GU24 - Max. 3x23 W



Certifications:



Tati ref. TA04G

39,4x34,6x9,1 in
19,8lb

LAMPSHADE

SIMETECH® by arturo alvarez
pg.190



Steel gloss nickel-plated and Stainless steel

CANOPY

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 4x100 W
 E26 Med. - Max. 4x42 W
 E26LED - Max. 4x13 W
upon request:
 GU24 - Max. 4x23 W



Certifications:



Tati ref. TA04-1

pg. 70

LAMPSHADE

SIMETECH® by arturo alvarez
pg.190



Steel gloss nickel-plated and Stainless steel

CANOPY

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W
 E26 Med. - Max. 1x42 W
 E26LED - Max. 1x13 W
upon request:
 GU24 - Max. 1x23 W



Certifications:





Tati ref. TA04-1-LD

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Steel gloss nickel-plated and Stainless steel

CANOPY
Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

LED / DIMMABLE

pg. 70

100~277V- 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system: 0-10 V

20,5x18,5x8,3 in
7,1lb



Certifications:



Tati ref. TA04-3

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Steel gloss nickel-plated and Stainless steel

CANOPY
DIBOND®

CABLE

Transparent

120V - 60Hz

E12 - Max. 6x60 W
E12 LED - Max. 6x7 W
E12 - HALOGEN BULB Max. 6x40 W
upon request:
GU24 - Max. 3x23 W

23,6x31,5x32,3 in
41,9lb



Certifications:

refs. 3xTA06G



Tati ref. TA04-5

pg. 71

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Two color combination



Steel gloss nickel-plated and Stainless steel

CANOPY
DIBOND®

CABLE

Transparent

120V - 60Hz

E12 - Max. 10x60 W
E12 LED - Max. 10x9 W
E12 - HALOGEN BULB Max. 10x40 W
upon request:
GU24 - Max. 5x23 W

23,6x31,5x32,3 in
55,1lb



Certifications:


refs. 3xTA06G, 2xTA06P



Tati ref. TA04-10

LAMPSHADE
SIMETECH® by arturo alvarez
pg.190

One color to choose



Two color combination



Steel gloss nickel-plated and Stainless steel

CANOPY
DIBOND®

CABLE

Transparent

120V - 60Hz

E12 - Max. 20x60 W
E12 LED - Max. 20x9 W
E12 - HALOGEN BULB Max. 20x40 W
upon request:
GU24 - Max. 10x23 W

31,5x47,2x53,1 in
121,3lb



Certifications:

refs. 6xTA06G, 4xTA06P



Tempo Andante ref. TEAN04

pg. 30

LAMP SHADE	CANOPY
Painted stainless steel	Steel gloss nickel-plated
One color to choose	

*For orders of 5 or more units
select any color NCS

CABLE
Black or transparent

120V - 60Hz
E26 Med. - Max. 1x100 W
E26 Med. - Max. 1x42 W
E26LED - Max. 1x13 W
upon request :
GU24 - Max. 1x23 W

24x10,6x7,9 in
3,2lb



Certifications:



Tempo Andante ref. TEAN04-LD LED / DIMMABLE

pg.30

LAMP SHADE	CANOPY
Painted stainless steel	Steel gloss nickel-plated
One color to choose	

*For orders of 5 or more units
select any color NCS

CABLE
Black or transparent

100~277V- 60Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

24x10,6x7,9 in
5,5lb



Certifications:



Tempo Vivace ref. TEV104

pg. 31

LAMP SHADE	CANOPY
Painted stainless steel	Steel gloss nickel-plated
One color to choose	

*For orders of 5 or more units
select any color NCS

CABLE
Black or transparent

120V - 60Hz
E26 Med. - Max. 1x100 W
E26 Med. - Max. 1x42 W
E26LED - Max. 1x13 W
upon request :
GU24 - Max. 1x23 W

24x10,6x7,9 in
3,2lb



Certifications:



Tempo Vivace ref. TEV104-LD LED / DIMMABLE

pg. 31

LAMP SHADE	CANOPY
Painted stainless steel	Steel gloss nickel-plated
One color to choose	

*For orders of 5 or more units
select any color NCS

CABLE
Black or transparent

100~277V- 60Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

24x10,6x7,9 in
5,5lb



Certifications:



Tina ref. TN04

LAMPSHADE Polypropylene One color <input type="checkbox"/> Painted steel	CANOPY Steel gloss nickel-plated CABLE Black or transparent	120V - 60Hz E26 Med. - Max. 1x100 W E26 Med. - Max. 1x42 W E26LED - Max. 1x13 W upon request: GU24 - Max. 1x23 W	43,3x12,2x9,8 in 8,3lb
---	--	---	-----------------------------------

pg. 141

Certifications:
 

Tina ref. TN04-LD

LAMPSHADE Polypropylene One color <input type="checkbox"/> Painted steel	CANOPY Steel gloss nickel-plated CABLE Black or transparent	100~277V- 60Hz 18,1W 3000K 1776lm built-in upon request 2700K 1645lm Dimming system: 0-10 V	43,3x12,2x9,8 in 9,7lb
---	--	--	-----------------------------------

LED / DIMMABLE

pg. 141

Certifications:


Tina ref. TN04G

LAMPSHADE Polypropylene One color <input type="checkbox"/> Painted steel	CANOPY Steel gloss nickel-plated CABLE Black or transparent	120V - 60Hz E26 Med. - Max. 1x100 W E26 Med. - Max. 1x42 W E26LED - Max. 1x13 W upon request: GU24 - Max. 1x23 W	43,3x12,2x9,8 in 9lb
---	--	---	---------------------------------

pg. 141

Certifications:


Tina ref. TN04G-LD

LAMPSHADE Polypropylene One color <input type="checkbox"/> Painted steel	CANOPY Steel gloss nickel-plated CABLE Black or transparent	100~277V- 60Hz 18,1W 3000K 1776lm built-in upon request 2700K 1645lm Dimming system: 0-10 V	43,3x12,2x9,8 in 10,3lb
---	--	--	------------------------------------

LED / DIMMABLE

pg. 141

Certifications:



Tina ref. TN04-5

LAMPSHADE
Polypropylene
One color

Painted steel

CANOPY
DIBOND®
CABLE
Transparent

120V - 60Hz
 E26 Med. - Max. 5x100 W
 E26 Med. - Max. 5x42 W
 E26LED - Max. 5x13 W
 upon request:
 GU24 - Max. 5x23 W

pg. 142

31,5x47,2x53,1 in
83,8lb

 Certifications:


Ura 1 ref. UR104

LAMPSHADE
Painted stainless steel
One color to choose

CANOPY
Steel gloss nickel-plated
CABLE
Black or transparent

120V - 60Hz
 E26 Med. - Max. 1x100 W
 E26 Med. - Max. 1x42 W
 E26LED - Max. 1x13 W
 upon request:
 GU24 - Max. 1x23 W

pg. 6

24x24x12,6 in
8,6lb

 Certifications:


Ura 1 ref. UR104-LD

LAMPSHADE
Painted stainless steel
One color to choose

CANOPY
Steel gloss nickel-plated
CABLE
Black or transparent

100~277V- 60Hz
 18,1W 3000K 1776lm built-in
 upon request 2700K 1645lm
 Dimming system: 0-10 V

pg. 6

24x24x12,6 in
9,7lb

 Certifications:


Ura 2 ref. UR204

LAMPSHADE
Painted stainless steel
One color to choose

CANOPY
Steel gloss nickel-plated
CABLE
Black or transparent

120V - 60Hz
 E26 Med. - Max. 1x100 W
 E26 Med. - Max. 1x42 W
 E26LED - Max. 1x13 W
 upon request:
 GU24 - Max. 1x23 W

pg. 7

17,7x9x9 in
3,5lb

 Certifications:

*For orders of 5 or more units
select any color NCS



Ura 2 ref. UR204-LD

LAMPSHADE
Painted stainless steel
One color to choose



CANOPY
Steel gloss nickel-plated
CABLE
Black or transparent

LED / DIMMABLE

pg.7

100~277V- 60Hz
 18,1W 3000K 1776lm built-in
 upon request 2700K 1645lm
 Dimming system: 0-10 V



Certifications:



Ura 3 ref. UR304

LAMPSHADE
Painted stainless steel
One color to choose



CANOPY
Steel gloss nickel-plated
CABLE
Black or transparent

120V - 60Hz
 E26 Med. - Max. 1x100 W
 E26 Med. - Max. 1x42 W
 E26LED - Max. 1x13 W
 upon request:
 GU24 - Max. 1x23 W



Certifications:



Ura 3 ref. UR304-LD

LAMPSHADE
Painted stainless steel
One color to choose



CANOPY
Steel gloss nickel-plated
CABLE
Black or transparent

100~277V- 60Hz
 18,1W 3000K 1776lm built-in
 upon request 2700K 1645lm
 Dimming system: 0-10 V



Certifications:



Ura ref. UR04-3

LAMPSHADE
Painted stainless steel
One color to choose



CANOPY
Steel gloss nickel-plated
CABLE
Black or transparent


120V - 60Hz
 E26 Med. - Max. 3x100 W
 E26 Med. - Max. 3x42 W
 E26LED - Max. 3x13 W
 upon request:
 GU24 - Max. 3x23 W



Certifications:

*For orders of 5 or more units
select any color NCS

refs. 1xUR104, 1xUR204, 1xUR304



Uxi ref. UX04

LAMPSHADE

Plywood

One color to choose



Top and bottom diffuser

CANOPY

Stainless steel

CABLE

Black or transparent


120V - 60Hz

T5 HO Bi-pin - 2x39 W

pg. 173



Certifications:



Uxi ref. UX04-D

LAMPSHADE

Plywood

One color to choose



Top and bottom diffuser

CANOPY

Stainless steel

CABLE

Black or transparent

DIMMABLE

pg. 173

120V - 60Hz

T5 HO Bi-pin - 2x39 W

Dimming system: 0-10 V



Certifications:



V ref. VV04

pg. 180

LAMPSHADE

Polycarbonate

One color to choose



Glass diffuser

CANOPY

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W



Certifications:



V ref. VV04G

pg. 180

LAMPSHADE

Polycarbonate

One color to choose



Glass diffuser

CANOPY

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

120V - 60Hz

E26 Med. - Max. 4x100 W

E26 Med. - Max. 4x42 W

E26LED - Max. 4x13 W


upon request :

GU24 - Max. 4x23 W



Certifications:





Vento ref. VN04-LD

LAMPSHADE

Glass

One color to choose



Color combinations

Pink Brown

CANOPY

Stainless steel

CABLE

Black or transparent

LED / DIMMABLE

120V - 60Hz


16W 2.125lm 3000K built-in

Dimming system: 0-10 V

pg. 152



Certifications:



Vento ref. VN04-1

LAMPSHADE

Glass

One color to choose



Color combinations

Pink Brown

CANOPY

Stainless steel

CABLE

Black or transparent

120V - 60Hz

G9 Bi-pin - Max. 2x40 W

pg. 153



Certifications:



Woods ref. WD04

LAMPSHADE

Birch



Glass diffuser

CANOPY

Painted steel

CABLE

Transparent

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request :

GU24 - Max. 1x23 W

pg. 177




Certifications:



WALL SCONCES AND CEILING FLUSH MOUNT

Apliques ref. A0604


LAMPSHADE

Glass

One color to choose


SUPPORT

Stainless steel

120V - 60Hz

- E12 - Max. 2x60 W
- E12 LED - Max. 2x7 W



19,7x7,9x9,8 in
3,3lb



Certifications:



Ballet ref. BA06

pg. 42


LAMPSHADE

SIMETECH® by arturo alvarez
pg. 190

One color to choose


SUPPORT

Painted steel

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26LED - Max. 1x13 W
- upon request :
 GU24 - Max. 1x23 W



17,3x17,3x7,9 in
3,5lb




Certifications:



pg. 109

Blum ref. BL06


LAMPSHADE

Painted stainless steel thread

One color


SUPPORT

Painted steel

120V - 60Hz

- E26 Med. - Max. 1x100 W
- E26LED - Max. 1x13 W




16,9x16,9x7,9 in
2,2lb



Certifications:





Cors ref. CR06

LAMPSHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose



SUPPORT
Stainless steel


120V - 60Hz
G9 Bi-pin - Max. 2x40 W

pg. 85

20,1x10,2x7,9 in
2,2lb



Certifications:



Curvas ref. CV06

LAMPSHADE
Glass

One color to choose




SUPPORT
Stainless steel

120V - 60Hz
E12 - Max. 2x60 W
E12 LED - Max. 2x7 W

24,4x10,6x7,9 in
6,5lb




Certifications:



Doscubos ref. D006G

LAMPSHADE
Glass

One color to choose




SUPPORT
Stainless steel

120V - 60Hz
G9 Bi-pin - Max. 1x40 W

8,3x8,3x8,3 in
2,8lb



Certifications:



Gea ref. GE06

LAMPSHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose



SUPPORT
Stainless steel

120V - 60Hz
G9 Bi-pin - Max. 2x40 W

pg. 66

13,78x9,45x5,51 in
1,8lb




Certifications:



Gluc ref. GL06

pg. 164

**LAMPSHADE**

Glass

Combination BEN



Two color combination

**SUPPORT**Stainless steel
and steel gloss nickel-plated

120V - 60Hz

G9 Bi-pin - Max. 3x40 W




Certifications:



Gluc ref. GL05

pg. 165

**LAMPSHADE**

Glass

Combination BEN




Two color combination

**SUPPORT**Stainless steel
and steel gloss nickel-plated

120V - 60Hz


G9 Bi-pin - Max. 3x40 W



Certifications:



Hexa ref. HE06

**LAMPSHADE**SIMETECH® by arturo alvarez
pg. 190

One color to choose

**SUPPORT**

Stainless steel

120V - 60Hz

T5 HO Bi-pin - 2x24 W




Certifications:



Hexa ref. HE06-D

DIMMABLE

**LAMPSHADE**SIMETECH® by arturo alvarez
pg. 190

One color to choose


**SUPPORT**

Stainless steel

120V - 60Hz


T5 HO Bi-pin - 2x24 W

Dimming system: 0-10 V



Certifications:





LED

Hexa ref. HE06-LD

LAMPSHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose



SUPPORT
Stainless steel


MOUNTING OPTIONS
Wall sconce
& Ceiling flush mount

LED / DIMMABLE

100~277V- 60Hz
32W 4.250lm 3000K built-in
Dimming system 0-10 V



Certifications:

**Kala** ref. KL06

pg. 103

LAMPSHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose




SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall sconce

120V - 60Hz
G9 Bi-pin - Max. 2x40 W



Certifications:

**Kite** ref. KT06

pg. 90

LAMPSHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose




SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall sconce
& Ceiling flush mount

120V - 60Hz
2GX13 - Max. 1x55 W



Certifications:



LED

Kite ref. KT06-LD**LED / DIMMABLE**

pg. 90

LAMPSHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose



SUPPORT
Stainless steel


MOUNTING OPTIONS
Wall sconce
& Ceiling flush mount

100~277V- 60Hz
32W 4.250lm 3000K built-in
Dimming system 0-10 V



Certifications:





Kite ref. KT06G

LAMP SHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose



SUPPORT
Stainless steel


120V - 60Hz
T5 HO Bi-pin - 4x24 W

pg. 90

39,4x39,8x4,7 in
22lb



Certifications:



Kite ref. KT06G-D

LAMP SHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose



SUPPORT
Stainless steel


120V - 60Hz
T5 HO Bi-pin - 4x24 W
Dimming system: 0-10 V

pg. 90

39,4x39,8x4,7 in
22lb



Certifications:



Kite ref. KT06G-LD

LAMP SHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose



SUPPORT
Stainless steel


100~277V- 60Hz
64W 8.499lm 3000K built-in
Dimming system 0-10 V

pg. 90

39,4x39,8x4,7 in
24,2lb



Certifications:



Li ref. LI06G-D

LAMP SHADE
Pressed Cellulose

One color to choose



SUPPORT
Stainless steel

100~277V- 60Hz
16W 2.390lm 3000K built-in
Dimming system: 0-10 V


pg. 133

43,3x11,8x9,8 in
10,4lb



Certifications:





Nevo ref. NE06

pg. 82

LAMPSHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose



Steel gloss nickel-plated
and stainless steel

SUPPORT
Steel gloss nickel-plated
and stainless steel

MOUNTING OPTIONS
Wall sconce
& Ceiling flush mount

120V - 60Hz

E12 Candel - Max. 2x60 W

E12 LED - Max. 2x7 W


E12 Halogen - Max. 2x40 W

upon request:

GU24 - Max. 1x23 W

 16,9x16,9x7,5 in
4,2lb


Certifications:



Nevo ref. NE06P

pg. 82

LAMPSHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose



Steel gloss nickel-plated
and stainless steel

SUPPORT
Steel gloss nickel-plated
and stainless steel

120V - 60Hz

G9 Bi-pin - Max. 1x40 W

 16,9x16,9x7,5 in
3,6lb


Certifications:



Norman ref. N006

120V - 60Hz

T5 HO Bi-pin - 1x54 W

 57,1x7,9x7,9 in
11lb

LAMPSHADE
Glass

SUPPORT

Stainless Steel

One color to choose



MOUNTING OPTIONS

Wall sconce
& Ceiling flush mount



Certifications:



120V - 60Hz

E26 Med. - Max. 1x100 W

E26 LED - Max. 1x42 W

E26LED - Max. 1x13 W

upon request:


GU24 - Max. 1x23 W

 18,1x20,5x7,9 in
5,5lb


Certifications:



cUL us



Onn ref. ON06

pg. 18

LAMPSHADE
Painted stainless steel

SUPPORT

Stainless Steel

One color



MOUNTING OPTIONS

Wall sconce
& Ceiling flush mount

120V - 60Hz

E26 Med. - Max. 1x100 W

E26 LED - Max. 1x42 W

E26LED - Max. 1x13 W

upon request:

GU24 - Max. 1x23 W

28,7in

**Onn** ref. ON06G

pg. 18

LAMPSHADE

Painted stainless steel

One color

**SUPPORT**

Stainless Steel

120V - 60Hz

E26 Med. - Max. 3x100 W

E26 Med. - Max. 3x42 W

E26LED - Max. 3x13 W

upon request:


GU24 - Max. 3x23 W

 28x28x11,8 in
13,4lb


Certifications:



37,8x37,8in

**Planum** ref. PM06R

pg. 94

LAMPSHADESIMETECH® by arturo alvarez
pg. 190

One color to choose

**SUPPORT**

Stainless steel

120V - 60Hz

T5 HO Bi-pin - 4x24 W

 40,2x40,2x4,7 in
22,5lb


Certifications:



37,8x37,8in

**Planum** ref. PM06R-D**DIMMABLE**

pg. 94

LAMPSHADESIMETECH® by arturo alvarez
pg. 190

One color to choose

**SUPPORT**

Stainless steel

120V - 60Hz

T5 HO Bi-pin - 4x24 W

Dimming system: 0-10 V

 40,2x40,2x4,7 in
22,5lb


Certifications:



37,8x37,8in

**LED****Planum** ref. PM06R-LD**LED / DIMMABLE**

pg. 94

LAMPSHADESIMETECH® by arturo alvarez
pg. 190

One color to choose

**SUPPORT**

Stainless steel

120V - 60Hz

64W 8,499lm 3000K built-in

Dimming system 0-10 V

 40,2x40,2x4,7 in
23,8lb


Certifications:





Planum ref. PM06PR

pg. 96

LAMP SHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose

SUPPORT
Stainless steel

120V - 60Hz
 T5 HO Bi-pin - 2x24 W

39,4x20,9x4,7 in
9,9lb

MOUNTING OPTIONS
Wall sconce
& Ceiling flush mount



Certifications:



Planum ref. PM06PR-D

DIMMABLE

pg. 96

LAMP SHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose

SUPPORT
Stainless steel

120V - 60Hz
 T5 HO Bi-pin - 2x24 W
Dimming system: 0-10 V

39,4x20,9x4,7 in
9,9lb

MOUNTING OPTIONS
Wall sconce
& Ceiling flush mount



Certifications:



Planum ref. PM06PR-LD

LED / DIMMABLE

pg. 96

LAMP SHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose

SUPPORT
Stainless steel


120V - 60Hz
 32W 4.250lm 3000K built-in
Dimming system 0-10 V

39,4x20,9x4,7 in
10,8lb

MOUNTING OPTIONS
Wall sconce
& Ceiling flush mount



Certifications:



Tati ref. TA06

pg. 73

LAMP SHADE
SIMETECH® by arturo alvarez
pg. 190

One color to choose

SUPPORT
Stainless steel

120V - 60Hz
 G9 Bi-pin - Max. 2x40 W


13,4x9,4x5,9 in
1,5lb

MOUNTING OPTIONS
Wall sconce



Certifications:





Tati ref. TA06G

LAMPSHADE

SIMETECH® by arturo alvarez
pg. 190

One color to choose



Steel gloss nickel-plated
and stainless steel

SUPPORT

Steel gloss nickel-plated
and stainless steel

MOUNTING OPTIONS

Wall sconce
& Ceiling flush mount

120V - 60Hz

E12 Candel - Max. 2x60 W

E12 Candel - Max. 2x60 W

E12 LED - Max. 2x7 W

E12 Halogen - Max. 2x40 W

upon request:


GU24 - Max. 1x23 W



16,5x16,5x7,9 in
5,3lb



Certifications:



Tati ref. TA06P

LAMPSHADE

SIMETECH® by arturo alvarez
pg. 190

One color to choose



Steel gloss nickel-plated
and stainless steel

SUPPORT

Steel gloss nickel-plated
and stainless steel

120V - 60Hz


G9 Bi-pin - Max. 1x40 W



16,5x16,5x7,9 in
2,2lb



Certifications:



Vento ref. VN06

pg. 151

LAMPSHADE

Glass

One color to choose



Color combinations


SUPPORT

Stainless steel

120V - 60Hz

G9 Bi-pin - Max. 2x40 W



31,5x11,8x11,8 in
9,7lb



Certifications:

Piece to move
the electric cable

Pieza para desplazamiento
de cable eléctrico



SYMBOL INDEX



Awarded by Interior Design Magazine, New York
Premio otorgado por la revista Interior Design de New York



Awarded by Interior Design Magazine, New York
Premio otorgado por la revista Interior Design de New York



Awarded by the International Interior Design Association and Hospitality Design magazine
Premio otorgado por la International Interior Design Association y la revista Hospitality Design



reddot design award
Awarded by the Design Zentrum Nordrhein Westfalen
Premio otorgado por Design Zentrum Nordrhein Westfalen



Awarded by the Design Zentrum Nordrhein Westfalen
Premio otorgado por Design Zentrum Nordrhein Westfalen



This fitting is legally approved and complies with the European standards
Luminaria homologada cumple con la normativa CE



For North America, these items comply with the ETL standard for luminaires under the ETL file of arturo alvarez



For North America, these items comply with the UL standard for luminaires under the UL file of arturo alvarez



Only for the USA, these items comply with the UL standard for luminaires under the UL file of arturo alvarez



These items comply with the Americans with Disabilities Act



Available with LED technology
Disponible en tecnología LED



Double insulation and/or reinforced insulation in every part and without ground devices
Doble aislamiento y/o aislamiento en cada parte y sin toma de tierra



The device is not suitable for generally inflammable surfaces
Aparato no adaptado para la instalación en superficies normalmente inflamables



Luminaire to use with tungsten halogen bulbs with self protection shield
Luminaria diseñada para usar lámparas halógenas de volframio con pantalla de protección propia



With ground devices
Con toma de tierra

The products in this catalogue are printed photographic reproductions. The color of the pictures may slightly differ from the real color.

All our lamps are totally handmade in Spain. The differences you may find in our luminaries or the range of materials we use, make them unique. Small differences between lamps of the same reference are not defects, they add value to them, because each one is a unique object. The indicated lampshade dimensions are only approximate, never exact.

While maintaining the basic characteristics of the product, arturo alvarez reserves the right to make any modifications at any time with the sole aim of improvement.

Electronic components are guaranteed according to the national applicable regulations [e.g., 2 years in Spain].

US / Imperial measurements in approximate inches.

Los productos de este catálogo son reproducciones fotográficas impresas. Es posible que el color de las imágenes varíe ligeramente con respecto al color real.

Todas nuestras luminarias están hechas íntegramente a mano en España. Las diferencias entre ellas y en los distintos materiales empleados convierten a cada lámpara en única. Pequeñas diferencias entre lámparas de una misma referencia no son un defecto, sino un valor, cada una es un objeto único. Las dimensiones de las tulipas indicadas son sólo aproximadas y nunca exactas.

Manteniendo las características básicas de los diseños, arturo alvarez se reserva el derecho a realizar las modificaciones que considere oportunas con el fin de mejorarlos.

Los componentes electrónicos ofrecen una garantía conforme a la legislación nacional aplicable [ej., 2 años en España].

Las medidas en pulgadas son aproximadas.

arturo alvarez®

Calor Color S.L.
San Miguel de Sarandón, 9
15885 Vedra, A Coruña, Spain
T. +34 981 814 600
F. +34 981 502 000
info@arturo-alvarez.com



www.arturo-alvarez.com

©2017 Calor Color S.L.
All rights reserved

Legal deposit: C 169-2017
Development, production and design: arturo alvarez
Printing: Agencia Gráfica. Santiago de Compostela. Spain

www.arturo-alvarez.com

Handmade in Spain