


a


by arturo alvarez

INDEX ÍNDICE


TABLE LAMPS | LÁMPARAS DE MESA
13 - 16




FLOOR LAMPS | LÁMPARAS DE PIE
18 - 22




PENDANT LAMPS | LÁMPARAS COLGANTES
23 - 53



COMPOSITIONS | COMPOSICIONES
54 - 60



WALL & CEILING LAMPS | APLIQUES Y PLAFONES
61 - 71



1 Painted stainless steel mesh Malla de acero inoxidable pintada

The stainless steel mesh is a cold industrial material that Arturo Álvarez, through manual techniques converted into lamps. The physical characteristics of these materials allows through methods developed by Arturo Álvarez, they can be folded, molded and cut resulting in creative freedom designs. The paint finish adds to this resistant and compact material a greater durability and facilitates its maintenance and cleaning.

Colors & codes: White [BL], beige [BE], grey [G], taupe [T].

NCS Code: White [S 0500-N], beige [S 3020-Y30R], grey [S 2500-N], taupe [S 3005-Y80R].

Collections: Africa, Ballet, Coral, Cors, Gea, Hipatia, Kala, Kite, Luisa, Nevo, Onn, Planum, Tati, Tempo, Virginia.

Clara and Mytilus only available in white.

La malla de acero inoxidable es un material frío de carácter industrial que Arturo Álvarez, a través de técnicas manuales convierte en lámparas. Las características físicas de este material permite que a través de métodos desarrollados por Arturo Álvarez, se pueda plegar, moldear y cortar consiguiendo libertad creativa en los diseños. El acabado de pintura suma a este material resistente y compacto una mayor durabilidad y facilita su mantenimiento y limpieza.

Colores y códigos: Blanco [BL], beige [BE], gris [G], topo [T].

Código NCS: Blanco [S 0500-N], beige [S 3020-Y30R], gris [S 2500-N], topo [S 3005-Y80R].

Colecciones: Africa, Ballet, Coral, Cors, Gea, Hipatia, Kala, Kite, Luisa, Nevo, Onn, Planum, Tati, Tempo, Virginia.

Clara y Mytilus solo disponibles en blanco.

2 Plywood Tablero marino

Available in yellow, white and wenge the plywood is used in a different way. Showing the internal face of this material, we create designs where the light is stained by the laminate of the wood. Its characteristics make maintenance easy and present a long durability.

Colors & codes: White [B], yellow [AM], wengue [WE].

Collections: Shio, Uxi.

Disponible en amarillo, blanco y wengué el tablero marino se utiliza de una manera diferente. Mostrando la cara interna de este material, creamos diseños donde la luz queda teñida por el propio laminado de la madera. Sus características hacen que su mantenimiento sea sencillo y presente una larga durabilidad.

Colores y códigos: Blanco [B], amarillo [AM], wengué [WE].

Colecciones: Shio, Uxi.

4 Painted stainless steel thread Hilo de acero inoxidable

The stainless steel thread interlaced and embroidered on itself, creates random, light, seemingly fragile volumes, but durable thanks to the sturdiness that paint finish brings.

Colors & codes: White [B].

Collections: Blum, Pili.

El hilo de acero inoxidable entrelazado y embrollado sobre sí mismo, crea volúmenes aleatorios, ligeros, aparentemente frágiles, pero resistentes gracias a la dureza que le aporta la pintura.

Colores y códigos: Blanco [B].

Colecciones: Blum, Pili.

3 Cellulose cord Cordón de celulosa

The pressed cellulose cord is a pleasant texture material and has a wide range of colors. This medium flammability component is obtained from pressed cellulose and is molded using its own techniques. Due to its physical characteristics it is not recommended to wet the material for cleaning.

Colors & codes: White [42], grey [43], red [46], brown [47], gold yellow [48], medium brown [49], beige [50], green [51], blue [52].

Collection: Caos.

Arc only available in white.

El cordón de celulosa prensada es un material de agradable textura y que presenta una amplia gama de colores. Este componente de flamabilidad media se obtiene de celulosa prensada y a través de técnicas propias, se moldea. Debido a sus características físicas no se recomienda mojar el material para su limpieza.

Colores y códigos: Blanco [42], gris [43], rojo [46], marrón [47], amarillo oro [48], marrón medio [49], beige [50], verde [51], azul [52].

Colección: Caos.

Arc solo disponible en blanco.

5 Galvanized steel mesh Malla de acero galvanizado

The application of galvanized steel mesh is another example of a different use of the material. The malleability of this material and its hollow light allows it, through painting processes, to become a material with a delicate appearance but of high quality and durability.











Color & code: White [B].

Collection: Fluo.

La utilización de la malla de acero galvanizado es otro ejemplo de descontextualización de un material. La maleabilidad de este material y su hueco de luz permite que, a través de procesos de pintado, se convierta en un material con apariencia delicada pero de alta calidad y durabilidad.

Color y código: Blanco [B].

Colección: Fluo.

1**2****3****5****4**

6 Glass

Vidrio

Our semi-handmade glass presents irregular watermarks that gives personality to this material. This opalescent glass comes in a wide range of bright colors.

Colors & codes: White [02], sand [87], dark amber [89], brown [90], beige [95].

Collections: Curvas, Vento.

El carácter semiartesanal de nuestro vidrio presenta irregularidades en forma de aguas que dota de personalidad este material. Este vidrio opalescente se presenta en una amplia gama de colores brillantes.

Colores y códigos: Blanco [02], arena [87], ámbar oscuro [89], marrón [90], beige [95].

Colecciones: Curvas, Vento.

9 Ash wood

Fresno

Ash wood is polyvalent and especially flexible. Its resistance make it a high quality material that, through manual processes, allows curved and durable finishes.

Collection: Aimei.

El fresno es una madera polivalente y especialmente flexible. Su resistencia lo convierte en un material de alta calidad que, a través de procesos manuales, permite acabados curvos y duraderos.

Colección: Aimei.

7 Pressed cellulose

Celulosa prensada

The pressed cellulose, through a suitable refining process, is a highly flexible and moldable material. Resistant and high durable, it comes in a wide range of colors. Due to its physical characteristics it is not recommended to wet the material.

Colors & codes: White [42], grey [43], red [46], brown [47], gold yellow [48], medium brown [49], beige [50], green [51], blue [52].

Collections: Bety Eco, Li

La celulosa prensada, a través de un proceso de refinado adecuado, es un material altamente flexible y moldeable. Resistente y de alta durabilidad, se presenta en una amplia gama de colores. Por sus características físicas no se recomienda mojar el material.

Colores y códigos: Blanco [42], gris [43], rojo [46], marrón [47], amarillo oro [48], marrón medio [49], beige [50], verde [51], azul [52].

Colecciones: Bety Eco, Li.

10 Polypropylene strips

Tiras de polipropileno

Through traditional basketmaking techniques, we make voluminous and light designs. This highly flexible, resistant and light material is used in strips that are woven among themselves. With an average degree of flammability, this component is easy to maintain.

Color & code: White [B].

Collections: Aros, Tina.

Mediante técnicas de cestería tradicional, realizamos diseños de gran volumen y ligereza. Este material altamente flexible, resistente y ligero se emplea en tiras que se tejen entre si. Con un grado de flamabilidad media, este componente es de fácil mantenimiento.

Color y código: Blanco [B].

Colecciones: Aros, Tina.

8 Birch wood

Abedul

A material of high durability and easy maintenance. The birch wood is characterized by its light color and low contrast, allowing easy manual processing. The light that escapes between the wooden slats turns this material into a warm and elegant wood.

Collection: Woods.

Un material de alta durabilidad y fácil mantenimiento. La madera de abedul caracterizada por su color claro y su bajo contraste, permite un fácil procesado manual. La luz que escapa entre los listones de madera convierte este material en una madera cálida y elegante.

Colección: Woods.

11 Polycarbonate

Policarbonato

Through plastic injection technology, this material is consistently made and is available in two colors. The personalized shape of each piece allows the realization of luminaires of large dimensions and easy maintenance

Colors & codes: White [B], black [N].


Collection: V.

Mediante la tecnología de inyección de plástico, se elabora este material consistente y disponible en dos colores. La rigidez y forma personalizada de cada pieza permite la realización de luminarias de grandes dimensiones y de fácil mantenimiento.


Colores: Blanco [B], negro [N].

Colección: V.


6






7






8







9



10



11



AUTHENTICITY GUARANTEE | GARANTÍA DE AUTENTICIDAD

All lamps are labelled with an identification code and serial number. This fixture is an exclusive and authentic design of the company arturo alvarez. It is entirely handmade in Spain and passes strict quality controls before its entrance into the market.

All our lamps are totally handmade. The differences found in our luminaires and in the different materials used make them unique. Small differences between lamps are not a defect, it is a value because each one is a unique object. The indicated lampshade dimensions are only approximate, never exact.

Todas las lámparas salen con etiquetas que reflejan la referencia y número de serie. Esta lámpara es un diseño exclusivo y auténtico de la empresa arturo alvarez. Está producida y hecha totalmente a mano en España. Pasa estrictos controles de calidad antes de su salida al mercado.

Todas nuestras lámparas están hechas a mano. Las diferencias entre ellas y en los distintos materiales empleados convierten a cada lámpara en única. Pequeñas diferencias entre lámparas de una misma referencia no son un defecto, sino un valor, cada una es un objeto único. Las dimensiones de las tulipas indicadas son sólo aproximadas y nunca exactas.

SYMBOL INDEX | ÍNDICE DE SÍMBOLOS



Awarded by Interior Design Magazine, New York
Premio otorgado por la revista Interior Design de New York



As awarded by the International Interior Design Association (IIDA) and Hospitality Design magazine
Premio otorgado por International Interior Design Association (IIDA) y la revista Hospitality Design



As awarded by the Chicago Athenaeum Museum of Architecture and Design
Premio otorgado por Chicago Athenaeum Museo de Arquitectura y Diseño



Available with LED built-in technology
Disponible con tecnología LED integrada



The luminaires made of painted stainless steel mesh can be chosen by RAL or NCS code [see conditions].
Las luminarias realizadas en malla de acero inoxidable pintada podrán elegirse el color mediante código RAL o NCS [ver condiciones].



Fitting is legally approved and comply with the European Mark CE
Luminaria homologada, cumple con la normativa CE



Luminaire to use with tungsten halogen bulbs with own protection shield
Luminaria diseñada para usar lámparas halógenas de volframio con pantalla de protección propia



For North America, these items comply with the UL standard for luminaires under the UL file of arturo alvarez
Para América del Norte, estos artículos cumplen con el estándar UL para luminarias bajo el archivo UL de arturo alvarez



Only for the USA, these items comply with the UL standard for luminaires under the UL file of arturo alvarez
Solo para EE.UU., estos artículos cumplen con el estándar UL para luminarias bajo el archivo UL de arturo alvarez



Double insulation and/or reinforced insulation in every part and without ground devices
Doble aislamiento y/o aislamiento en cada parte y sin toma de tierra



The device is not suitable for installation on normally inflammable surface
Aparato no adaptado para la instalación en superficies normalmente inflamables




According to Americans with Disabilities Act
De acuerdo con la ley de discapacidades de los estadounidenses



Digital Addressable Lighting Interface

Professional standard bidirectional regulation interface for lighting equipment control
Interfaz profesional estándar de regulación bidireccional para control de equipos de iluminación



Trailing&Leading

Regulation for small installations without adding additional control wiring.
Regulación para instalaciones pequeñas sin necesidad de añadir cableado adicional de control.
PHASE CUT - 230V
PHASE CONTROL - 120V



only for 120V

Regulation of luminous flux between 0 and 10V [1-100%] through an analog signal.
Regulación de flujo lumínico entre 0 y 10V [1-100%] a través de una señal analógica.

TECHNICAL CATALOGUE

CATÁLOGO TÉCNICO

TABLE LAMPS

LÁMPARAS DE MESA

Arc ref. AC02



LED

LAMPSHADE TULIPA

Cord
Cordón

One color: white
Un color: blanco



42

SUPPORT SOPORTE

Stainless steel
Acero inoxidable

CABLE

Transparent
Transparente

L 200cm | 78,7in

LIGHT SOURCE BUILT-IN FUENTE DE LUZ INCLUIDA

230V - 50Hz

STRIP 35W 4000K 2897lm

120V - 60Hz

STRIP 35W 4000K 2897lm

NET WEIGHT
PESO NETO

8kg | 17,6lb



71x71x40 cm
28x28x16 in

10kg | 22lb



Certifications:



Energy efficiency: A+
Eficiencia energética: A+

023cm | 9in

Bety Eco ref. BEC001



LAMPSHADE TULIPA

Pressed Cellulose
Celulosa prensada

One color to choose
Un color a elegir



*picture color: 46

*color de la fotografía: 46

SUPPORT SOPORTE

Stainless steel
Acero inoxidable

CABLE

Transparent
Transparente

L 200cm | 78,7in

RECOMMENDED BULBS BOMBILLAS RECOMENDADAS

230V - 50Hz

E14 LED Vintage- Max. 1x7 W

E14 LED Standard- Max. 1x7 W

120V - 60Hz

E12 LED - Max. 1x7 W

NET WEIGHT
PESO NETO

1,5kg | 3,3lb



66x32x23 cm
26x12,6x9,1 in


3kg | 6,6lb



Certifications:



Clara ref. CL02



LED

LAMPSHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color: white
Un color: blanco



BL

SUPPORT SOPORTE

Stainless steel
Acero inoxidable

CABLE

Transparent
Transparente

L 200cm | 78,7in

LIGHT SOURCE BUILT-IN FUENTE DE LUZ INCLUIDA

230V - 50Hz

24W 3000K 2527lm built-in
upon request 2700K 2449lm

120-277V - 60Hz

24W 3000K 2527lm built-in
upon request 2700K 2449lm

NET WEIGHT
PESO NETO

4,7kg | 10,4lb



48x90x30 cm
18,9x35,4x11,8 in

10kg | 22lb



Certifications:




Curvas ref. CV01



LAMP SHADE TULIPA

Glass
Vidrio

One color to choose
Un color a elegir



SUPPORT SOPORTE

Painted steel
and stainless steel
Acero pintado y acero
inoxidable

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz

E14 LED Vintage- Max. 1x7 W

E14 LED Standard- Max. 1x7 W

NET WEIGHT
PESO NETO

1,9kg | 4,2lb



46x24x25 cm
17,7x9,4x9,8 in

2,6kg | 5,7lb



Certifications:




CABLE

Transparent or black
Transparente o negro
L 120cm | 47,2in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

Hipatia ref. HI01



LAMP SHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color: white
Un color: blanco



Portable Portátil

Includes remote control
(reach 10m | 39,4in)
Incluye mando a distancia
(alcance 10m | 39,4in)

SUPPORT SOPORTE

Painted steel
and stainless steel
Acero pintado y acero
inoxidable

Functions Funciones
ON / OFF / DIMMING

Autonomy Autonomía
6h at 100%

In charge En carga
8 / 10h

CABLE

Wireless Inalámbrica

USB cable + charger included
Incluye cable USB+cargador

LIGHT SOURCE BUILT-IN

FUENTE DE LUZ INCLUIDA

230V - 50Hz

3000K 247lm built-in
Rechargeable battery
5V - 2A - 5000mAh

NET WEIGHT
PESO NETO

1kg | 2,2lb



46x24x25 cm
18,1x9,4x9,8 in


1,4kg | 3,1lb



Certifications:



Nevo ref. NE01



LAMP SHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado y
acero inoxidable

SUPPORT SOPORTE

Painted steel
and stainless steel
Acero pintado y acero
inoxidable

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz

E14 LED Vintage- Max. 2x7 W

E14 LED Standard- Max. 2x7 W

NET WEIGHT
PESO NETO

1,6kg | 3,5lb



36x36x31 cm
14,2x14,2x12,2 in

2,5kg | 5,5lb



Certifications:



Nevo ref. NE02



70cm | 27,6in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Steel gloss nickel-plated and stainless steel
Acero níquel-satinado y acero inoxidable

SUPPORT SOPORTE
Painted steel and stainless steel
Acero pintado y acero inoxidable

CABLE

Transparent or black
Transparente o negro
L 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

- E14 LED Vintage- Max. 2x7 W
- E14 LED Standard- Max. 2x7 W

120V - 60Hz

- E12 LED - Max. 2x7 W

NET WEIGHT
PESO NETO

2kg | 4,4lb



60x60x33 cm
23,6x23,6x13 in
4kg | 8,8lb



Certifications:



Onn ref. ON02

Ø 29cm | 11,4in



68cm | 26,7in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Steel gloss nickel-plated and stainless steel
Acero níquel-satinado y acero inoxidable

SUPPORT SOPORTE
Painted steel and stainless steel
Acero pintado y acero inoxidable

CABLE

Transparent or black
Transparente o negro
L 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

- E14 LED Vintage- Max. 2x7 W
- E14 LED Standard- Max. 2x7 W

120V - 60Hz

- E12 LED - Max. 2x7 W

NET WEIGHT
PESO NETO

3,5kg | 7,7lb



60x60x33 cm
23,6x23,6x13 in
4,5kg | 9,9lb




Certifications:



Pili ref. PL01

LED



67cm | 26,4in

LAMP SHADE TULIPA
Painted stainless steel thread
Hilo de acero inoxidable pintado

Color: white
Color: blanco



B

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

Dimmable
Regulable

CABLE
Transparent
Transparente
L 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

- 2,1W 2700K 240lm built-in

120V - 60Hz

- 2,1W 2700K 240lm built-in

NET WEIGHT
PESO NETO

0,5kg | 1,1lb



60x60x21 cm
23,6x23,6x8,3 in
2,6kg | 5,7lb



Certifications:





Shio ref. SH02

LAMPSHADE TULIPA

Plywood
Tablero marino
Painted steel
Acero pintado

One color to choose
Un color a elegir



Top and bottom diffuser
Difusor superior e inferior

CABLE

Transparent or black
Transparente o negro
L 200cm | 78,7in

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz
2GX13 - Max. 1x22 W

NET WEIGHT

PESO NETO

3kg | 6,6lb



47x47x63 cm
18,5x18,5x24,8 in
5kg | 11lb



Certifications:



Tati ref. TA02

LAMPSHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado y
acero inoxidable

SUPPORT SOPORTE

Stainless steel
Acero inoxidable

CABLE

Transparent or black
Transparente o negro
L 200cm | 78,7in

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz
E14 LED Vintage- Max. 2x7 W
E14 LED Standard- Max. 2x7 W

NET WEIGHT

PESO NETO

1,6kg | 3,5lb



60x60x33 cm
23,6x23,6x13 in
4kg | 8,8lb



Certifications:



Ura ref. UR01

LAMPSHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



SUPPORT SOPORTE

Stainless steel
Acero inoxidable

CABLE

Transparent or black
Transparente o negro
L 120cm | 47,2in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz
E27 LED Vintage- Max. 1x12 W
E27 LED Standard- Max. 1x12 W

NET WEIGHT

PESO NETO

1kg | 2,2lb



66x32x23 cm
26x12,6x9,1 in
1,8kg | 3,9lb



Certifications:



FLOOR LAMPS

LÁMPARAS DE PIE

Ø 143cm | 56,3in



220cm | 86,6in

Africa ref. AF03

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 3x12 W

E27 LED Standard- Max. 3x12 W

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT
PESO NETO

60kg | 132,7lb

154x153x240 cm
60,6x60,2x94,5 in

272kg | 600lb



Certifications:



Transport not included,
price upon request.
Transporte no incluido,
consultar precio.

SUPPORT SOPORTE

Stainless steel
and painted steel
Acero inoxidable
y acero pintado

CABLE

Transparent or black
Transparente o negro
L 250cm | 98,4in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E



LED



Arc ref. AC03

LAMP SHADE TULIPA
Cord Cordón

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

NET WEIGHT
PESO NETO

15kg | 33,1lb

One color: white
Un color: blanco

230V - 50Hz

STRIP 95W 4000K 6850lm built-in

54x160x210 cm



42

100~240V - 60Hz

STRIP 95W 4000K 6850lm built-in

21,3x63x82,7 in

167kg | 368lb

SUPPORT SOPORTE

Painted steel
Acero pintado

Energy efficiency: A+
Eficiencia energética: A+



CABLE

Transparent
Transparente
L 300cm | 118,1in

Transport not included,
price upon request.
Transporte no incluido,
consultar precio.

*For UE member countries, references: AC03, AF03, FL04-4 and FL04-16, will be served EXW O Milladoiro [INCOTERMS® 2020, ICC Paris]. Transport costs full at customer charges.
*Para las referencias: AC03, AF03, FL04-4 y FL04-16 se cargarán los costes de transporte en factura.

135x60cm | 53,1x23,6in

LED



Arc ref. AC03

LAMP SHADE TULIPA
Cord Cordón

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

NET WEIGHT
PESO NETO

15kg | 33,1lb

One color: white
Un color: blanco

230V - 50Hz

STRIP 95W 4000K 6850lm built-in

54x160x210 cm



42

100~240V - 60Hz

STRIP 95W 4000K 6850lm built-in

21,3x63x82,7 in

167kg | 368lb



Certifications:





Aros ref. AR03

LAMPSHADE TULIPA

Polypropylene
Polipropileno

One color: white
Un color: blanco



Painted steel
Acero pintado

SUPPORT SOPORTE

Painted stainless steel
and painted steel
Acero inoxidable
pintado y acero pintado

Bottom diffuser included
Incluye difusor inferior

CABLE

Transparent or black
Transparente o negro
L 250cm | 98,4in

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

PESO NETO



4kg | 8,8lb

155x11x11 cm
61x4,3x4,3 in
60x60x33 cm
23,6x23,6x13 in

7kg | 15,4lb



Certifications:



Aros ref. AR03G

LAMPSHADE TULIPA

Polypropylene
Polipropileno

One color: white
Un color: blanco



Painted steel
Acero pintado

SUPPORT SOPORTE

Painted stainless steel
and painted steel
Acero inoxidable
pintado y acero pintado

Bottom diffuser included
Incluye difusor inferior

CABLE

Transparent or black
Transparente o negro
L 250cm | 98,4in

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

PESO NETO


4,5kg | 9,9lb

180x11x11 cm
70,9x4,3x4,3 in
60x60x33 cm
23,6x23,6x13 in

7,6kg | 15,6lb



Certifications:



Bety Eco ref. BECO03

LAMPSHADE TULIPA

Pressed Cellulose
Celulosa prensada

One color to choose
Un color a elegir



*picture color: 43
*color de la fotografía: 43

SUPPORT SOPORTE

Stainless steel
Acero inoxidable

CABLE

Transparent or black
Transparente o negro
L 250cm | 98,4in

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

PESO NETO

5,5kg | 12,1lb

47x47x63 cm
18,5x18,5x24,8 in
8kg | 17,6lb



Certifications:



50x50cm | 19,7x19,7in

35x30cm | 13,8x11,8in



130cm | 51,2in



23cm | 9,1in



180cm | 70,9in

FLOOR LAMPS LÁMPARAS DE PIE



Clara ref. CL03

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color: white
Un color: blanco



BL

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

CABLE
Transparent
Transparente
L 250cm | 98,4in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

35W 3000K 3474lm built-in
upon request 2700K 3367lm

NET WEIGHT
PESO NETO

10kg | 22lb



165x40x35 cm
65x15,7x13,8 in
15kg | 33,1lb

120-277V - 60Hz

35W 3000K 3474lm built-in
upon request 2700K 3367lm

Energy efficiency: A
Eficiencia energética: A


Certifications:



Curvas ref. CV03G

LAMP SHADE TULIPA
Glass Vidrio

One color to choose
Un color a elegir



Top diffuser included
Incluye difusor superior

SUPPORT SOPORTE
Painted steel and
stainless steel
Acero pintado y acero
inoxidable

Dimmable
Regulable

CABLE
Transparent or black
Transparente o negro
L 250cm | 98,4in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

ONLY DIMMABLE LED BULBS

230V - 50Hz

E27 LED Vintage- Max. 4x12 W

E27 LED Standard- Max. 4x12 W

NET WEIGHT
PESO NETO

12,5kg | 25,6lb



185x45x25 cm
72,8x17,7x9,8 in
60x80x45 cm
23,6x31,5x17,7 in

120V - 60Hz

E26 LED - Max. 4x12 W

15kg | 33,1lb



Certifications:



Gea ref. GE03

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

SUPPORT SOPORTE
Painted steel and
stainless steel
Acero pintado y acero
inoxidable

Dimmable
Regulable

CABLE
Transparent or black
Transparente o negro
L 350cm | 137,8in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

ONLY DIMMABLE LED BULBS

230V - 50Hz

E27 LED Vintage- Max. 5x12 W

E27 LED Standard- Max. 5x12 W

NET WEIGHT
PESO NETO

14,5kg | 32lb



189x44x27 cm
74,4x17,3x10,6 in

19kg | 41,9lb




Certifications:



35x30cm | 13,8x11,8in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E





Shio ref. SH03

LAMPSHADE TULIPA
Plywood
Tablero marino

Painted steel
Acero pintado

One color to choose
Un color a elegir



Top and bottom diffuser
Difusor superior e inferior

CABLE
Transparent or black
Transparente o negro
L 400cm | 157,5in

Energy efficiency: A+ to B
Eficiencia energética: A+ a B

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz
2GX13 - Max. 1x55 W

NET WEIGHT
PESO NETO

9,6kg | 21,2lb

120V - 60Hz
2GX13 - Max. 1x55 W

156x10x10 cm
61,4x3,9x3,9 in
60x60x22 cm
23,6x23,6x8,7 in

11,9kg | 26,2lb



Certifications:



Ø 80cm | 31,5in

Tina ref. TN03

LAMPSHADE TULIPA
Polypropylene
Polipropileno

Painted steel
Acero pintado

One color: white
Un color: blanco



SUPPORT SOPORTE
Painted Stainless steel
and painted steel
Acero inoxidable
pintado y acero pintado

CABLE
Transparent or black
Transparente o negro
L 400cm | 157,5in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W
E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

5,2kg | 11,5lb

120V - 60Hz
E26 LED - Max. 1x12 W

126x32x33 cm
49,6x12,6x13 in

6,5kg | 14,3lb



Certifications:




Ø 52cm | 20,5in

Ura ref. UR03

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

Dimmable
Regulable

CABLE
Transparent or black
Transparente o negro
L 350cm | 137,8in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

ONLY DIMMABLE LED BULBS

230V - 50Hz
E27 LED Vintage- Max. 3x12 W
E27 LED Standard- Max. 3x12 W

NET WEIGHT
PESO NETO

7,6kg | 16,8lb

120V - 60Hz
E26 LED - Max. 3x12 W

110x41x42cm
43,3x16,5x16,5 in

12,5kg | 27,6lb



Certifications:





Virginia ref. VG03A

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

CABLE
Transparent
Transparente
L 250cm | 98,4in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

10,5kg | 23,1lb

155x11x11 cm
61x4,3x4,3 in
44x44x50 cm
17,3x17,3x19,7 in

12kg | 26,5lb




Certifications:



Virginia ref. VG03B

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

CABLE
Transparent
Transparente
L 250cm | 98,4in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

10kg | 22lb

155x11x11 cm
61x4,3x4,3 in
41x41x40 cm
16,1x16,15,7 in

11,5kg | 25,3lb



Certifications:



V ref. VV03

LAMPSHADE TULIPA
Polycarbonate
Polícarbonato

One color to choose
Un color a elegir



Glass diffuser
Difusor de vidrio

SUPPORT SOPORTE
Painted steel
Acero pintado

CABLE
Transparent or black
Transparente o negro
L 400cm | 157,54in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x8 W

E27 LED Standard- Max. 1x8 W

120V - 60Hz

E26 LED - Max. 1x8 W

NET WEIGHT
PESO NETO

12kg | 26,5lb

163x42x11 cm
64,2x16,5x4,3 in
84x84x38 cm
33x33x15 in

18,8kg | 41,4lb




Certifications:



PENDANT LAMPS

LÁMPARAS COLGANTES



80cm | 31,5in

80x80cm | 31,5x31,5in



Aimei ref. AI04

LAMP SHADE TULIPA
Ash wood
Fresno

DIFFUSER DIFUSOR
Glass sphere
Esfera de vidrio

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system PHASE CONTROL

NET WEIGHT
PESO NETO

9,5kg | 21lb

95x95x88 cm
37,4x37,4x34,6 in

39kg | 86lb



Certifications:



Energy efficiency: A+
Eficiencia energética: A+

Aros ref. AR04



LAMP SHADE TULIPA
Polypropylene
Polipropileno

Painted steel
Acero pintado

One color: white
Un color: blanco



B

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

- E27 LED Vintage- Max. 1x12 W
- E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

1,1kg | 2,4lb



60x60x33 cm
23,6x23,6x13 in
3,2kg | 7,9lb



Certifications:



Aros ref. AR04-LD

LED

LED / DIMMABLE



LAMP SHADE TULIPA
Polypropylene
Polipropileno

Painted steel
Acero pintado

One color: white
Un color: blanco



B

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

2kg | 4,4lb



60x60x33 cm
23,6x23,6x13 in
3,3kg | 7,4lb



- 100-277V - 60Hz
- 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Energy efficiency: A+
Eficiencia energética: A+

Certifications:



Ballet Plié ref. BAPI04



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable



CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

- E27 LED Vintage- Max. 1x12 W
- E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

1,2kg | 2,6lb



60x60x33 cm
23,6x23,6x13 in
3,6kg | 7,2lb



Certifications:





Ballet Plié ref. BAPIO4-LD

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Inside diffuser
Difusor interior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz
 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

2,1kg | 4,6lb



60x60x33 cm
23,6x23,6x13 in
4,3kg | 9,7lb



Energy efficiency: A+
Eficiencia energética: A+



73x60cm | 28,7x23,6in



Ballet Relevé ref. BARE04

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 08cm | 3,1in
120V: 012cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz
 E27 LED Vintage- Max. 1x12 W
 E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1kg | 2,2lb



44x44x40 cm
17,3x17,3x15,7 in
2kg | 4,6lb



Energy efficiency: A++ to E
Eficiencia energética: A++ a E




46x20cm | 18,1x7,9in



Ballet Relevé ref. BARE04-LD LED / DIMMABLE

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz
 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

1,7kg | 3,7lb



44x44x40 cm
17,3x17,3x15,7 in
2,8kg | 6,3lb



Energy efficiency: A+
Eficiencia energética: A+



46x20cm | 18,1x7,9in

Ballet Elancé ref. BALA04



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 08cm | 3,1in
120V: 012cm | 4,7in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

1,1kg | 2,4lb

44x44x40 cm
17,3x17,3x15,7 in
2,4kg | 5,3lb



Certifications:




Ballet Elancé ref. BALA04-LD LED / DIMMABLE



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Inside diffuser
Difusor interior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Dimming system DALI / Switch DIM upon request PHASE CUT

NET WEIGHT
PESO NETO

1,9kg | 4,2lb

44x44x40 cm
17,3x17,3x15,7 in
3,2kg | 7lb



Energy efficiency: A+
Eficiencia energética: A+

Certifications:



Bety Eco ref. BECO04



LAMP SHADE TULIPA
Pressed Cellulose
Celulosa prensada

One color to choose
Un color a elegir



*picture color: 42
*color de la fotografía: 42

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 08cm | 3,1in
120V: 012cm | 4,7in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

2,1kg | 4,6lb

47x47x63 cm
18,5x18,5x24,8 in
3kg | 6,6lb



Certifications:





LED

Bety Eco ref. BECO04-LD

LAMPSHADE TULIPA
Pressed Cellulose
Celulosa prensada

One color to choose
Un color a elegir



*picture color: 42
*color de la fotografía: 42

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

2,5kg | 5,5lb




47x47x63 cm
18,5x18,5x24,8 in



Certifications:



Energy efficiency: A+
Eficiencia energética: A+



Blum ref. BL04

LAMPSHADE TULIPA
Painted stainless steel
thread
Hilo de acero inoxidable
pintado

One color : white
Un color: blanco



B

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W
E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,3kg | 2,9lb



44x44x40 cm
17,3x17,3x15,7 in
2,7kg | 5,1lb



Certifications:



Caos ref. CA04A

LAMPSHADE TULIPA
Cord
Cordón

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W
E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,1kg | 2,4lb



44x44x40 cm
17,3x17,3x15,7 in
1,5kg | 3,3lb



Certifications:





LED

Caos ref. CA04A-LD

LAMPSHADE TULIPA
Cord
Cordón

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Energy efficiency: A+
Eficiencia energética: A+

NET WEIGHT
PESO NETO

1,8kg | 4lb



2kg | 4,6lb



Certifications:



Caos ref. CA04B

LAMPSHADE TULIPA
Cord
Cordón

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 08cm | 3,1in
120V: 012cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS


230V - 50Hz
E27 LED Vintage- Max. 1x12 W

120V - 60Hz
E27 LED Standard- Max. 1x12 W

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,1kg | 2,4lb



Certifications:



LED

Caos ref. CA04B-LD

LAMPSHADE TULIPA
Cord
Cordón

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Energy efficiency: A+
Eficiencia energética: A+

NET WEIGHT
PESO NETO

1,7kg | 3,7lb



Certifications:



Caos ref. CA04AG



LAMPSHADE TULIPA
Cord
Cordón

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

1,7kg | 3,7lb



51x51x53 cm
20x20x20,9 in
3,8kg | 8,6lb



Certifications:

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

120V - 60Hz

E26 LED - Max. 1x12 W

LED Caos ref. CA04AG-LD

LAMPSHADE TULIPA
Cord
Cordón

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

2,3kg | 5,1lb



51x51x53 cm
20x20x20,9 in
4kg | 8,8lb



Certifications:

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

Energy efficiency: A+
Eficiencia energética: A+

Coral Cay ref. COCY04

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

1,1kg | 2,4lb



36x36x30 cm
14,2x14,2x11,8 in
1,6kg | 3,4lb



Certifications:

CABLE
Transparent or black
Transparente o negro

Standard: 150cm | 59,1in

Length/largo customizable

120V: 200cm | 78,7in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E



Coral Cay ref. COCY04-LD

LED




30cm | 11,8in

Ø 30cm | 11,8in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

LED / DIMMABLE

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

1,3kg | 2,9lb



36x36x30 cm
14,2x14,2x11,8 in




Certifications:



Coral Galaxea ref. COGA04

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W
E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

1,2kg | 2,6lb



36x36x30 cm
14,2x14,2x11,8 in



120V - 60Hz

E26 LED - Max. 1x12 W

Certifications:



Coral Galaxea ref. COGA04-LD

LED / DIMMABLE

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

1,9kg | 4,2lb



36x36x30 cm
14,2x14,2x11,8 in



100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Certifications:



37cm | 14,6in


Ø 24cm | 9,4in

Coral Reef ref. CORE04



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 08cm | 3,1in
120V: 012cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,6kg | 3,5lb

66x32x23 cm
26x12,6x9,1

2,2kg | 4,8lb



Certifications:



Coral Reef ref. CORE04-LD LED / DIMMABLE



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

2,4kg | 5,3lb

66x32x23 cm
26x12,6x9,1 in

2,9kg | 6,4lb



Certifications:



Coral Sea ref. COSE04



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 08cm | 3,1in
120V: 012cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,4kg | 3,1lb

36x36x30 cm
14,2x14,2x11,8 in

2kg | 4,4lb



Certifications:






LED

Coral Sea ref. COSE04-LD

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

1,9kg | 4,2lb



44x44x40 cm
17,3x17,3x15,7 in
2,5kg | 5,5lb



100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Certifications:
CE cUL us


Energy efficiency: A+
Eficiencia energética: A+



Coral Seaurchin ref. COAU04

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W
E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

1,7kg | 3,7lb



44x44x40 cm
17,3x17,3x15,7 in
2,9kg | 6,4lb



120V - 60Hz

E26 LED - Max. 1x12 W

Certifications:
CE cUL us

Energy efficiency: A++ to E
Eficiencia energética: A++ a E



LED

Coral Seaurchin ref. COAU04-LD LED / DIMMABLE

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

2,4kg | 5,3lb



44x44x40 cm
17,3x17,3x15,7 in
3kg | 6,9lb



100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Certifications:
CE cUL us

Energy efficiency: A+
Eficiencia energética: A+

Coral Seaurchin ref. COAU04G




41cm | 16,1in

Ø 70cm | 27,6 in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø12cm | 4,7in
120V: Ø12cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz



E27 LED Vintage- Max. 4x12 W

120V - 60Hz



E27 LED Standard- Max. 4x12 W

NET WEIGHT
PESO NETO

4,5kg | 9,9lb



71x71x42 cm
28x28x16,5 in
7,2kg | 15,9lb



Certifications:



Coral Seaurchin ref. COAU04G-LD LED / DIMMABLE

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz



Dimming system DALI / Switch DIM

NET WEIGHT
PESO NETO

4,5kg | 9,9lb



71x71x42 cm
28x28x16,5 in
8kg | 17,6lb




Energy efficiency: A+
Eficiencia energética: A+



Curvas ref. CV04-1

LAMP SHADE TULIPA
Glass
Vidrio

One color to choose
Un color a elegir



CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz



E14 LED Standard- Max. 1x7 W

NET WEIGHT
PESO NETO

0,7kg | 1,5lb



21x21x22 cm
8,3x8,3x8,7 in
1,7kg | 3,7lb





120V - 60Hz



E12 LED - Max. 1x7 W


Certifications:



11,5cm | 4,5in


Ø 15cm | 5,9in

Curvas ref. CV04



LAMP SHADE TULIPA
Glass
Vidrio

One color to choose
Un color a elegir



Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz



NET WEIGHT
PESO NETO

2,1kg | 4,6lb

44x44x40 cm
17,3x17,3x15,7 in
4,4kg | 9,7lb



Certifications:



CABLE
Transparent or black
Transparente o negro

Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in


Energy efficiency: A++ to E
Eficiencia energética: A++ a E

Curvas ref. CV04G



LAMP SHADE TULIPA
Glass
Vidrio

One color to choose
Un color a elegir





Top and bottom diffuser
Difusor superior e inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz



NET WEIGHT
PESO NETO

5,6kg | 12,3lb

60x80x45 cm
23,6x31,5x17,7 in
12,4kg | 27,3lb



Certifications:



Fluo ref. FL04



LAMP SHADE TULIPA
Galvanized painted steel
Acero galvanizado pintado

One color: white
Un color: blanco



GOOD DESIGN
2009

CANOPY FLORÓN
Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado y
acero inoxidable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz



NET WEIGHT
PESO NETO

3,3kg | 7,3lb

82x77x75 cm
32,3x30,3x29,5 in
9,8kg | 21,6lb



Certifications:



Gea ref. GEO4



45cm | 17,7in

Ø 19cm | 7,5in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO


1,1kg | 2,4lb



66x32x23 cm
26x12,6x9,1 in
2kg | 4,4lb



Certifications:



Gea ref. GEO4-LD




45cm | 17,7in

Ø 19cm | 7,5in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

1,9kg | 4,2lb



66x32x23 cm
26x12,6x9,1 in
2,5kg | 5,8lb



Energy efficiency: A+
Eficiencia energética: A+

Certifications:



Gea ref. GEO4-EXT



45cm | 17,7in

Ø 19cm | 7,5in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

CANOPY FLORÓN
Steel and stainless steel
Coated with epoxy paint
in black
Acero y acero inoxidable
Pintado con pintura de
poliéster en negro

TECHNICAL DATA OUTDOOR
DESCRIPCIÓN TÉCNICA
EXTERIOR

STANDARDS TESTED |
NORMAS ENSAYADAS
EN 60598
EN 60529

Degree IP | Grado IP
IP64

CABLE
Black waterproof
neoprene cable
H05RN-F
Cable de neopreno
negro resistente al agua
HR05RN-F Standard:
150cm | 59,1in
Length/largo
customizable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

220-240V ~ 50/60Hz

E27 LED Standar - Max. 1x15 W
BULB A60 G125 G95 ST64

Only LED BULB suitable for
contact with water and use
in humid conditions

Solamente Bombillas LED
aptas para el contacto con
el agua y utilización en
condiciones de humedad

NET WEIGHT
PESO NETO

2,1kg | 4,6lb



66x32x23 cm
26x12,6x9,1 in
2,4kg | 5,5lb



Certifications:



* Please note that for environments with a high salinity, proper maintenance of the luminaire will be necessary. We recommend cleaning it with a soft brush and remove salt, dust, or dirt deposited by moisture or wind.

*Tenga en cuenta que para ambientes con alto grado de salinidad, será necesario realizar un correcto mantenimiento de la luminaria. Recomendamos limpiar con un cepillo suave y retirar la sal, el polvo o la suciedad depositada por la humedad o el viento.

Kite ref. KT04-LD

LED

9cm | 3,5in



92x84cm | 36,2x33in [diagonal]

LAMPSHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Painted steel
Acero pintado

CANOPY FLORÓN

Stainless steel
Acero inoxidable

230V: 13x11cm | 5,1x4,3in
120V: 13x11cm | 5,1x4,3in

CABLE

Transparent
Transparente

Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LED / DIMMABLE

LIGHT SOURCE BUILT-IN FUENTE DE LUZ INCLUIDA

230V - 50Hz

24W 3000K 2527lm built-in
upon request 2700K 2449lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

6kg | 13,2lb



71x71x15 cm
28x28x5,9 in

9kg | 19,8lb



100-277V - 60Hz

24W 3000K 2527lm built-in
upon request 2700K 2449lm

Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Certifications:



Kite ref. KT04G-LD

LED

9cm | 3,5in



134x120cm | 52,7x47,2in [diagonal]

LAMPSHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Painted steel
Acero pintado

CANOPY FLORÓN

Stainless steel
Acero inoxidable

230V: 13x11cm | 5,1x4,3in
120V: 13x11cm | 5,1x4,3in

CABLE

Transparent
Transparente

Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LED / DIMMABLE

LIGHT SOURCE BUILT-IN FUENTE DE LUZ INCLUIDA

230V - 50Hz

48W 3000K 5054lm built-in
upon request 2700K 4898lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

10,6kg | 23,4lb



102x102x13 cm
40,2x40,2x5,1 in

13kg | 28,7lb



100-277V - 60Hz

48W 3000K 5054lm built-in
upon request 2700K 4898lm

Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Certifications:



Luisa ref. LS04



40cm | 16in

Ø 40cm | 16in

LAMPSHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN

Steel gloss nickel-plated
Acero níquel-satinado

230V: 08cm | 3,1in
120V: 012cm | 4,7in

CABLE

Transparent
Transparente

Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

1,6kg | 3,5lb



44x44x40 cm
17,3x17,3x15,7 in

3kg | 6,6lb



Certifications:





LED

Luisa ref. LS04-LD

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE

Transparent
Transparente
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz
 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

2,4kg | 5,3lb



44x44x40 cm
17,3x17,3x15,7 in
3,5kg | 7,1lb



Energy efficiency: A+
Eficiencia energética: A+

Certifications:



Luisa ref. LS04G

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE

Transparent
Transparente
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W
 E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

2,7kg | 6lb



51x51x53 cm
20x20x20,9 in
4kg | 9lb



120V - 60Hz

E26 LED - Max. 1x12 W

Certifications:



LED

Luisa ref. LS04G-LD

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE

Transparent
Transparente
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz
 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

3,3kg | 7,3lb



51x51x53 cm
20x20x20,9 in
4,6kg | 10,1lb



100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Energy efficiency: A+
Eficiencia energética: A+

Certifications:



Mytilus ref. MY04

LED



17cm | 6,7in

60x47cm | 23,6x18,5in *

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color: white
Un color: blanco



BL

DIFFUSER DIFUSOR
Glass sphere
Esfera de vidrio

*approximate measurements
*medidas aproximadas

CANOPY FLORÓN
Steel painted in white
Acero pintado en blanco

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

LED / DIMMABLE

NET WEIGHT
PESO NETO

3kg | 6,6lb

230V - 50Hz
8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

60x60x22 cm
23,6x23,6x8,7 in
5,5kg | 12,1lb



Certifications:



CABLE
Transparent
Transparente

120V - 60Hz
8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system PHASE CONTROL

Energy efficiency: A+
Eficiencia energética: A+

Mytilus ref. MY04G

LED



22cm | 8,7in

90x74cm | 35,4x29,1in *

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color: white
Un color: blanco



BL

DIFFUSER DIFUSOR
Glass sphere
Esfera de vidrio

*approximate measurements
*medidas aproximadas

CANOPY FLORÓN
Steel painted in white
Acero pintado en blanco

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

LED / DIMMABLE

NET WEIGHT
PESO NETO

6,5kg | 14,3lb

230V - 50Hz
8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

82x97x30 cm
32,3x38,2x11,8 in
7,6kg | 16,7lb



Certifications:



CABLE
Transparent
Transparente

120V - 60Hz
8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system PHASE CONTROL

Energy efficiency: A+
Eficiencia energética: A+

Nevo ref. NE04-1

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado
y acero inoxidable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

NET WEIGHT
PESO NETO

1,2kg | 2,6lb

230V - 50Hz
E14 LED Vintage - Max. 2x7 W
E14 LED Standard- Max. 2x7 W

36x36x31 cm
14,2x14,2x12,2 in
2,3kg | 5lb



Certifications:



CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

120V - 60Hz
E12 LED - Max. 2x7 W

Energy efficiency: A++ to E
Eficiencia energética: A++ a E



20cm | 7,9in

Ø 38cm | 15in




Nevo ref. NE04-1-LD



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Inside diffuser
Difusor interno

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE

Transparent
Transparente
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Energy efficiency: A+
Eficiencia energética: A+

NET WEIGHT
PESO NETO

1,9kg | 4,2lb



36x36x31 cm
14,2x14,2x12,2 in
2,6kg | 5,1lb



Certifications:



Nevo ref. NE04



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado
y acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado y
acero inoxidable

230V: Ø15,1cm | 5,9(4,7)in
120V: Ø15,1cm | 5,9(4,7)in

CABLE

Transparent
Transparente
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 3x8 W

E27 LED Standard- Max. 3x8 W

120V - 60Hz

E26 LED - Max. 3x8 W

NET WEIGHT
PESO NETO

3,1kg | 6,8lb



60x60x33 cm
23,6x23,6x13 in
5kg | 11lb



Certifications:



Nevo ref. NE04G



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado
y acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado y
acero inoxidable

230V: Ø15,1cm | 5,9(4,7)in
120V: Ø15,1cm | 5,9(4,7)in

CABLE

Transparent
Transparente
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 4x12 W

E27 LED Standard- Max. 4x12 W

120V - 60Hz

E26 LED - Max. 4x12 W

NET WEIGHT
PESO NETO

5,6kg | 12,3lb



84x84x38 cm
33x33x15 in
9,4kg | 20,7lb



Certifications:



Onn ref. ON04-1



LAMPSHADE TULIPA Painted stainless steel Acero inoxidable pintado	CANOPY FLORÓN Steel gloss nickel-plated Acero níquel-satinado	RECOMMENDED BULBS BOMBILLAS RECOMENDADAS	NET WEIGHT PESO NETO
One color to choose Un color a elegir	230V: 08cm 3,1in 120V: 012cm 4,7in	230V - 50Hz	0,8kg 1,8lb
 CUSTOM COLOR	CABLE Transparent or black Transparente o negro Standard: 150cm 59,1in Length/largo customizable 120V: 200cm 78,7in	E27 LED Vintage- Max. 1x12 W E27 LED Standard- Max. 1x12 W	 36x36x31 cm 14,2x14,2x12,2 in 1,2kg 2,7lb
Stainless steel Acero inoxidable	120V - 60Hz	E26 LED - Max. 1x12 W	
	Energy efficiency: A++ to E Eficiencia energética: A++ a E		Certifications:  

Onn ref. ON04-1-LD



LAMPSHADE TULIPA Painted stainless steel Acero inoxidable pintado	CANOPY FLORÓN Steel gloss nickel-plated Acero níquel-satinado	LIGHT SOURCE BUILT-IN FUENTE DE LUZ INCLUIDA	NET WEIGHT PESO NETO
One color to choose Un color a elegir	230V: 014,2cm 5,6in 120V: 014,2cm 5,6in	230V - 50Hz	1kg 2,2lb
 CUSTOM COLOR	CABLE Transparent or black Transparente o negro Standard: 150cm 59,1in Length/largo customizable 120V: 200cm 78,7in	8W 3000K 1067lm built-in upon request 2700K 960lm Dimming system DALI / Switch DIM upon request PHASE CUT	 36x36x31 cm 14,2x14,2x12,2 in 1,6kg 3,6lb
Stainless steel Acero inoxidable	120V - 60Hz	8W 3000K 1067lm built-in upon request 2700K 960lm Dimming system PHASE CONTROL	
Bottom diffuser Difusor inferior	Energy efficiency: A+ Eficiencia energética: A+		Certifications:  

Onn ref. ON04



LAMPSHADE TULIPA Painted stainless steel Acero inoxidable pintado	CANOPY FLORÓN Steel gloss nickel-plated Acero níquel-satinado	RECOMMENDED BULBS BOMBILLAS RECOMENDADAS	NET WEIGHT PESO NETO
One color to choose Un color a elegir	230V: 08cm 3,1in 120V: 012cm 4,7in	230V - 50Hz	1,4kg 3,1lb
 CUSTOM COLOR	CABLE Transparent or black Transparente o negro Standard: 150cm 59,1in Length/largo customizable 120V: 200cm 78,7in	E27 LED Vintage- Max. 1x12 W E27 LED Standard- Max. 1x12 W	 44x44x40 cm 17,3x17,3x15,7 in 3kg 6,6lb
Stainless steel Acero inoxidable	120V - 60Hz	E26 LED - Max. 1x12 W	
	Energy efficiency: A++ to E Eficiencia energética: A++ a E		Certifications:  




LED

Onn ref. ON04-LD

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

2kg | 4,4lb



44x44x40 cm
17,3x17,3x15,7 in
3,8kg | 8,4lb




Certifications:
CE cUL us



Onn ref. ON04G

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 3x12 W
E27 LED Standard- Max. 3x12 W

NET WEIGHT
PESO NETO

2,3kg | 5,1lb



51x51x53 cm
20x20x20,9 in
4,8kg | 10,6lb



Certifications:
CE cUL us




LED

Onn ref. ON04G-LD

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

3,4kg | 7,5lb



51x51x53 cm
20x20x20,9 in
5,6kg | 12,3lb



Certifications:
CE cUL us

Pili ref. PL04



LAMPSHADE TULIPA
Painted stainless steel thread
Hilo de acero inoxidable pintado
One color: white
Un color: blanco



B

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 08cm | 3,1in
120V: 012cm | 4,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

0,8kg | 1,8lb

44x44x40 cm
17,3x17,3x15,7 in
2,5kg | 5,5lb




Certifications:

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

040 cm | 15,7in

Pili ref. PL04G



LAMPSHADE TULIPA
Painted stainless steel thread
Hilo de acero inoxidable pintado
One color: white
Un color: blanco



B

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 08cm | 3,1in
120V: 012cm | 4,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

1,3kg | 2,9lb

51x51x53 cm
20x20x20,9 in
3,4kg | 7,5lb




Certifications:

055 cm | 21,7in

Shio ref. SH04-1-LD

LED



LAMPSHADE TULIPA

Plywood
Tablero marino
Painted steel
Acero pintado

One color to choose
Un color a elegir



Top and bottom diffuser
Difusor superior e inferior

CANOPY FLORÓN

Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

12W 3000K 1085lm built-in
upon request 2700K 1017lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

3,3kg | 7,3lb

120V - 60Hz

12W 3000K 1085lm built-in
upon request 2700K 1017lm

Dimming system PHASE CONTROL

44x44x20 cm
17,3x17,3x7,9 in
4,7kg | 10,5lb



Certifications:

Energy efficiency: A+
Eficiencia energética: A+




Shio ref. SH04-LD

LED

LAMPSHADE TULIPA
Plywood
Tablero marino

Painted steel
Acero pintado

One color to choose
Un color a elegir



Top and bottom diffuser
Difusor superior e
inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

CABLE

Transparent or black
Transparente o negro

Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LED / DIMMABLE
LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

24W 3000K 2005lm built-in
upon request 2700K 1880lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

24W 3000K 2005lm built-in
upon request 2700K 1880lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

6kg | 13,lb



60x60x22 cm
23,6x23,6x8,7 in
8,4kg | 18,5lb



Certifications:
CE cUL us



Tati ref. TA04-1

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado
y acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado y
acero inoxidable

230V: 015,1cm | 5,9(4,7)in
120V: 015,1cm | 5,9(4,7)in

CABLE

Transparent or black
Transparente o negro

Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x8 W

E27 LED Standard- Max. 1x8 W

120V - 60Hz

E26 LED - Max. 1x8 W

NET WEIGHT
PESO NETO


2kg | 4,4lb



60x60x33 cm
23,6x23,6x13 in
3kg | 6,6lb



Certifications:
CE cUL us



Tati ref. TA04-1-LD

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado y
acero inoxidable

Inside diffuser
Difusor interno

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

CABLE

Transparent or black
Transparente o negro

Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

2,2kg | 4,8lb




60x60x33 cm
23,6x23,6x13 in
3,5kg | 7,1lb



Certifications:
CE cUL us

Tati ref. TA04



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR
Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

230V: Ø15(12)cm | 5,9(4,7)in
120V: Ø15(12)cm | 5,9(4,7)in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 3x12 W

120V - 60Hz

E27 LED Standard- Max. 3x12 W

E26 LED - Max. 3x12 W

NET WEIGHT
PESO NETO

3,1kg | 6,8lb



60x60x33 cm
23,6x23,6x13 in
4kg | 8,8lb



Certifications:



Tati ref. TA04G



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR
Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

230V: Ø15(12)cm | 5,9(4,7)in
120V: Ø15(12)cm | 5,9(4,7)in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 4x12 W

E27 LED Standard- Max. 4x12 W

120V - 60Hz

E26 LED - Max. 4x12 W

NET WEIGHT
PESO NETO

4,3kg | 9,5lb



84x84x38 cm
33,1x33,1x15 in
10,2kg | 22,5lb



Certifications:



Tempo Andante ref. TEANO4



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,6kg | 3,5lb



66x32x23 cm
26x12,6x9,1 in
1,8kg | 4lb



Certifications:



Tempo Andante ref. TEAN04-LD LED / DIMMABLE

LED



50cm | 19,6in

25x23cm | 9,8x9in

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz
 18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Dimming system DALI / Switch DIM upon request PHASE CUT

100-277V - 60Hz
 18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Dimming system 0-10 V upon request PHASE CONTROL (only 120V)

Energy efficiency: A+
Eficiencia energética: A+

NET WEIGHT
PESO NETO

2,1kg | 4,6lb

66x32x23 cm
26x12,6x9,1 in
2,4kg | 5,5lb



Certifications:



Tempo Andante ref. TEAN04-EXT



50cm | 19,6in

25x23cm | 9,8x9in

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

CANOPY FLORÓN
Steel and stainless steel
Coated with epoxy paint
in black
Acero y acero inoxidable
Pintado con pintura de
poliéster en negro

TECHNICAL DATA OUTDOOR
DESCRIPCIÓN TÉCNICA

EXTERIOR
STANDARDS TESTED |
NORMAS ENSAYADAS
EN 60598
EN 60529

Degree IP | Grado IP
IP64

CABLE
Black waterproof neoprene
cable H05RN-F
Cable de neopreno negro
resistente al agua H05RN-F
Standard: 150cm | 59,1in
Length/largo customizable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

220-240V ~ 50/60Hz
 E27 LED Standar - Max. 1x15 W
 E27 LED Vintage - Max. 1x15 W
BULB A60 G125 G95 ST64

Only LED BULB suitable for
contact with water and use in
humid conditions
Solamente Bombillas LED
aptas para el contacto con
el agua y utilización en
condiciones de humedad

NET WEIGHT
PESO NETO

1,6kg | 3,5lb

66x32x23 cm
26x12,6x9,1 in
1,8kg | 4lb



Certifications:



* Please note that for environments with a high salinity, proper maintenance
of the luminaire will be necessary. We recommend cleaning it with a soft
brush and remove salt, dust, or dirt deposited by moisture or wind.

*Tenga en cuenta que para ambientes con alto grado de salinidad, será necesario
realizar un correcto mantenimiento de la luminaria. Recomendamos limpiar con
un cepillo suave y retirar la sal, el polvo o la suciedad depositada por la humedad
o el viento.

Tempo Vivace ref. TEV104



27cm | 10,6in

43x39cm | 16,9x15,3in

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 08cm | 3,1in
120V: 012cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz
 E27 LED Vintage- Max. 1x12 W
 E27 LED Standard- Max. 1x12 W

120V - 60Hz
 E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,6kg | 3,5lb

44x44x40 cm
17,3x17,3x15,7 in
2,2kg | 4,8lb



Certifications:



Tempo Vivace ref. TEV104-LD LED / DIMMABLE



LED

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

2,2kg | 4,6lb



44x44x40 cm
17,3x17,3x15,7 in
3kg | 6,6lb



Certifications:



Energy efficiency: A+
Eficiencia energética: A+



Tempo Vivace ref. TEV104-EXT

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

CANOPY FLORÓN
Steel and stainless steel
Coated with epoxy paint
in black
Acero y acero inoxidable
Pintado con pintura de
poliéster en negro

TECHNICAL DATA OUTDOOR
DESCRIPCIÓN TÉCNICA

EXTERIOR

STANDARDS TESTED |
NORMAS ENSAYADAS

EN 60598

EN 60529

Degree IP | Grado IP
IP64

CABLE

Black waterproof neoprene
cable H05RN-F

Cable de neopreno negro
resistente al agua H05RN-F

Standard: 150cm | 59,1in
Length/largo customizable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

220-240V ~ 50/60Hz

E27 LED Standard - Max. 1x15 W

E27 LED Vintage - Max. 1x15 W
BULB A60 G125 G95 ST64

Only LED BULB suitable for
contact with water and use in
humid conditions
Solamente Bombillas LED
aptas para el contacto con
el agua y utilización en
condiciones de humedad

NET WEIGHT
PESO NETO

2,2kg | 4,6lb



44x44x40 cm
17,3x17,3x15,7 in
3kg | 6,6lb



Certifications:



* Please note that for environments with a high salinity, proper maintenance
of the luminaire will be necessary. We recommend cleaning it with a soft
brush and remove salt, dust, or dirt deposited by moisture or wind.

* Tenga en cuenta que para ambientes con alto grado de salinidad, será necesario
realizar un correcto mantenimiento de la luminaria. Recomendamos limpiar con
un cepillo suave y retirar la sal, el polvo o la suciedad depositada por la humedad
o el viento.

Tina ref. TN04

LAMP SHADE TULIPA
Polypropylene
Polipropileno

Painted steel
Acero pintado

One color: white
Un color: blanco



B

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE

Transparent or black
Transparente o negro

Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO


2,1kg | 4,6lb



110x31x25 cm
43,3x12,2x9,8 in
3,8kg | 8,3lb



Certifications:





Ø 80cm | 31,5in

Tina ref. TN04-LD

LED

LAMP SHADE TULIPA
Polypropylene
Polipropileno

Painted steel
Acero pintado

One color: white
Un color: blanco



B

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

3,2kg | 7,1lb



110x31x25 cm
43,3x12,2x9,8 in

4,3kg | 9,7lb



Certifications:



Ø 90cm | 35,4in

Tina ref. TN04G

LAMP SHADE TULIPA
Polypropylene
Polipropileno

Painted steel
Acero pintado

One color: white
Un color: blanco



B

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W
E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

3kg | 6,6lb



110x31x25 cm
43,3x12,2x9,8 in

5,1kg | 11,2lb



Certifications:



Ø 90cm | 35,4in

Tina ref. TN04G-LD

LED

LAMP SHADE TULIPA
Polypropylene
Polipropileno

Painted steel
Acero pintado

One color: white
Un color: blanco



B

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

4kg | 8,8lb



110x31x25 cm
43,3x12,2x9,8 in

5,7kg | 12,6lb



Certifications:





Ura 1 ref. UR104

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,8kg | 4lb

60x60x33 cm
23,6x23,6x13 in
4,2kg | 9,2lb



Certifications:



Ura 1 ref. UR104-LD

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

2,3kg | 5,1lb

60x60x33 cm
23,6x23,6x13 in
4,7kg | 10,4lb




Certifications:



Ura 2 ref. UR204

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,1kg | 2,4lb

46x24x25 cm
18,1x9,4x9,8 in
1,6kg | 3,5lb



Certifications:






LED

Ura 2 ref. UR204-LD

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Energy efficiency: A+
Eficiencia energética: A+

NET WEIGHT
PESO NETO

1,7kg | 3,7lb



46x24x25 cm
18,1x9,4x9,8 in

2,1kg | 4,6lb



Certifications:



Ura 3 ref. UR304

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 08cm | 3,1in
120V: 012cm | 4,7in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,3kg | 2,9lb



36x36x31 cm
14,2x14,2x12,2 in

1,6kg | 3,5lb



Certifications:



Ura 3 ref. UR304-LD

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

CABLE

Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

1,8kg | 4lb




36x36x31 cm
14,2x14,2x12,2 in


2kg | 4,4lb



Certifications:



Uxi ref. UX04-LD



LAMPSHADE TULIPA

Plywood
Tablero marino

One color to choose
Un color a elegir



Top and bottom diffuser
Difusor superior e inferior

CANOPY FLORÓN

Stainless steel
Acero inoxidable

230V: 13x11cm | 5,1x4,3in
120V: 13x11cm | 5,1x4,3in

LIGHT SOURCE BUILT-IN

FUENTE DE LUZ INCLUIDA

230V - 50Hz


24W 3000K 3659lm built-in
upon request 2700K 3550lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT

PESO NETO

5,7kg | 12,6lb



Certifications:



CABLE

Transparent or black
Transparente o negro

Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

Energy efficiency: A++
Eficiencia energética: A++

100-277V - 60Hz

24W 3000K 3659lm built-in
upon request 2700K 3550lm

Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Virginia ref. VG04A



LAMPSHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN

Steel gloss nickel-plated
Acero níquel-satinado

230V: 08cm | 3,1in
120V: 012cm | 4,7in

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

NET WEIGHT

PESO NETO


3,5kg | 7,7lb



120V - 60Hz

E26 LED - Max. 1x12 W

Certifications:



Virginia ref. VG04A-LD



LAMPSHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Stainless steel
Acero inoxidable

CANOPY FLORÓN

Steel gloss nickel-plated
Acero níquel-satinado

230V: 014,2cm | 5,6in
120V: 014,2cm | 5,6in

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1845lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT

PESO NETO

3,8kg | 8,4lb




100-277V - 60Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

Energy efficiency: A+

Efficiencia energética: A+



Virginia ref. VG04A-EXT



40cm | 15,7in

Ø38cm | 15in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

CANOPY FLORÓN
Steel and stainless steel
Coated with epoxy paint in black
Acero y acero inoxidable
Pintado con pintura de poliéster en negro

Black waterproof neoprene cable H05RN-F

Cable de neopreno negro resistente al agua H05RN-F Standard:
150cm | 59,1in
Length/largo customizable

TECHNICAL DATA OUTDOOR
DESCRIPCIÓN
TÉCNICA EXTERIOR
STANDARDS TESTED | NORMAS ENSAYADAS
EN 60598
EN 60529

Degree IP | Grado IP
IP64

CABLE

Black waterproof neoprene cable H05RN-F

Cable de neopreno negro resistente al agua H05RN-F Standard:
150cm | 59,1in
Length/largo customizable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

220-240V ~ 50/60Hz

E27 LED Standar - Max. 1x15 W
BULB A60 G125 G95 ST64

Only LED BULB suitable for contact with water and use in humid conditions Solamente Bombillas LED aptas para el contacto con el agua y utilización en condiciones de humedad

NET WEIGHT
PESO NETO

3,5kg | 7,7lb



44x44x50cm
17,3x17,3x19,7in
4,2kg | 9,3lb



Certifications:



* Please note that for environments with a high salinity, proper maintenance of the luminaire will be necessary. We recommend cleaning it with a soft brush and remove salt, dust, or dirt deposited by moisture or wind.

*Tenga en cuenta que para ambientes con alto grado de salinidad, será necesario realizar un correcto mantenimiento de la luminaria. Recomendamos limpiar con un cepillo suave y retirar la sal, el polvo o la suciedad depositada por la humedad o el viento.

Virginia ref. VG04B



30cm | 11,8in

Ø35cm | 13,8in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø8cm | 3,1in
120V: Ø12cm | 4,7in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

NET WEIGHT
PESO NETO

3kg | 6,6lb



41x41x40 cm
16,1x16,15,7 in
3,7kg | 8,2lb



Certifications:



Virginia ref. VG04B-LD



30cm | 11,8in

Ø35cm | 13,8in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Stainless steel
Acero inoxidable

Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Steel gloss nickel-plated
Acero níquel-satinado

230V: Ø14,2cm | 5,6in
120V: Ø14,2cm | 5,6in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

3,3kg | 7,3lb



41x41x40 cm
16,1x16,15,7 in
4kg | 8,8lb



Energy efficiency: A+
Eficiencia energética: A+



Virginia ref. VG04B-EXT



LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

CANOPY FLORÓN

Steel and stainless steel
Coated with epoxy paint in black
Acero y acero inoxidable
Pintado con pintura de poliéster en negro

TECHNICAL DATA OUTDOOR
DESCRIPCIÓN
TÉCNICA EXTERIOR
STANDARDS TESTED |
NORMAS ENSAYADAS
EN 60598
EN 60529

Degree IP | Grado IP
IP64

CABLE

Black waterproof neoprene cable H05RN-F
Cable de neopreno negro resistente al agua H05RN-F Standard:
150cm | 59,1in Length/largo customizable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS


220-240V ~ 50/60Hz



Only LED BULB suitable for contact with water and use in humid conditions Solamente Bombillas LED aptas para el contacto con el agua y utilización en condiciones de humedad

NET WEIGHT
PESO NETO

3kg | 6,6lb



Certifications:



* Please note that for environments with a high salinity, proper maintenance of the luminaire will be necessary. We recommend cleaning it with a soft brush and remove salt, dust, or dirt deposited by moisture or wind.


*Tenga en cuenta que para ambientes con alto grado de salinidad, será necesario realizar un correcto mantenimiento de la luminaria. Recomendamos limpiar con un cepillo suave y retirar la sal, el polvo o la suciedad depositada por la humedad o el viento.

V ref. VV04



LAMPSHADE TULIPA
Polycarbonate
Policarbonato

One color to choose
Un color a elegir



Glass diffuser
Difusor de vidrio

CANOPY FLORÓN
Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

230V: 015(12)cm | 5,9(4,7)in
120V: 015(12)cm | 5,9(4,7)in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in


RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz



NET WEIGHT
PESO NETO

5,4kg | 12lb



Certifications:




Energy efficiency: A++ to E
Eficiencia energética: A++ a E

V ref. VV04G



LAMPSHADE TULIPA
Polycarbonate
Policarbonato

One color to choose
Un color a elegir



Glass diffuser
Difusor de vidrio

CANOPY FLORÓN
Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

230V: 015(12)cm | 5,9(4,7)in
120V: 015(12)cm | 5,9(4,7)in

CABLE
Transparent or black
Transparente o negro
Standard: 200cm | 78,7in
Length/largo customizable
120V: 200cm | 78,7in


RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz



NET WEIGHT
PESO NETO

12kg | 26,5lb



Certifications:



Energy efficiency: A++ to E
Eficiencia energética: A++ a E




Vento ref. VN04-LD

LED

LAMPSHADE TULIPA
Glass
Vidrio

One color to choose
Un color a elegir



Color combination



Bottom diffuser
Difusor inferior

CANOPY FLORÓN
Stainless steel
Acero inoxidable

230V: 13x11cm | 5,1x4,3in
120V: 13x11cm | 5,1x4,3in

CABLE
Transparent or black
Transparente o negro
Standard: 150cm | 59,1in
Length/largo customizable
120V: 200cm | 78,7in

LED / DIMMABLE
LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

24W 3000K 2721lm built-in
upon request 2700K 2637lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

100-277V - 60Hz
24W 3000K 2721lm built-in
upon request 2700K 2637lm
Dimming system 0-10 V
upon request PHASE CONTROL (only 120V)

NET WEIGHT
PESO NETO

5,6kg | 12,3lb



125x31x32 cm
49,2x12,2x12,6 in

9,8kg | 21,6lb



Certifications:



96x19cm | 37,8x7,5in

Bottom diffuser
Difusor inferior

Energy efficiency: A++
Eficiencia energética: A++



Woods ref. WD04

LAMPSHADE TULIPA
Birch
Abedul



Glass diffuser
Difusor de vidrio

CANOPY FLORÓN
Painted steel
Acero pintado

230V: 060cm | 23,6in
120V: 060cm | 23,6in

CABLE
Transparent
Transparente

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W
E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

14,3kg | 31,5lb




60x60x33 cm
23,6x23,6x13 in

17kg | 37,7lb



Certifications:



*Height is not adjustable on site
*Altura no ajustable

COMPOSITIONS

COMPOSICIONES

Ballet ref. BA04-3



LAMPSHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Color combinations upon request
Combinaciones de color bajo pedido

Stainless steel
Acero inoxidable

ref. 1xBAPI04, 1xBARE04,
1xBALE04

LAMPSHADE TULIPA

Cord
Cordón
One color to choose
Un color a elegir



Color combinations upon request
Combinaciones de color bajo pedido

Stainless steel
Acero inoxidable

ref. 3xCA04A

CANOPY FLORÓN

DIBOND®

230V: 060cm | 23,6in
120V: 060cm | 23,6in

CABLE

Transparent or black
Transparente o negro

Lenght/largo customizable

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 3x12 W

E27 LED Standard- Max. 3x12 W

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT

PESO NETO

5,7kg | 12,6lb



60x80x116 cm

23,6x31,5x45,7 in

14kg | 30,2lb



Certifications:



Caos ref. CA04A-3

LAMPSHADE TULIPA

Cord
Cordón
One color to choose
Un color a elegir



Color combinations upon request
Combinaciones de color bajo pedido

Stainless steel
Acero inoxidable

ref. 3xCA04A

CANOPY FLORÓN

DIBOND®

230V: 060cm | 23,6in
120V: 060cm | 23,6in

CABLE

Transparent
Transparente

Lenght/largo customizable

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 3x12 W

E27 LED Standard- Max. 3x12 W

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT

PESO NETO

6,6kg | 14,6lb



60x80x92 cm

23,6x31,5x36,2 in

10,5kg | 23,1lb



Certifications:



Caos ref. CA04AB-3



LAMPSHADE TULIPA

Cord
Cordón

One color to choose
Un color a elegir



Color combinations upon request
Combinaciones de color bajo pedido

Stainless steel
Acero inoxidable

ref. 1xCA04A, 2xCA04B

*picture colors: 48, 49, 51

*colores de la fotografía: 48, 49, 51

Caos ref. CA04A-4

LAMPSHADE TULIPA

Cord
Cordón

One color to choose
Un color a elegir



Color combinations upon request
Combinaciones de color bajo pedido

Stainless steel
Acero inoxidable

ref. 3xCA04A, 1xCA04AG

Caos ref. CA04A-6

LAMPSHADE TULIPA

Cord
Cordón

One color to choose
Un color a elegir



Color combinations upon request
Combinaciones de color bajo pedido

Stainless steel
Acero inoxidable

ref. 6xCA04A

*picture colors: 42, 46, 52

*colores de la fotografía: 42, 46, 52

CANOPY FLORÓN

DIBOND®

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz



E27 LED Standard- Max. 3x12 W

120V - 60Hz



E26 LED - Max. 3x12 W

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz



E27 LED Standard- Max. 4x12 W

120V - 60Hz



E26 LED - Max. 4x12 W

NET WEIGHT

PESO NETO

6,6kg | 14,6lb



60x80x92 cm
23,6x31,5x36,2 in

10,5kg | 23,1lb



Certifications:



NET WEIGHT

PESO NETO

7,7kg | 17,2lb



80x120x115 cm
31,5x47,2x45,3 in

18kg | 39,6lb



Certifications:



NET WEIGHT

PESO NETO

14kg | 30,9lb



80x120x115 cm
31,5x47,2x45,3 in

20kg | 44lb



Certifications:






Coral ref. C004-3

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Color combinations upon request
Combinaciones de color bajo pedido

Stainless steel
Acero inoxidable

ref. 1xC0AU04, 1xCOSE04,
1xCOGA04

CANOPY FLORÓN
DIBOND®

230V: 060cm | 23,6in
120V: 060cm | 23,6in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 3x12 W

E27 LED Standard- Max. 3x12 W

NET WEIGHT
PESO NETO

6,9kg | 15,2lb

60x80x85 cm
23,6x31,5x33,5 in
12kg | 26,5lb



Certifications:



Coral ref. C004-5

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Color combinations upon request
Combinaciones de color bajo pedido

Stainless steel
Acero inoxidable

ref. 1xC0AU04, 1xCOCY04,
1xCOSE04, 1xCOGA04,
1xCORE04

CANOPY FLORÓN
DIBOND®

230V: 060cm | 23,6in
120V: 060cm | 23,6in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 5x12 W

E27 LED Standard- Max. 5x12 W

NET WEIGHT
PESO NETO

9,6kg | 21,2lb

60x80x110 cm
23,6x31,5x43,3 in
17,5kg | 38,6lb



Certifications:



Coral ref. C004-10

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Color combinations upon request
Combinaciones de color bajo pedido

Stainless steel
Acero inoxidable

ref. 2xC0AU04, 1xCOCY04,
2xCOSE04, 2xCOGA04,
2xCORE04, 1xCOAU04G

CANOPY FLORÓN
DIBOND®

230V: 0120cm | 47,2in
120V: 0120cm | 47,2in

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 13x12 W

E27 LED Standard- Max. 13x12 W

NET WEIGHT
PESO NETO

35,3kg | 77,8lb


80x125x138 cm
31,5x49,2x54,3 in
56kg | 123,5lb



Certifications:



Curvas ref. CV04C-3



LAMP SHADE TULIPA

Glass
Vidrio

One color to choose
Un color a elegir



BOTTOM DIFFUSER

Difusor inferior

ref. 3xCV04

*picture color: 02

*color de la fotografía: 02

CANOPY FLORÓN

DIBOND®

230V: 060cm | 23,6in
120V: 060cm | 23,6in

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 3x12 W

E27 LED Standard- Max. 3x12 W

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT

PESO NETO

8kg | 17,6lb




60x80x95 cm
23,6x31,5x37,4 in
16kg | 35lb



Certifications:



Curvas ref. CV04-7



LAMP SHADE TULIPA

Glass
Vidrio

One color to choose
Un color a elegir



BOTTOM DIFFUSER

Difusor inferior

ref. 7xCV04

*picture color: 02

*color de la fotografía: 02

CANOPY FLORÓN

DIBOND®

230V: 0100cm | 39,4in

120V: 0100cm | 39,4in

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 7x12 W

E27 LED Standard- Max. 7x12 W

120V - 60Hz

E26 LED - Max. 7x12 W

NET WEIGHT

PESO NETO

18kg | 39,7lb



80x120x125 cm
31,5x47,2x49,2 in
35kg | 77lb



Certifications:



Fluo ref. FL04-4



LAMP SHADE TULIPA

Galvanized painted steel
Acero galvanizado pintado

One color: white
Un color: blanco



ref. 4xFL04

CANOPY FLORÓN

Stainless steel
Acero inoxidable

230V: 014cm | 5,51in

h10cm | 3,9in

120V: 014cm | 5,51in

h10cm | 3,9in

RECOMMENDED BULBS

BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 4x12 W

E27 LED Standard- Max. 4x12 W

120V - 60Hz

E26 LED - Max. 4x12 W

NET WEIGHT

PESO NETO

11,3kg | 25lb



77x82x139 cm
30,3x32,3x54,7 in
22kg | 48,5lb



2009

Certifications:



Transport not included
Transporte no incluido


*For UE member countries, references: AC03, AF03, FL04-4 and FL04-16, will be served EXW O Milladoiro (INCOTERMS® 2020, ICC Paris). Transport costs full at customer charges.
*Para las referencias: AC03, AF03, FL04-4 y FL04-16 se cargarán los costes de transporte en factura.

Fluo ref. FL04-16



LAMPSHADE TULIPA
Galvanized painted steel
Acero galvanizado pintado

One color: white
Un color: blanco



CANOPY FLORÓN
Stainless steel
Acero inoxidable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS



230V - 50Hz

E27 LED Vintage- Max. 16x12 W

E27 LED Standard- Max. 16x12 W

NET WEIGHT
PESO NETO

57kg | 125,6lb



135kg | 297lb



Certifications:



Transport not included
Transporte no incluido

ref. 16xFL04

CABLE

Transparent
Transparente

Lenght/largo customizable*

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

120V - 60Hz

E26 LED - Max. 16x12 W

*Height is not adjustable on site


*Altura no ajustable

Mytilus ref. MY04-3



LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color: white
Un color: blanco



DIFFUSER DIFUSOR
Glass sphere
Esfera de vidrio

ref. 3xMY04G

*approximate measurements
*medidas aproximadas

CANOPY FLORÓN
Steel painted in white
Acero pintado en blanco

230V: 015(12)cm | 5,9(4,7)in
120V: 015(12)cm | 5,9(4,7)in

CABLE

Transparent
Transparente

Lenght/largo customizable

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz
 25W 3000K 3201lm built-in
upon request 2700K 2880lm

Dimming system DALI / Switch DIM

100-277V - 60Hz

25W 3000K 3201lm built-in
upon request 2700K 2880lm

Dimming system 0-10 V

NET WEIGHT
PESO NETO

25,5kg | 56,2lb



Certifications:



Nevo ref. NE04-6



LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Color combinations upon request
Combinaciones de color bajo pedido

Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado
y acero inoxidable

ref. 3xNE06P, 3xNE04-1

CANOPY FLORÓN
DIBOND®

230V: 060cm | 23,6in
120V: 060cm | 23,6in

CABLE

Transparent
Transparente

Lenght/largo customizable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E14 LED Vintage- Max. 12x7 W

E14 LED Standard- Max. 12x7 W

NET WEIGHT
PESO NETO

9,4kg | 20,7lb



Certifications:



90x90cm | 35,4x35,4in

*For UE member countries, references: AC03, AF03, FL04-4 and FL04-16, will be served EXW O Milladoiro [INCOTERMS® 2020, ICC Paris]. Transport costs full at customer charges.
*Para las referencias: AC03, AF03, FL04-4 y FL04-16 se cargarán los costes de transporte en factura.



140cm | 55,1in

250cm | 98,4in

125x125cm | 49,2x49,2in

Nevo ref. NE04-11

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Color combinations upon request
Combinaciones de color bajo pedido

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

ref. 4xNE06P, 7xNE04-1

CANOPY FLORÓN
DIBOND®

230V: 0120cm | 47,2in
120V: 0120cm | 47,2in

CABLE

Transparent
Transparente

Lenght/largo customizable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz



120V - 60Hz



NET WEIGHT
PESO NETO

10kg | 22lb



80x125x135 cm
31,5x49,2x53,1 in
53kg | 116,8lb



Certifications:



30cm | 11,8in

250cm | 98,4in

80x80cm | 31,5x31,5in

Tati ref. TA04-3

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Color combinations upon request
Combinaciones de color bajo pedido

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

ref. 3xTA06G

CANOPY FLORÓN
DIBOND®

230V: 060cm | 23,6in
120V: 060cm | 23,6in

CABLE

Transparent
Transparente

Lenght/largo customizable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz



120V - 60Hz



NET WEIGHT
PESO NETO

6kg | 13,2lb



60x80x82 cm
23,6x31,5x32,3 in
19kg | 41,9lb



Certifications:



60cm | 23,6in


250cm | 98,4in

85x85cm | 33,5x33,5in

Tati ref. TA04-5

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Color combinations upon request
Combinaciones de color bajo pedido

Steel gloss nickel-plated and Stainless steel
Acero níquel-satinado y acero inoxidable

ref. 3xTA06G, 2xTA06P

CANOPY FLORÓN
DIBOND®

230V: 060cm | 23,6in
120V: 060cm | 23,6in

CABLE

Transparent
Transparente

Lenght/largo customizable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz



120V - 60Hz



NET WEIGHT
PESO NETO

8,9kg | 19,6lb



60x80x82 cm
23,6x31,5x32,3 in
25kg | 55,1lb



Certifications:



Tati ref. TA04-10



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Color combinations upon request
Combinaciones de color bajo pedido

Steel gloss nickel-plated
and Stainless steel
Acero níquel-satinado
y acero inoxidable

ref. 6xTA06G, 4xTA06P

CANOPY FLORÓN
DIBOND®

230V: 0120cm | 47,2in
120V: 0120cm | 47,2in

CABLE

Transparent
Transparente

Lenght/largo customizable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

- E14 LED Vintage- Max. 20x7 W
- E14 LED Standard - Max. 20x7 W

120V - 60Hz

- E12 LED - Max. 20x7 W

NET WEIGHT
PESO NETO

19kg | 41,9lb



Certifications:



Tina ref. TN04-5



LAMP SHADE TULIPA

Polypropylene
Polipropileno

One color: white
Un color: blanco



Painted steel
Acero pintado

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

ref. 5xTN04

CANOPY FLORÓN

DIBOND®

230V: 0120cm | 47,2in
120V: 0120cm | 47,2in

CABLE

Transparent
Transparente

Lenght/largo customizable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

- E27 LED Vintage- Max. 5x12 W
- E27 LED Standard- Max. 5x12 W

120V - 60Hz

- E26 LED - Max. 5x12 W

NET WEIGHT
PESO NETO

18kg | 39,7lb



Certifications:



200x200cm | 78,7x78,7in


Ura ref. UR04-3



LAMP SHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Color combinations upon request
Combinaciones de color bajo pedido

Stainless steel
Acero inoxidable

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

ref. 1xUR104, 1xUR204, 1xUR304

CANOPY FLORÓN

DIBOND®

230V: 060cm | 23,6in
120V: 060cm | 23,6in

CABLE

Transparent or black
Transparente o negro

Lenght/largo customizable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

- E27 LED Vintage- Max. 3x12 W
- E27 LED Standard- Max. 3x12 W

120V - 60Hz

- E26 LED - Max. 3x12 W

NET WEIGHT
PESO NETO

10,2kg | 22,5lb



Certifications:



WALL & CEILING LAMPS

APLIQUES Y PLAFONES

Ballet ref. BA06

35cm | 13,7in



15cm | 5,9in

36cm | 14,2in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

SUPPORT SOPORTE
Painted steel
Acero pintado

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall lamp
Aplique

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x8W

E27 LED Standard- Max. 1x8 W

120V - 60Hz

E26 LED - Max. 1x8 W

NET WEIGHT
PESO NETO

0,6kg | 1,3lb

44x44x20 cm
17,3x17,3x7,9 in
1,9kg | 4,2lb



Certifications:



35cm | 13,7in



15cm | 5,9in

36cm | 14,2in

LED

Ballet ref. BA06-LD

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Inside diffuser
Difusor interno

SUPPORT SOPORTE
Painted steel
Acero pintado

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall lamp
Aplique

LED / DIMMABLE
LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system PHASE CUT

120V - 60Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system PHASE CONTROL

NET WEIGHT
PESO NETO

1kg | 2,3lb


44x44x20 cm
17,3x17,3x7,9 in
1,9kg | 4,2lb



Certifications:



Blum ref. BL06



LAMP SHADE TULIPA
Painted stainless steel thread
Hilo de acero inoxidable pintado

One color: white
Un color: blanco



B

SUPPORT SOPORTE
Painted steel
Acero pintado

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall lamp
Aplique

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x12 W

E27 LED Standard- Max. 1x12 W

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT
PESO NETO

1,1kg | 2,4lb


44x44x40 cm
17,3x17,3x15,7 in
1,5kg | 3,3lb



Certifications:




Cors ref. CR06



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall lamp
Aplique

Energy efficiency: A+ to C
Eficiencia energética: A+ a C

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

G9 LED - Max. 2x4 W

120V - 60Hz

G9 LED - Max. 2x4 W

NET WEIGHT
PESO NETO

0,6kg | 1,3lb

51x19x27 cm
20,1x7,5x10,6 in
1kg | 2,2lb



Certifications:



Cors ref. CR06-LD



LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



Inside diffuser
Difusor interno

SUPPORT SOPORTE
Steel gloss nickel-plated and stainless steel
Acero níquel-satinado y acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall lamp
Aplique

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system PHASE CUT

NET WEIGHT
PESO NETO

1,1kg | 2,4lb

120V - 60Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system PHASE CONTROL

51x19x27 cm
20,1x7,5x10,6 in
1,5kg | 3,3lb



Energy efficiency: A+
Eficiencia energética A+

Certifications:



Kala ref. KL06



24cm | 9,4in

14cm | 5,5in

22cm | 8,7in*

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN

Wall lamp
Aplique

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz



G9 LED - Max. 2x4 W

120V - 60Hz



G9 LED - Max. 2x4 W

NET WEIGHT
PESO NETO

0,6kg | 1,3lb



34x24x15 cm
13,4x9,4x5,9 in

1kg | 2,2lb




*Width 110V: 24cm|9,4in

Certifications:



Kala ref. KL06-LD

LED




24cm | 9,4in

14cm | 5,5in

24cm | 9,4in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Inside diffuser
Difusor interno

SUPPORT SOPORTE
Steel gloss nickel-plated and stainless steel
Acero níquel-satinado y acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN

Wall lamp
Aplique

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm
Dimming system PHASE CUT

NET WEIGHT
PESO NETO

1,1kg | 2,4lb



34x24x15 cm
13,4x9,4x5,9 in

1,5kg | 3,3lb



Energy efficiency: A+
Eficiencia energética A+

Certifications:



Kite ref. KT06-LD

LED



92cm | 36,2in

84cm | 33,1in

9cm | 3,5in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN

Wall & ceiling lamp
Aplique & plafón

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

24W 3000K 3780lm built-in
upon request 2700K 3636lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

8,5kg | 18,7lb



71x71x15 cm
28x28x5,9 in

9,2kg | 20,3lb



Energy efficiency: A++
Eficiencia energética: A++

Certifications:





Kite ref. KT06G-LD

LED

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE
INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

48W 3000K 7560lm built-in

upon request 2700K 7272lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

7,5kg | 16,5lb



102x102x13 cm
40,1x40,1x5,1 in
11kg | 24,2lb



120V - 60Hz

48W 3000K 7560lm built-in

upon request 2700K 7272lm

Dimming system 0-10 V
upon request PHASE CONTROL

Certifications:



Energy efficiency: A++
Eficiencia energética: A++

Li ref. LI06

LED

LAMPSHADE TULIPA
Pressed Cellulose
Celulosa prensada

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE
INSTALACIÓN
Wall lamp
Aplique

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

11,8W 3000K 1805lm built-in

upon request 2700K

Dimming system PHASE CUT

NET WEIGHT
PESO NETO

1,2kg | 2,6lb



70x21x12 cm
27,6x8,3x4,7 in
2kg | 4,4lb




120V - 60Hz

11,8W 3000K 1805lm built-in

upon request 2700K

Dimming system PHASE CONTROL

Certifications:



Energy efficiency: A+
Eficiencia energética: A+

Li ref. LI06G

LED

LAMPSHADE TULIPA
Pressed Cellulose
Celulosa prensada

One color to choose
Un color a elegir



SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE
INSTALACIÓN
Wall lamp
Aplique

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

23,6W 3000K 2768lm built-in

upon request 2700K

Dimming system PHASE CUT

NET WEIGHT
PESO NETO

2,9kg | 6,4lb



110x31x25 cm
43,3x12,2x9,8 in
4,7kg | 10,4lb



120V - 60Hz

23,6W 3000K 2768lm built-in

upon request 2700K

Dimming system PHASE CONTROL

Certifications:



Energy efficiency: A+
Eficiencia energética: A+

Li ref. LI06G-D

LED

103,5cm | 40,7in



LAMPSHADE TULIPA

Pressed Cellulose
Celulosa prensada

One color to choose
Un color a elegir



SUPPORT SOPORTE

Stainless steel
Acero inoxidable

MOUNTING OPTIONS

OPCIONES DE
INSTALACIÓN

Wall lamp
Aplique

LED / DIMMABLE

LIGHT SOURCE BUILT-IN FUENTE DE LUZ INCLUIDA

230V - 50Hz

23,6W 3000K 2768lm built-in
upon request 2700K

Dimming system DALI / Switch DIM

120V - 60Hz

23,6W 3000K 2768lm built-in
upon request 2700K

Dimming system 0-10V

NET WEIGHT PESO NETO

2,9kg | 6,4lb



110x31x25 cm
43,3x12,2x9,8 in
4,7kg | 10,4lb



Certifications:



Energy efficiency: A+
Eficiencia energética: A+

Mytilus ref. MY06

LED

16cm | 6,3in



62cm | 24,4in

LAMPSHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color: white
Un color: blanco



DIFFUSER DIFUSOR

Glass sphere
Esfera de vidrio

*approximate measurements
*medidas aproximadas

LED / DIMMABLE

LIGHT SOURCE BUILT-IN FUENTE DE LUZ INCLUIDA

230V - 50Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system PHASE CUT

120V - 60Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system PHASE CONTROL

NET WEIGHT PESO NETO

3kg | 6,6lb



60x60x22 cm
23,6x23,6x8,7 in
4,5kg | 9,9lb



Certifications:



Energy efficiency: A+
Eficiencia energética: A+

Nevo ref. NE06P

LAMPSHADE TULIPA

Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

SUPPORT SOPORTE

Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

MOUNTING OPTIONS

OPCIONES DE
INSTALACIÓN

Wall lamp
Aplique

RECOMMENDED BULBS BOMBILLAS RECOMENDADAS

230V - 50Hz

G9 LED - Max. 1x4 W

120V - 60Hz

G9 LED - Max. 1x4 W

NET WEIGHT PESO NETO


0,8kg | 1,8lb



36x36x31 cm
14,2x14,2x12,2 in
1,8kg | 4lb



Certifications:



Energy efficiency: A+ to C
Eficiencia energética: A+ a C

31cm | 12,2in

31cm | 12,2in

17cm | 6,7in

Nevo ref. NE06P-LD

LED



31cm | 12,2in

31cm | 12,2in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Steel gloss nickel-plated and stainless steel
Acero níquel-satinado y acero inoxidable

Inside diffuser
Difusor interno

Nevo ref. NE06



38cm | 14,9in

38cm | 14,9in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Steel gloss nickel-plated and stainless steel
Acero níquel-satinado y acero inoxidable

SUPPORT SOPORTE
Steel gloss nickel-plated and stainless steel
Acero níquel-satinado y acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall lamp
Aplique

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm
Dimming system PHASE CUT

NET WEIGHT
PESO NETO

1,2kg | 2,6lb

36x36x31 cm
14,2x14,2x12,2 in
1,8kg | 4lb



Certifications:



120V - 60Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm
Dimming system PHASE CONTROL

Energy efficiency: A+
Eficiencia energética A+

Nevo ref. NE06-LD

LED



38cm | 14,9in

38cm | 14,9in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Steel gloss nickel-plated and stainless steel
Acero níquel-satinado y acero inoxidable

Inside diffuser
Difusor interno

SUPPORT SOPORTE
Steel gloss nickel-plated and stainless steel
Acero níquel-satinado y acero inoxidable

MOUNTING OPTIONS
OPCIONES DE INSTALACIÓN
Wall lamp
Aplique

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm
Dimming system PHASE CUT

NET WEIGHT
PESO NETO

1,4kg | 3,1lb

36x36x31 cm
14,2x14,2x12,2 in
2,2kg | 4,8lb



Energy efficiency: A+
Eficiencia energética A+

Certifications:



Onn ref. ON06

50cm | 19,7in



LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color: white
Un color: blanco



BL

SUPPORT SOPORTE
Painted steel
Acero pintado

MOUNTING OPTIONS
OPCIONES DE
INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

Energy efficiency: A++ to E
Eficiencia energética: A++ a E

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 1x8 W

E27 LED Standard- Max. 1x8 W

120V - 60Hz

E26 LED - Max. 1x8 W

NET WEIGHT
PESO NETO

3kg | 6,6lb

52x47x31 cm
20,5x18,5x12,2 in
4,4kg | 9,7lb



Certifications:



Onn ref. ON06-LD

50cm | 19,7in



LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color: white
Un color: blanco



BL

Inside diffuser
Difusor interno

SUPPORT SOPORTE
Painted steel
Acero pintado

MOUNTING OPTIONS
OPCIONES DE
INSTALACIÓN
Wall lamp
Aplique

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

24W 3000K 2945lm built-in
upon request 2700K 2860lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

120V - 60Hz

24W 3000K 2945lm built-in
upon request 2700K 2860lm

Dimming system DALI / Switch DIM
upon request PHASE CONTROL

NET WEIGHT
PESO NETO

3,5kg | 7,7lb

52x47x31 cm
20,5x18,5x12,2 in
4,4kg | 9,7lb



Certifications:



Onn ref. ON06G

73cm | 28,7in



LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color: white
Un color: blanco



BL

SUPPORT SOPORTE
Painted steel
Acero pintado

MOUNTING OPTIONS
OPCIONES DE
INSTALACIÓN
Wall lamp
Aplique

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E27 LED Vintage- Max. 3x8 W

E27 LED Standard- Max. 3x8 W

120V - 60Hz

E26 LED - Max. 3x8 W

NET WEIGHT
PESO NETO

7kg | 15,4lb

71x71x32 cm
28x28x12,6 in
8kg | 17,6lb



Certifications:



Planum ref. PM06R-LD

LED

96x96cm | 37,8 x37,8 in



8cm | 3,1 in

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE
INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

48W 3000K 7560lm built-in
upon request 2700K 7272lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

6,6kg | 14,6lb



102x102x15 cm
40,1x40,1x5,9 in
10kg | 22lb



100-277V - 60Hz

48W 3000K 7560lm built-in
upon request 2700K 7272lm

Dimming system 0-10 V
upon request PHASE CONTROL

Certifications:



Energy efficiency: A++
Eficiencia energética: A++

Planum ref. PM06PR-LD

LED

47cm | 18,5 in



96cm | 37,8 in

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE
INSTALACIÓN
Wall & ceiling lamp
Aplique & plafón

LED / DIMMABLE

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

24W 3000K 3780lm built-in
upon request 2700K 3636lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

NET WEIGHT
PESO NETO

2,8kg | 6,2lb



100x53x15 cm
39,4x20,9x5,9 in
5kg | 11lb



100-277V - 60Hz

24W 3000K 3780lm built-in
upon request 2700K 3636lm

Dimming system 0-10 V
upon request PHASE CONTROL

Certifications:



Energy efficiency: A++
Eficiencia energética: A++

Tati ref. TA06

19cm | 7,5in



23cm | 9in

15cm | 5,9 in

LAMPSHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

SUPPORT SOPORTE
Stainless steel
Acero inoxidable

MOUNTING OPTIONS
OPCIONES DE
INSTALACIÓN
Wall lamp
Aplique

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

G9 LED - Max. 2x4 W

120V - 60Hz

G9 LED - Max. 2x4 W

NET WEIGHT
PESO NETO

0,5kg | 1,1lb









34x24x15 cm
13,4x9,4x5,9 in
1kg | 2,2lb




Energy efficiency: A+ to C
Eficiencia energética: A+ a C

Certifications:



		Tati ref. TA06-LD	LED / DIMMABLE	
 19cm 7,5in 15cm 5,9 in	LED	<p>LAMPSHADE TULIPA Painted stainless steel Acero inoxidable pintado</p> <p>One color to choose Un color a elegir</p> <div style="display: flex; justify-content: space-around; align-items: center;">  BL BE G T </div> <div style="border: 1px solid black; padding: 2px; margin-top: 5px;"> CUSTOM COLOR </div> <p>Steel gloss nickel-plated and stainless steel Acero níquel-satinado y acero inoxidable</p>	<p>SUPPORT SOPORTE Steel gloss nickel-plated and stainless steel Acero níquel-satinado y acero inoxidable</p> <p>MOUNTING OPTIONS OPCIONES DE INSTALACIÓN Wall lamp Aplique</p>	<p>LIGHT SOURCE BUILT-IN FUENTE DE LUZ INCLUIDA</p> <hr/> <p>230V - 50Hz</p> <p>8W 3000K 1067lm built-in upon request 2700K 960lm Dimming system PHASE CUT</p> <hr/> <p>120V - 60Hz</p> <p>8W 3000K 1067lm built-in upon request 2700K 960lm Dimming system PHASE CONTROL</p> <p>Energy efficiency: A+ Eficiencia energética A+</p>
 34x24x15 cm 13,4x9,4x5,9 in 1kg 2,2lb	NET WEIGHT PESO NETO 0,7kg 1,5lb			
 Certifications:	CE UL us			
 31cm 12,2 in 19cm 7,5in	Tati ref. TA06P	<p>LAMPSHADE TULIPA Painted stainless steel Acero inoxidable pintado</p> <p>One color to choose Un color a elegir</p> <div style="display: flex; justify-content: space-around; align-items: center;">  BL BE G T </div> <div style="border: 1px solid black; padding: 2px; margin-top: 5px;"> CUSTOM COLOR </div> <p>Steel gloss nickel-plated and stainless steel Acero níquel-satinado y acero inoxidable</p>	<p>SUPPORT SOPORTE Steel gloss nickel-plated and stainless steel Acero níquel-satinado y acero inoxidable</p> <p>MOUNTING OPTIONS OPCIONES DE INSTALACIÓN Wall lamp Aplique</p>	<p>RECOMMENDED BULBS BOMBILLAS RECOMENDADAS</p> <hr/> <p>230V - 50Hz</p> <p>G9 LED - Max. 1x4 W</p> <hr/> <p>120V - 60Hz</p> <p>G9 LED - Max. 1x4 W</p> <p>Energy efficiency: A+ to C Eficiencia energética: A+ a C</p>
 36x36x31 cm 14,2x14,2x12,2 in 1kg 2,2lb	NET WEIGHT PESO NETO 0,8kg 1,8lb			
 Certifications:	CE UL us			
 31cm 12,2 in 20cm 7,9 in	LED	<p>LAMPSHADE TULIPA Painted stainless steel Acero inoxidable pintado</p> <p>One color to choose Un color a elegir</p> <div style="display: flex; justify-content: space-around; align-items: center;">  BL BE G T </div> <div style="border: 1px solid black; padding: 2px; margin-top: 5px;"> CUSTOM COLOR </div> <p>Steel gloss nickel-plated and stainless steel Acero níquel-satinado y acero inoxidable</p>	<p>SUPPORT SOPORTE Steel gloss nickel-plated and stainless steel Acero níquel-satinado y acero inoxidable</p> <p>MOUNTING OPTIONS OPCIONES DE INSTALACIÓN Wall lamp Aplique</p>	<p>LIGHT SOURCE BUILT-IN FUENTE DE LUZ INCLUIDA</p> <hr/> <p>230V - 50Hz</p> <p>8W 3000K 1067lm built-in upon request 2700K 960lm Dimming system PHASE CUT</p> <hr/> <p>120V - 60Hz</p> <p>8W 3000K 1067lm built-in upon request 2700K 960lm Dimming system PHASE CONTROL</p> <p>Energy efficiency: A+ Eficiencia energética A+</p>
 36x36x31 cm 14,2x14,2x12,2 in 1,5kg 3,3lb	NET WEIGHT PESO NETO 1,2kg 2,6lb			
 Certifications:	CE UL us			

Tati ref. TA06G



38cm | 15in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

SUPPORT SOPORTE
Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

RECOMMENDED BULBS
BOMBILLAS RECOMENDADAS

230V - 50Hz

E14 LED Vintage - Max. 2x7 W
E14 LED Standard - Max. 2x7 W

NET WEIGHT
PESO NETO

1kg | 2,2lb



52x47x31 cm
20,5x18,5x12,2 in

2,4kg | 5,3lb



120V - 60Hz


E12 LED - Max. 2x7 W

Certifications:



Tati ref. TA06G-LD

LED



38cm | 15in

LAMP SHADE TULIPA
Painted stainless steel
Acero inoxidable pintado

One color to choose
Un color a elegir



CUSTOM COLOR

Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

SUPPORT SOPORTE
Steel gloss nickel-plated
and stainless steel
Acero níquel-satinado
y acero inoxidable

LIGHT SOURCE BUILT-IN
FUENTE DE LUZ INCLUIDA

230V - 50Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system PHASE CUT

NET WEIGHT
PESO NETO

1,4kg | 3,1lb



52x47x31 cm
20,5x18,5x12,2 in

2,4kg | 5,3lb




120V - 60Hz

8W 3000K 1067lm built-in
upon request 2700K 960lm

Dimming system PHASE CONTROL

Energy efficiency: A+
Eficiencia energética A+

Certifications:



ACCESORIOS ACCESSORIES

CANOPY & PIECE TO MOVE THE ELECTRIC CABLE | FLORÓN & PIEZA PARA DESPLAZAMIENTO DE CABLE ELÉCTRICO



PIECE TO HOLD
THE STEEL CABLE
PIEZA PARA SUJECIÓN
DE CABLE DE ACERO

REF. PIEZA004



PIECE TO MOVE
THE ELECTRIC CABLE
PIEZA PARA DESPLAZAMIENTO
DE CABLE ELÉCTRICO

REF. PIEZA002

Option for luminaires
with electric cable only
Opción para luminarias
solamente con cable eléctrico

Option for luminaires with
electric and steel cable
Opción para luminarias con
cable eléctrico y de acero

CANOPY | FLORÓN

Canopy small Ø80mm
Florón pequeño Ø80mm

Finishing nickel-plated
Acabado níquel satinado

Maximum 3 outputs
Máximo 3 salidas

Ref. CAN8



Canopy medium Ø120mm
Florón mediano Ø120mm

Finishing nickel-plated
Acabado níquel satinado

Maximum 8 outputs
Máximo 8 salidas

Ref. CAN12



Type 1 Tipo 1

One side output
Salida por el lateral
hacia un lado



Type 2 Tipo 2

Around side output
Salida lateral alrededor



Type 3 Tipo 3

Downward output
Salida hacia abajo

Canopy large Ø142mm
Florón grande Ø142mm

Finishing nickel-plated
Acabado níquel satinado

Maximum 16 outputs
Máximo 16 salidas

Ref. CAN14



Output number Número de salidas

From 2 to 16 Desde 2 hasta 16

For a larger number of outputs, consult with us
Para un mayor número de salidas, consúltenos

LIGHT BULBS | BOMBILLAS

BASE	DESCRIPCIÓN	W	T (Kelvin)	REF.
E27 LED	Standard vintage Ø60mm	8	2700K 3000K	ELEC0907 ELEC0908
	Standard Dimmable vintage Ø60mm	8	2700K 3000K	ELEC0700 ELEC0909
	Standard vintage Ø67mm	12	2700K	ELEC0911
E14 LED Round	Round Vintage	4	2700K	ELEC0689
E14 LED Candel	Candel Vintage	4	2700K	ELEC0688
G9 LED	LED bi-pin 230V	4	2700K 3000K	ELEC0703 ELEC0655
2GX13	Circular Fluorescent	22 55	3000K 3000K	ELEC0542 ELEC0544

¹E.E.I.: Energy Efficiency Index. This index is only an estimate and may vary from one manufacturer to another.
Note: The brands provided are Osram or Philips. If those brands are not available, we will provide you with another of similar quality.

¹I.E.E.: Índice de Eficiencia Energética. Este índice es sólo una estimación y puede cambiar de un fabricante a otro.
Nota: Las marcas que se suministran son Osram o Philips. En caso de no disponer de las marcas indicadas, se suministrarán otras de calidad equivalente.



Headquarters:

Calor Color S.L.
C/ Castiñeiras 108A.
15895 O Milladoiro, A Coruña, Spain.
T. +34 981 814 600
F. +34 981 502 000
info@arturo-alvarez.com
www.a-emotionallight.com

Artwork Arturo Álvarez:
San Miguel de Sarandón, 9.
15885 Vedra, A Coruña, Spain.

©2020 Calor Color S.L.
All rights reserved.
Legal deposit: C 70-2020
Printed by Agencia Gráfica. Santiago de Compostela. Spain.

